G.F.®

ENJOY THE GARDEN

GENERAL CATALOGUE 2026

GF PRO

GF UNCONVENTIONAL

GF FOR OCEAN

GF RECO

GF PRO 6

• ABOVE-GROUND IRRIGATION

– Connectors and Terminals

01. Tap connectors 6
02. Connectors 8
03. High Flow Line 13
04. Metal Line 15
05. Nozzles and Ergonomic Nozzles 18
06. Spray Guns 20
07. Multi-jet Spray Guns 22
08. Border Sprayers 23
09. Circular Sprinklers 24
10. Oscillating Sprinklers 26
11. Pulsating Sprinklers 27

– Hose Reels and Hoses

12. Aquabag 28
13. Hose Reels 29
14. "Ready" Hose Reels 32
15. Hosepipes and Accessories 34
16. Special Hoses 36

• MICROIRRIGATION DRIP IRRIGATION

17. Aquaflora Smart 38
18. Programmers 39
19. Drippers 42
20. Micro-Sprinklers 44
21. Main Line Accessories 47
22. Secondary Line Accessories 50
23. Universal Accessories and Kit 52

• VARIOUS 55

• SUMMARY 108

GF UNCONVENTIONAL 59

Set of light Hoses and Expandable Hoses 62
Hose Reel Set 66
Programmers and Self Watering 70
Sunny Line 73
Modo 75
For /For2 75
Merchandising 76

• SUMMARY 110

GF FOR OCEAN 83

Aquabag 86
Aquapop 86
Aquaflora 87
Merchandising 88

• SUMMARY 111

GF RECO 91

Tap Fittings and Connectors 94
Nozzles, Spray Guns and Border Sprayers 96
Sprinklers 98
Hose Reels 99
Aquabag 100
Aquaflora Holiday 100
Dripper Kit 101
Recycled Hoses 103
Merchandising 107

• SUMMARY 111

since1966

Headquarter

CORREGGIO
(REGGIO EMILIA)
ITALY



200
employees

15.000 m²
production plants

4
factories

10.000 m²
warehouse

2.500 m²
offices

Exports to more than 50 countries

A vertically integrated company, from product design to tooling production, injection moulding and assembly.

Mission

We strive to transform garden care activities into an all-round wellness experience. Our passion guides us in the research of new top quality products. Our flexibility means we can adapt to meet each new challeng

Continuous research & evolution

We are guided by our passion for constant innovative progress to make high quality products, never resting on our laurels but always striving ahead. We meet each new challenge by giving our best to secure the best results. Due to the use of that most precious of resources: water, we strive to transform every garden space into an inexhaustible source of wellness. An international organisation operating in more than 50 countries. We have 50 years' experience in thermoplastic moulding and high-tech tooling design. Our products arise from the desire to keep one step ahead of the demands of our clients, offering a unique interpretation of market trends. We start from end users' needs so we can create technical products of superior quality that are easy to use and will always exceed expectations. A company with a lean structure and an efficiency-based business model that allow us to guarantee absolute quality and reliability, from the concept right through to sales. We offer our legacy of professional experience to develop products that combine style, emotion, function and passion for the upkeep of green spaces.

Strengths

The full spectrum: R&D department, a dynamic and creative marketing team to handle the product development process, from creation of the product design to placement on the market. Superb quality, thanks to careful selection of materials and an efficient and technologically refined manufacturing system. A highly effective logistics and sales system that guarantees capillary distribution and attentive customer services.

Quality makes the difference

Continual improvement of the quality of products and services, use of premium grade materials, control of products and processes, customer satisfaction analysis, energy saving, reduction of emissions and environmental impact: these are the priorities that have always guided our business. Compliance with **EN ISO 9001:2015 and EN ISO 14001:2015** is an important guarantee for clients and a testimony to the company's active and constant commitment.

QUALITY SYSTEM CERTIFICATION DNV·GL ISO 9001

ENVIRONMENTAL SYSTEM CERTIFICATION DNV·GL ISO 14001

2026 FROM ORIGINAL TO GF PRO

GFPRO is the new professional product line from GF, made with innovative and carefully selected materials. Designed for those who demand high performance, reliability, and long-lasting durability, GFPRO is built for intensive use, even in challenging environments. It combines technical innovation with outstanding build quality: every detail is engineered to ensure a safe, efficient, and long-lasting user experience, thanks to targeted design solutions and functional design.

Dedicated to all true serious gardeners, it's ideal for those who work with greater experience and precision. GFPRO meets the needs of the most demanding gardener with practical, modern, durable, and high-quality tools.
The line blends Italian design with ergonomics, offering a complete range of reliable and long-lasting irrigation products.

01/TAP CONNECTORS

ABOVE-GROUND IRRIGATION

A range of sizes, for every type of tap, perfect for easily connecting quick click connectors.

Threaded tap connector

- Internal screw thread for tap
- Grabbing surface
- Male connection to connect to the hose terminal

GF80005433	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,28** Kg	8 004779 054334
GF80003433	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,28** Kg	
GF80043433	pack	Box (LxWxH) cm **40x12,8x14**	**70** Pcs	**0,82** Kg	8 004779 034336

ø 3/4" 20 x 27 mm

Threaded tap connector

- Internal screw thread for tap
- Grabbing surface
- Male connection to connect to the hose terminal

GF80005432	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,31** Kg	8 004779 054327
GF80003432	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,32** Kg	
GF80043432	pack	Box (LxWxH) cm **40x12,8x14**	**70** Pcs	**0,91** Kg	8 004779 034329

ø 1" 26 x 34 mm

Smooth tap connector

To link the programmer to taps without threads.
With a metal clamp having a butterfly handle for secure use.

GF80005446	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,78** Kg	8 004779 054464
GF80043446	pack	Box (LxWxH) cm **40x12,8x14**	**25** Pcs	**1,67** Kg	8 004779 034466

12÷18 mm

Swivel tap connector

Swivel tap connector with 180° joint to connect the hose to the tap, to avoid k nks during use.

- 3/4" (20-27mm) tap connector

GF80005074	pack	Box (LxWxH) cm **30x24,5x11,7**	**10** Pcs	**0,90** Kg	8 004779 036682
GF80043074	pack	Box (LxWxH) cm **39x24x13,5**	**30** Pcs	**1,75** Kg	8 004779 036699

ø 3/4" 20 x 27 mm

Dual outlet tap connector

Dual outlet tap connector with differentiated water flow adjustment.
Flow-rate regulator-modulator for each outlet to adjust separately the flow rate until the total closing.
Useful for coupling more accessories simultaneously.

GF80005073	pack	Box (LxWxH) cm **37x24x19,5**	**8** Pcs	**1,50** Kg	8 004779 022999
GF80043073	pack	Box (LxWxH) cm **40x24,8x14**	**8** Pcs	**1,50** Kg	8 004779 023002

ø 3/4" 20 x 27 mm · 2 · MULTI function

Multi-outlet distributor for threaded taps

5 separate adjustable connections to link to hose connectors or programmers.
Has 3 adjustable ball-cocks.

GF80005072	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**4** Pcs	**1,21** Kg		8 004779 000409

ø 3/4" 20 x 27 mm | 5 | MULTI function

Threaded tap connector

- Internal screw thread for tap
- Grabbing surface
- Male connection to connect to the hose terminal

GF80005435	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,34** Kg		8 004779 054358
GF80003435	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,43** Kg		
GF80043435	pack	Box (LxWxH) cm **40x12,8x14**	**70** Pcs	**1,21** Kg		8 004779 034350

ø 1/2" 15 x 21 mm | ø 3/4" 20 x 27 mm

Threaded tap connector

- Internal screw thread for tap
- Grabbing surface
- Male connection to connect to the hose terminal

GF80005436	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,41** Kg		8 004779 003387
GF80003436	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,58** Kg		
GF80043436	pack	Box (LxWxH) cm **40x12,8x14**	**25** Pcs	**0,75** Kg		8 004779 003400

ø 3/4" 20 x 27 mm | ø 1" 26 x 34 mm

Threaded tap connector with kitchen and bath adapter

Connector with a threaded bronze coupling of 3/4" gas and M24x1 ext. + M22x1 int.

GF80002431	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,62** Kg		8 004779 007804

ø 3/4" 20 x 27 mm | M24 ø 3/4 GAS | universal

Ball-cock with flow control

With threaded 3/4" female connection it can be used for attaching hose connectors to the 5-outlet distributor.

GF80005001	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,49** Kg		8 004779 000423
GF80043001	pack	Box (LxWxH) cm **40x12,8x14**	**20** Pcs	**0,70** Kg		8 004779 000430

ø 3/4" 20 x 27 mm

Tap adaptor

Adaptor having 1" female and 3/4" male.

GF80003447	pack	Box (LxWxH) cm **15x15x12**	**10** Pcs	**0,22** Kg		

ø 1" 26 x 34 mm

Seals and o-rings kit

- 6 pcs. O-Rings for standard shanks
- 3 flat Seals of 3/4"(ø 20-27 mm)
- 1 flat Seal of 1"(ø 26-34 mm)

GF80005699	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,28** Kg	8 004779 056994

OR 3043 ø 10,8 x 2,6 mm | ø 3/4" 20 x 27 mm | ø 1" 26 x 34 mm

60 µm | 120 µm

Idro-Garden CFS 3" filter kit

For the protection of irrigation systems, or for washing machines, boilers and other installations.

- washable cartridge and filter unit in mesh
- applications: filtering of sand, flakes, mud, and fine material

GF80050106	pack 60µm	Box (LxWxH) cm **38x29x57**	**96** Pcs	**11,80** Kg	8 004779 001062
GF80050109	pack 120µm	Box (LxWxH) cm **38x29x57**	**96** Pcs	**11,80** Kg	8 004779 000614
GF80000109	pack 120µm	Box (LxWxH) cm **37x24x20**	**12** Pcs	**1,70** Kg	8 004779 001093

ø 3/4" 20 x 27 mm | MAX 35 l/min | H_2O 2 ÷ 7 BAR | H_2O 5°C MIN 40°C MAX

02/CONNECTORS

ABOVE-GROUND IRRIGATION

Practical and simple to use, "open" click connectors for connecting the tap connector to the hose, or with "acquastop" connector to connect accessories without dripping and without turning off the tap. The soft touch version with its soft rubber cover guarantees a perfect grip and an ergonomic design suitable for any use.

"Open" hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage..

GF80005020	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,49** Kg	8 004779 050206
GF80003020	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**25** Pcs	**0,77** Kg	
GF80043020	pack	Box (LxWxH) cm **40x24,8x14**	**60** Pcs	**1,98** Kg	8 004779 030208

ø1/2"-5/8" 12 - 15 mm

"ACQUASTOP" hose connector

For click-fitting the hose to various irrigation accessories. Automatic water stop-valve.

GF80005015	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,50** Kg	8 004779 050152
GF80003015	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**25** Pcs	**0,79** Kg	
GF80043015	pack	Box (LxWxH) cm **40x24,8x14**	**60** Pcs	**2,07** Kg	8 004779 030154

ø1/2"-5/8" 12 - 15 mm | ACQUASTOP

"Open" hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage.

GF80005023	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,51** Kg	8 004779 050237
GF80003023	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**25** Pcs	**0,95** Kg	
GF80043023	pack	Box (LxWxH) cm **40x24,8x14**	**60** Pcs	**2,37** Kg	8 004779 030239

ø 3/4" 16 - 19 mm

“ACQUASTOP” hose connector

For click-fitting the hose to various irrigation accessories. Automatic water stop-valve.

GF80005012	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,58** Kg		8 004779 050121
GF80003012	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**25** Pcs	**0,98** Kg		
GF80043012	pack	Box (LxWxH) cm **40x24,8x14**	**60** Pcs	**3,76** Kg		8 004779 030123

ø 3/4" 16 - 19 mm · ACQUASTOP

Hose connector with tap

Fitted at the end of the hose, it can adjust the water flow delivered by the attached irrigator.

GF80005024	pack	Box (LxWxH) cm **30x24,5x11,7**	**10** Pcs	**0,80** Kg		8 004779 016691
GF80003024	pack	Box (LxWxH) cm **23x15,5x15,7**	**25** Pcs	**1,25** Kg		
GF80043024	pack	Box (LxWxH) cm **40x24,8x14**	**30** Pcs	**1,60** Kg		8 004779 016714

ø1/2"-5/8" 12 - 15 mm

”Open” universal hose connector

Can be used with hoses of any diameter.
To click-fit the hose to the tap connector.
Uninterrupted water passage.

GF80005027	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,63** Kg		8 004779 050275
GF80003027	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**25** Pcs	**1,11** Kg		
GF80043027	pack	Box (LxWxH) cm **40x24,8x14**	**60** Pcs	**2,77** Kg		8 004779 030277

ø1/2" - 5/8" - 3/4" 12-15 mm 16-19 mm · universal

“ACQUASTOP” universal hose connector

Can be used with hoses of any diameter.
To click-fit the hose to various irrigation accessories.
Automatic water stop-valve.

GF80005017	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,64** Kg		8 004779 050176
GF80003017	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**25** Pcs	**1,20** Kg		
GF80043017	pack	Box (LxWxH) cm **40x24,8x14**	**60** Pcs	**2,89** Kg		8 004779 030178

ø1/2" - 5/8" - 3/4" 12-15 mm 16-19 mm · ACQUASTOP · universal

Hose connector with tap

Fitted at the end of the hose, it can adjust the water flow delivered by the attached irrigator.

GF80005029	pack	Box (LxWxH) cm **30x24,5x11,7**	**10** Pcs	**0,90** Kg		8 004779 016721
GF80003029	pack	Box (LxWxH) cm **23x15,5x15,7**	**25** Pcs	**1,43** Kg		
GF80043029	pack	Box (LxWxH) cm **40x24,8x14**	**30** Pcs	**1,75** Kg		8 004779 016745

ø 3/4" 16 - 19 mm

Repair connector
For repairing damaged hoses or joining two hoses.

GF80005439	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,37** Kg		8 004779 054396
GF80003439	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,51** Kg		
GF80043439	pack	Box (LxWxH) cm **40x12,8x14**	**40** Pcs	**0,94** Kg		8 004779 034398

ø1/2"-5/8" 12 - 15 mm

Repair connector
For repairing damaged hoses or joining two hoses.

GF80005437	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,54** Kg		8 004779 054372
GF80003437	pack	Box (LxWxH) cm **22,5x18,5x9**	**25** Pcs	**0,89** Kg		
GF80043437	pack	Box (LxWxH) cm **40x12,8x14**	**35** Pcs	**1,35** Kg		8 004779 034374

ø 3/4" 16 - 19 mm

"Universal" repair connector
Usable with hoses of any diameter.
For repairing damaged hoses or joining two hoses.

GF80005443	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,68** Kg		8 004779 000386
GF80003443	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**25** Pcs	**1,26** Kg		
GF80043443	pack	Box (LxWxH) cm **40x24,8x14**	**40** Pcs	**2,18** Kg		8 004779 000393

ø1/2" - 5/8" - 3/4" 12-15 mm 16-19 mm

universal

Two-way connector
For interconnecting TWO hose lines equipped with snap-fit hose connectors.

GF80005450	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,29** Kg		8 004779 054501
GF80003450	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,29** Kg		
GF80043450	pack	Box (LxWxH) cm **40x12,8x14**	**70** Pcs	**0,84** Kg		8 004779 034503

Three-way connector
For interconnecting THREE hose lines equipped with snap-fit hose connectors.

GF80005451	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,35** Kg		8 004779 054518
GF80003451	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,45** Kg		
GF80043451	pack	Box (LxWxH) cm **40x12,8x14**	**70** Pcs	**1,26** Kg		8 004779 034510

Threaded adaptor connector with male junction.

Allows hoses equipped with click connectors to be linked with irrigators having a female threaded inlet of 3/4"gas (ø 20-27 mm).)

GF80005429	pack	Box (LxWxH) cm **14,5x14,5x11**	**10** Pcs	**0,27** Kg	8 004779 054297
GF80003429	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,24** Kg	
GF80043429	pack	Box (LxWxH) cm **40x12,8x14**	**50** Pcs	**0,58** Kg	8 004779 034299

ø 3/4" GAS 20 x 27 mm

"OPEN" hose connector

For click-fitting the hose to the tap connector. Uninterrupted water passage.

GF80005042	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,50** Kg	8 004779 003202
GF80043042	pack	Box (LxWxH) cm **40x24,8x14**	**50** Pcs	**1,69** Kg	8 004779 003226

ø1/2"-5/8" 12 - 15 mm

soft touch

"ACQUASTOP" hose connector

For click-fitting the hose to various irrigation accessories. Automatic water stop-valve.

GF80005043	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,51** Kg	8 004779 003233
GF80043043	pack	Box (LxWxH) cm **40x24,8x14**	**50** Pcs	**1,80** Kg	8 004779 003257

ø1/2"-5/8" 12 - 15 mm

ACQUASTOP

soft touch

Open hose connector with Metal Nut

For click-fitting the hose to the tap connector.
Uninterrupted water passage.
Corrosion-resistant metal nut.

GF80006710	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**1,00** Kg	8 004779 044229
GF80043710	pack	Box (LxWxH) cm **40x24,8x14**	**50** Pcs	**3,20** Kg	8 004779 044236

ø1/2"-5/8" 12 - 15 mm

soft touch

Acquastop hose connector with Metal Nut

For click-fitting the hose to various irrigation accessories.
Automatic water stop-valve.
Corrosion-resistant metal nut.

GF80006711	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**1,00** Kg	8 004779 044243
GF80043711	pack	Box (LxWxH) cm **40x24,8x14**	**50** Pcs	**3,20** Kg	8 004779 044250

ø1/2"-5/8" 12 - 15 mm

ACQUASTOP

soft touch

”Open”universal hose connector

Can be used with hoses of any diameter.
To click-fit the hose to the tap connector.
Uninterrupted water passage.

GF80005046	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,64** Kg		8 004779 003325
GF80043046	pack	Box (LxWxH) cm **40x24,8x14**	**50** Pcs	**2,30** Kg		8 004779 003349

ø1/2" - 5/8" - 3/4" 12-15 mm 16-19 mm | universal | soft touch

“ACQUASTOP” universal hose connector

Can be used with hoses of any diameter.
To click-fit the hose to various irrigation accessories.
Automatic water stop-valve.

GF80005047	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,66** Kg		8 004779 003356
GF80043047	pack	Box (LxWxH) cm **40x24,8x14**	**50** Pcs	**2,47** Kg		8 004779 003370

ø1/2" - 5/8" - 3/4" 12-15 mm 16-19 mm | universal | soft touch | ACQUASTOP

“OPEN” hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage.

GF80005044	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,57** Kg		8 004779 003264
GF80043044	pack	Box (LxWxH) cm **40x24,8x14**	**50** Pcs	**2,05** Kg		8 004779 003288

ø 3/4" 16 - 19 mm | soft touch

“ACQUASTOP” hose connector

For click-fitting the hose to various irrigation accessories. Automatic water stop-valve.

GF80005045	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,58** Kg		8 004779 003295
GF80043045	pack	Box (LxWxH) cm **40x24,8x14**	**50** Pcs	**2,35** Kg		8 004779 003318

ø 3/4" 16 - 19 mm | ACQUASTOP | soft touch

Open hose connector with Metal Nut

For click-fitting the hose to the tap connector.
Uninterrupted water passage.
Corrosion-resistant metal nut.

GF80006712	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**1,6** Kg		8 004779 044267
GF80043712	pack	Box (LxWxH) cm **40x24,8x14**	**50** Pcs	**6,70** Kg		8 004779 044274

ø 3/4" 16 - 19 mm | soft touch

Acquastop hose connector with Metal Nut

For click-fitting the hose to various irrigation accessories.
Automatic water stop-valve.
Corrosion-resistant metal nut.

GF80006713	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**1,6** Kg		8 004779 044281
GF80043713	pack	Box (LxWxH) cm **40x24,8x14**	**50** Pcs	**6,70** Kg		8 004779 044298

ø 3/4" 16 - 19 mm | ACQUASTOP | soft touch

MADE IN ITALY

Threaded tap connector

For click-fitting the hose connector to the tap.

GF80005434	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,55** Kg		8 004779 000539
GF80043434	pack	Box (LxWxH) cm **40x12,8x14**	**25** Pcs	**0,99** Kg		8 004779 000546

ø 3/4" 20 x 27 | ø 1 26 x 34

MADE IN ITALY

"OPEN" hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage.

GF80005040	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**0,95** Kg		8 004779 000492
GF80043040	pack	Box (LxWxH) cm **40x24,8x14**	**20** Pcs	**1,98** Kg		8 004779 000508

ø 1" 25,4 mm

MADE IN ITALY

"OPEN" hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage.

GF80005041	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**0,95** Kg		8 004779 003417
GF80043041	pack	Box (LxWxH) cm **40x24,8x14**	**20** Pcs	**1,97** Kg		8 004779 003424

ø 3/4" 19 mm

MADE IN ITALY

2-Way connector

To join TWO lengths of hose equipped with high flow click connectors.

GF80005452	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,39** Kg		8 004779 000577
GF80043452	pack	Box (LxWxH) cm **40x12,8x14**	**40** Pcs	**0,96** Kg		8 004779 000584

MADE IN ITALY

2-Way connector

To join a hose with high flow connection to a hosepipe with a standard connector.

GF80005453	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,35** Kg		8 004779 004780
GF80043453	pack	Box (LxWxH) cm **40x12,8x14**	**40** Pcs	**0,77** Kg		8 004779 005251

MADE IN ITALY

Mixed "y" coupling

To join a high flow hose line to two lines of hose having standard connections.

GF80005455	pack	Box (LxWxH) cm **20,7x15,2x15,4**	**10** Pcs	**0,44** Kg		8 004779 004803
GF80043455	pack	Box (LxWxH) cm **40x12,8x14**	**30** Pcs	**0,90** Kg		8 004779 005299

"Y" coupling
To join three hoses with high flow connectors..

GF80005454	pack	Box (LxWxH) cm **20,7x15,2x15,4**	**10** Pcs	**0,55** Kg		8 004779 004797
GF80043454	pack	Box (LxWxH) cm **40x12,8x14**	**20** Pcs	**0,91** Kg		8 004779 005275

Tap adaptor
Female thread of 1 ¼", male thread of 1".

GF80003448	pack	Box (LxWxH) cm **15x15x12**	**10** Pcs	**0,55** Kg		8 004779 003240

ø 1" - 1/4" 32 x 42 mm

Repair connector
For repairing damaged hoses or joining two hoses.

GF80005442	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**0,93** Kg		8 004779 000515
GF80043442	pack	Box (LxWxH) cm **40x24,8x14**	**20** Pcs	**0,91** Kg		8 004779 000522

ø 1" 25,4 mm

Repair connector
For repairing damaged hoses or joining two hoses.

GF80005441	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**0,90** Kg		8 004779 003431
GF80043441	pack	Box (LxWxH) cm **40x24,8x14**	**20** Pcs	**1,89** Kg		8 004779 003448

ø 3/4" 19 mm

Repair connector
For repairing damaged hoses or joining two hoses.

GF80005054	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**0,90** Kg		8 004779 017797
GF80043054	pack	Box (LxWxH) cm **40x24,8x14**	**20** Pcs	**1,90** Kg		8 004779 017803

ø 1" 25,4 mm | ø 3/4" 19 mm

Threaded adaptor with male connection
Allows for linking a hose with a click fitting to pumps and sprinklers with a threaded female water inlet of 1"gas (ø 26 - 34 mm).

GF80005445	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,38** Kg		8 004779 002007
GF80043445	pack	Box (LxWxH) cm **40x12,8x14**	**25** Pcs	**0,67** Kg		8 004779 002021

ø 1" 26 - 34 mm

Spray nozzle
With jet adjustment from direct to fine spray cone.
Male connection for linking to high-flow hose connectors.
Max. flow 40 l/min at 3 bar.

GF80005408	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**6** Pcs	**1,06** Kg	8 004779 000553
GF80043408	pack	Box (LxWxH) cm **40x24,8x14**	**15** Pcs	**2,01** Kg	8 004779 000560

MAX 40 l min 3 bar

Spray nozzle kit
- Spray nozzle
- "OPEN" hose connector

GF80005008	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**6** Pcs	**1,70** Kg	8 004779 025143

ø 3/4" 19 mm — KIT READY

04/METAL LINE

ABOVE-GROUND IRRIGATION

Threaded tap connector
For click-fitting the hose connector to the tap

GF80002433	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,60** Kg	8 004779 024337
GF80041433	pack	Box (LxWxH) cm **17,5x7,5x7,5**	**10** Pcs	**0,49** Kg	8 004779 014338

ø 3/4" 20 x 27 mm

Threaded tap connector
For click-fitting the hose connector to the tap

GF80002432	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,74** Kg	8 004779 024320
GF80041432	pack	Box (LxWxH) cm **17,5x7,5x7,5**	**10** Pcs	**0,53** Kg	8 004779 014321

ø 1 26 x 34

Dual outlet threaded tap connector
With two independent water outlets and tap to regulate the flow, open/closed.
For connecting two lines of hose with Click connections.

GF80002070	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**2,57** Kg	8 004779 000478
GF80041070	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**2,90** Kg	8 004779 000485

ø 3/4" 20 x 27 mm — 2 — MULTI function

Repair connector
For repairing damaged hoses or joining two hoses.

GF80002439	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**1,25** Kg	8 004779 024399
GF80041439	pack	Box (LxWxH) cm **26x7,5x7,5**	**10** Pcs	**0,95** Kg	8 004779 014390

ø1/2"-5/8" 12 - 15 mm

Repair connector
For repairing damaged hoses or joining two hoses.

GF80002437	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**2,03** Kg	8 004779 024375
GF80041437	pack	Box (LxWxH) cm **26x7,5x7,5**	**10** Pcs	**1,87** Kg	8 004779 014376

ø 3/4" 16 - 19 mm

Two-way connector
For joining TWO hosepipes equipped with snap-fit hose connectors.

GF80002450	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,68** Kg	8 004779 024504
GF80041450	pack	Box (LxWxH) cm **17,5x7,5x7,5**	**10** Pcs	**0,52** Kg	8 004779 014505

Three-way connector
For joining THREE hosepipes equipped with snap-fit hose connectors.

GF80002451	pack	Box (LxWxH) cm **20,7x14x10,4**	**10** Pcs	**1,43** Kg	8 004779 024511
GF80041451	pack	Box (LxWxH) cm **17,5x7,5x7,5**	**10** Pcs	**1,20** Kg	8 004779 014512

"OPEN" hose connector
For click-fitting the hose to the tap connector.
Uninterrupted water passage.

GF80002020	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**1,29** Kg	8 004779 020209
GF80041020	pack	Box (LxWxH) cm **26x7,5x7,5**	**10** Pcs	**1,12** Kg	8 004779 010200

ø1/2"-5/8" 12 - 15 mm

"ACQUASTOP" hose connector
For click-fitting the hose to various irrigation accessories. Automatic water stop-valve.

GF80002015	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**1,31** Kg	8 004779 020155
GF80041015	pack	Box (LxWxH) cm **26x7,5x7,5**	**10** Pcs	**1,22** Kg	8 004779 010156

ø1/2"-5/8" 12 - 15 mm

ACQUASTOP

“OPEN” hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage.

GF80002023	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**1,69** Kg		8 004779 020230
GF80041023	pack	Box (LxWxH) cm **26x7,5x7,5**	**10** Pcs	**1,51** Kg		8 004779 010231

ø 3/4" 16 - 19 mm

“ACQUASTOP”hose connector

For click-fitting the hose to various irrigation accessories. Automatic water stop-valve.

GF80002012	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**1,76** Kg		8 004779 020124
GF80041012	pack	Box (LxWxH) cm **26x7,5x7,5**	**10** Pcs	**1,61** Kg		8 004779 010125

ø 3/4" 16 - 19 mm ACQUASTOP

Threaded adaptor with male connection

For coupling a hose equipped with a click-fitting to sprinklers with a threaded female water inlet of 3/4”gas (ø 20-27 mm).

GF80002429	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,59** Kg		8 004779 000454
GF80041429	pack	Box (LxWxH) cm **17,5x7,5x7,5**	**10** Pcs	**0,43** Kg		8 004779 000461

ø 3/4" GAS 20 x 27 mm

Adjustable hose nozzle in brass and rubber

Has jet adjustment from fine spray cone to direct jet.
Delivers up to 18l/min at 4 bars of pressure.

GF80002405	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**10** Pcs	**1,71** Kg		8 004779 024054
GF80041405	pack	Box (LxWxH) cm **26x7,5x7,5**	**10** Pcs	**1,41** Kg		8 004779 014055

MAX 18 l min 4 bar

4 piece kit in brass and rubber

Composed of:
adjustable spray nozzle, tap connector for 3/4” hose connector and “ACQUASTOP” hose connector for hoses from 1/2”-5/8”.

GF80002422	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**10** Pcs	**4,43** Kg		8 004779 024221

ø 1/2" - 5/8" 12 - 15 mm KIT READY

05/ NOZZLES AND ERGONOMIC NOZZLES

ABOVE-GROUND IRRIGATION

Easy-to-use, accurate and efficient spray nozzles for perfectly watering flowers and plants. Lightweight, compact and easy to handle, the simple and practical design makes them ideal for easy watering in total comfort.

MADE IN ITALY

"8 JET" variable flow rate ergonomic nozzle

- "8 JET" circular selector jet, with grooved edge to make easier its use
- Flow-rate regulator-modulator covered in non-slip soft rubber
- Maximum flow 18 l/min at 4 bar

GF80005528	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**1,30** Kg	8 004779 019098
GF80043528	pack	Box (LxWxH) cm **40x25x14,5**	**16** Pcs	**2,25** Kg	8 004779 019104

MAX 18 l min 4 bar · FLOW RATE SWITCH · soft touch · 8 jet

MADE IN ITALY

"3 JET" variable flow rate ergonomic nozzle

- "3 JET" jet selector: fixed, fanned-or-coned-type
- Flow-rate regulator-modulator covered in non-slip soft rubber
- Maximum flow 18 l/min at 4 bar

GF80005527	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**1,15** Kg	8 004779 019074
GF80043527	pack	Box (LxWxH) cm **40x25x14,5**	**16** Pcs	**2,35** Kg	8 004779 019081

MAX 18 l min 4 bar · FLOW RATE SWITCH · soft touch · 3 jet

MADE IN ITALY

Medium flow spray nozzle

- Jet adjustment from conical spray to direct jet
- Flow adjustment
- Maximum flow 18 l/min at 4 bar

GF80005407	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**8** Pcs	**0,93** Kg	8 004779 054075
GF80003407	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**20** Pcs	**1,34** Kg	
GF80043407	pack	Box (LxWxH) cm **40x24,8x14**	**30** Pcs	**2,10** Kg	8 004779 034077

MAX 18 l min 4 bar

MADE IN ITALY

Medium flow nozzle kit

- Medium flow spray nozzle
- 3/4" tap connector
- "OPEN" and "ACQUASTOP" hose connectors

GF80005427	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**6** Pcs	**1,14** Kg	8 004779 054273

ø 1/2" - 5/8" 12 - 15 mm · KIT READY

MADE IN ITALY

Spray nozzle

- Jet adjustment from fine spray cone to direct jet
- Maximum flow 12 l/min at 4 bar

GF80005405	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,62** Kg	8 004779 054051
GF80003405	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**25** Pcs	**0,74** Kg	
GF80043405	pack	Box (LxWxH) cm **40x24,8x14**	**50** Pcs	**1,64** Kg	8 004779 034053

MAX 12 l min 4 bar

Medium size spray nozzle

- Jet adjustment from fine spray cone to direct jet
- Maximum flow 14 l/min at 4 bar

GF80005400	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**10** Pcs	**0,80** Kg	8 004779 009846
GF80043400	pack	Box (LxWxH) cm **40x24,8x14**	**30** Pcs	**1,77** Kg	8 004779 009839

MAX 14 l/min 4 bar

Spray nozzle kit

- Spray nozzle
- 3/4" tap connector
- "OPEN" and "ACQUASTOP" hose connectors

GF80005422	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**10** Pcs	**1,42** Kg	8 004779 054228

ø 1/2" - 5/8" 12 - 15 mm

KIT READY

Essential accessories to use the water in the specific and exact way, without wastes and efforts.
Essential and compact design to obtain maximum efficiency and simplicity of use.

MADE IN ITALY

Medium flow rate watering gun “3 JET”

- Flow rate regulator-modulator with soft non-slip rubber covering
- Front lever with lock ng device
- “3-JET” selector: fixed, fan and cone jet
- Max. flow rate 20 l/min at 4 bar

GF80006903	pack	Box (LxWxH) cm **36x21,7x12**	**6** Pcs	**1,27** Kg	8 004779 033674
GF80043903	pack	Box (LxWxH) cm **40x24,8x14,5**	**10** Pcs	**1,50** Kg	8 004779 033681

MAX 20 l min 4 bar | FLOW RATE SWITCH | STOP | soft touch | 3 jet

MADE IN ITALY

Medium flow rate watering gun “3 JET METAL”

- Rugged metal structure with preventive anti-corrosion treatment
- Flow rate regulator-modulator with soft non-slip rubber covering
- Front lever with lock ng device
- “3-JET” selector: fixed, fan and cone jet
- Max. flow rate 20 l/min at 4 bar

GF80006902	pack	Box (LxWxH) cm **36x21,7x12**	**6** Pcs	**2,00** Kg	8 004779 033650
GF80043902	pack	Box (LxWxH) cm **40x24,8x14,5**	**10** Pcs	**1,90** Kg	8 004779 033667

MAX 20 l min 4 bar | FLOW RATE SWITCH | STOP | soft touch METAL | 3 jet

MADE IN ITALY

Watering gun

- Handle with soft non-slip rubber covering
- Rear adjustment lever to lock the jet.
- Outlet control from fine atomized spray to concentrated jet.
- Maximum flow rate 12 l/min at 4 bar.

GF80006922	pack	Box (LxWxH) cm **29,7x24,4x11,4**	**8** Pcs	**1,95** Kg	8 004779 040047
GF80043922	pack	Box (LxWxH) cm **40x24,8x14,5**	**12** Pcs	**2,90** Kg	8 004779 040054

MAX 12 l min 4 bar | STOP | soft touch

MADE IN ITALY

“Metal rubber”watering gun

- Rear adjustment lever to lock the jet
- Aluminium tip for adjusting the jet from fine to conical spray
- Maximum flow 12 l/min at 4 bar.

GF80006924	pack	Box (LxWxH) cm **29,7x24,4x11,4**	**8** Pcs	**1,95** Kg	8 004779 043376
GF80043924	pack	Box (LxWxH) cm **40x24,8x14,5**	**12** Pcs	**2,90** Kg	8 004779 043413

MAX 12 l min 4 bar | STOP | soft touch METAL

MADE IN ITALY

Watering gun Kit

- watering gun
- 3/4” tap connector
- “OPEN” and “ACQUASTOP” hose connectors

GF80006925	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**6** Pcs	**1,50** Kg	8 004779 040061

ø 1/2" - 5/8" 12 - 15 mm | KIT READY

06/MULTI-JET SPRAY GUNS

ABOVE-GROUND IRRIGATION

Precise and multifunctional equipment, ideal for watering plants and flowers that need a very sweet and gentle jet. The practical selector allows you to easily select the most suitable jet for every need.

MADE IN ITALY

Medium flow rate watering gun "8 JET"

- Flow rate regulator-modulator with soft non-slip rubber covering
- Front lever with lock ng device
- Circular "8 JET" selector with ergonomic rubber rim to promote grip and maximise ease of use
- Inspectable micro-perforated disk for possible periodic maintenance requirements
- 20 l/min maximum flow rate at 4 bar

GF80006905	pack	Box (LxWxH) cm **36x21,7x12**	**6** Pcs	**1,50** Kg	8 004779 033711
GF80043905	pack	Box (LxWxH) cm **40x24,8x14,5**	**6** Pcs	**2,00** Kg	8 004779 033728

MAX 20 l min 4 bar | FLOW RATE SWITCH | STOP | soft touch | 8 jet

MADE IN ITALY

Medium flow spray watering gun "8 JET METAL"

- Rugged metal structure with preventive anti-corrosion treatment.
- Flow rate regulator-modulator with soft non-slip rubber covering.
- Front lever with locking device
- Circular "8 JET" selector with ergonomic rubber rim to promote grip and maximise ease of use.
- Inspectable micro-perforated disk for possible periodic maintenance requirements.
- Maximum flow rate 20 l/min at 4 bar.

GF80006904	pack	Box (LxWxH) cm **36x21,7x12**	**6** Pcs	**2,30** Kg	8 004779 033698
GF80043904	pack	Box (LxWxH) cm **40x24,8x14,5**	**6** Pcs	**2,25** Kg	8 004779 033704

MAX 20 l min 4 bar | FLOW RATE SWITCH | STOP | soft touch METAL | 8 jet

MADE IN ITALY

Multi-jet watering gun

Simply rotating the front ring allows the user to select 8 different water spray types

- Handle with soft non-slip rubber covering
- Rear adjustment lever to lock the jet.
- Maximum flow rate 10 l/min at 4 bar

GF80006923	pack	Box (LxWxH) cm **36x21,7x12**	**8** Pcs	**2,08** Kg	8 004779 040078
GF80043923	pack	Box (LxWxH) cm **40x24,8x14,5**	**10** Pcs	**2,60** Kg	8 004779 040085

MAX 10 l min 4 bar | STOP | soft touch | 8 jet

MADE IN ITALY

"Metal rubber" multi-jet watering gun

- Allows the selection of 8 different types of jet by simply rotating the front ring
- Rear lever for adjusting and locking the flow
- Maximum flow 10 l/min at 4 bar.

GF80006927	pack	Box (LxWxH) cm **36x21,7x12**	**8** Pcs	**2,08** Kg	8 004779 043383
GF80043927	pack	Box (LxWxH) cm **40x24,8x14,5**	**10** Pcs	**2,60** Kg	8 004779 043420

MAX 10 l min 4 bar | STOP | soft touch METAL | 8 jet

MADE IN ITALY

"8 JET Easy" watering gun Kit

- "8 JET Easy" watering gun
- 3/4" tap connector
- "OPEN" and "ACQUASTOP" hose connectors

GF80006926	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**6** Pcs	**1,60** Kg	8 004779 040092

8 jet | KIT READY | ø 1/2" - 5/8" 12 - 15 mm

“XL Selector”spray watering gun 5JET

- Large selector (ø 9cm) with ergonomic rubber
- 5 different spray patterns, including a wide shower spray and an perlator (air-mixed spray), suitable for delicate plants and flowers, even in pots.
- Flow rate regulator-modulator with soft non-slip rubber covering
- Front lever with lock ng device
- 20 l/min maximum flow rate at 4 bar

GF80006937	pack	Box (LxWxH) cm **36x21,7x12**	**4** Pcs	**1,12** Kg	8 004779 044168
GF80043937	pack	Box (LxWxH) cm **40x24,8x14**	**4** Pcs	**1,08** Kg	8 004779 044175

MAX 20 l min 4 bar · FLOW RATE SWITCH · ON/OFF · STOP · 5 jet · soft touch

“XL Selector” spray watering gun 5JET metal-rubber

- Large selector (ø 9cm) with ergonomic rubber
- 5 different spray patterns, including a wide shower spray and an aerator (air-mixed spray), suitable for delicate plants and flowers, even in pots.
- Flow rate regulator-modulator with soft non-slip rubber covering
- Front lever with locking device
- 20 l/min maximum flow rate at 4 bar
- Corrosion-resistant metal end, and selector back cover

GF80006938	pack	Box (LxWxH) cm **36x21,7x12**	**4** Pcs	**1,40** Kg	8 004779 044182
GF80043938	pack	Box (LxWxH) cm **40x24,8x14**	**4** Pcs	**1,36** Kg	8 004779 044199

MAX 20 l min 4 bar · FLOW RATE SWITCH · ON/OFF · STOP · 5 jet · soft touch METAL

08/BORDER SPRAYERS

ABOVE-GROUND IRRIGATION

Accessories suitable for watering of flower pots, edges and flower beds requiring a precise, fine and delicate jet. The comfortable extensions outfit of integrated flow adjustment tap, allow you to easily reach even the less accessible places.

Click-on watering head

Produces a thin gentle jet ideal for delicate flowers.

- Micro-holed disc that can be inspected for internal cleaning
- Maximum flow 30 l/min at 4 bar

GF80005430	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**10** Pcs	**0,67** Kg	8 004779 054303
GF80043430	pack	Box (LxWxH) cm **40x12,8x14**	**25** Pcs	**1,04** Kg	8 004779 034305

MAX 30 l min 4 bar

Border Watering Gun

Produces a thin and gentle jet ideal for delicate flowers

- Micro-holed disc that can be inspected for internal cleaning
- Flow rate regulator-modulator with soft non-slip rubber covering
- Front lever with lock ng device
- 20 l/min maximum flow rate at 4 bar

GF80006928	pack	Box (LxWxH) cm **36x21,7x12**	**6** Pcs	**1,04** Kg	8 004779 043390
GF80043928	pack	Box (LxWxH) cm **40x24,8x14**	**6** Pcs	**0,98** Kg	8 004779 043437

MAX 20 l min 4 bar · ON - OFF · FLOW RATE SWITCH · STOP · soft touch

Multi-jet watering wand with adjustable head

Ideal for watering hard-to-reach places such as flower beds, vases and hanging baskets.

- 8 different jet types
- Tap for micro-adjustment of flow
- Adjustable joint
- Maximum flow 16 l/min at 4 bar

GF80005448	pack	Box (LxWxH) cm **78,4x14,4x13,4**	**4** Pcs	**1,07** Kg	8 004779 009464

MAX 16 l min 4 bar · 8 jet

09/CIRCULAR SPRINKLERS

ABOVE-GROUND IRRIGATION

"CONO" sprinkler

Static sprinkler for small areas and when a very gentle and fine jet is required. Stake version.
• Maximum flow 23 l/min

GF80005619	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**8** Pcs	**0,90** Kg	8 004779 022777
GF80043619	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**0,60** Kg	8 004779 022784

MAX 23 l/min | 2bar min – 4bar max | 95 m² r. 5,5 m

"ROTAX" sprinkler

Ideal for watering medium-small areas. Stake version.
• Adjustable nozzles to optimise the watering depending on the type of plants
• Maximum flow 19 l/min.

GF80005633	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**8** Pcs	**1,00** Kg	8 004779 022869
GF80043633	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**0,75** Kg	8 004779 022876

MAX 19 l/min | 2bar min – 4bar max | 154 m² r. 7 m

"MINI DRIVER" sprinkler stake version

Multi-purpose circular sprink er on stake. Features stake for easy insertion in the ground.
Simply rotate the disc to control watering of 4 different areas.
• Maximum flow rate 16 l/min

GF80005616	pack	Box (LxWxH) cm **39x28,5x17,5**	**12** Pcs	**1,60** Kg	8 004779 021282
GF80043616	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**12** Pcs	**1,29** Kg	8 004779 021299

MAX 16 l/min | 2bar min – 4bar max | 80 m² 15 m² 24 m² 24 m² | 4 jet | MULTI function

"4 JET LIFT" sprinkler

Professional rotating sector sprink er with turbine movement suitable for watering any surface even very large areas. Stake version.
• 4 different jet types
• Adjustable head for varying the watering area
• Watering angle from 15° to 360°
• Maximum flow 15 l/min

GF80005670	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**6** Pcs	**1,60** Kg	8 004779 023156
GF80043670	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**12** Pcs	**2,70** Kg	8 004779 023163

variazione della gittata

regolazione arco irrorato da 15° a 360°

selezione della tipologia del getto

MAX 15 l/min | 2bar min – 4bar max | 80 m² 15 m² 24 m² 24 m² | 15-360° | 4 jet | MULTI function

"CONO" sprinkler

Static sprinkler for small areas and when a very gentle and fine jet is required.
• Maximum flow 23 l/min

GF80005618	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**8** Pcs	**1,10** Kg	8 004779 022753
GF80043618	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**8** Pcs	**0,95** Kg	8 004779 022760

MAX 23 l/min | 2bar min – 4bar max | 95 m² r. 5,5 m

“ROTAX” sprinkler

Ideal for watering medium-small areas.
- Adjustable nozzles to optimise the watering depending on the type of plants
- Maximum flow 19 l/min.

GF80005632	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**8** Pcs	**1,30** Kg	8 004779 022791
GF80043632	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**8** Pcs	**1,10** Kg	8 004779 022807

MAX 19 l/min | 2bar min – 4bar max | 154 m² r. 7 m

“DRIVER” sprinkler

Multi-purpose circular sprink er with base.
Simply rotate the disc to control watering of 8 different areas.
- Maximum flow rate 18 l/min

GF80005617	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**4** Pcs	**1,30** Kg	8 004779 021343
GF80043617	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**8** Pcs	**1,19** Kg	8 004779 021350

MAX 18 l/min | 2bar min – 4bar max | 8 jet | MULTI function

“4 JET LIFT” sprinkler

Professional rotating sector sprink er with turbine movement suitable for watering any surface even very large areas.
- 4 different jet types
- Adjustable head for varying the watering area
- Watering angle from 15° to 360°
- Weighted base of remarkable stability
- Maximum flow 15 l/min

GF80005667	pack	Box (LxWxH) cm **39x28,5x27**	**6** Pcs	**3,98** Kg	8 004779 012594

variazione della gittata | regolazione arco irrorato da 15° a 360° | selezione della tipologia del getto

MAX 15 l/min | 2bar min – 4bar max | 15-360° | 4 jet | MULTI function

“SUPER ROTAX” rotating sprinkler

With two rotating arms with twin adjustment, for uniform watering of large and medium areas.
- Nozzles and arms separately adjustable
- Watering area from 30 to 160 sqm.
- Base of remarkable stability
- Maximum flow 15 l/min

GF80005615	pack	Box (LxWxH) cm **39x28,5x27**	**6** Pcs	**2,38** Kg	8 004779 056154

MAX 15 l/min | 2bar min – 4bar max | 160 m² r. 7 m

10/OSCILLATING SPRINKLERS

ABOVE-GROUND IRRIGATION

"ASTRAL 4" oscillator

Oscillating sprink er with continuously variable watering arc from 20° to 100°. Very quiet, it provides various watering possibilities, ideal for uniformly covering either small or large rectangular areas.

- plastic oscillating arm with 16 nozzles
- pin for cleaning the holes
- maximum flow 15 l/min

GF80005669	pack	Box (LxWxH) cm **40x28x21**	**6** Pcs	**2,52** Kg		8 004779 023071

MAX 15 l/min | 2bar min – 4bar max | 20-100° | 180 m² 12 x 15 m

"COMET" oscillator

Oscillating sprink er with continuously variable watering arc from 20°to 100°. Very quiet, it provides various watering possibilities, ideal for uniformly covering either small or large rectangular areas.

- Oscillating arm in metal with 16 nozzles
- Pin for cleaning the holes
- Maximum flow 16 l/min

GF80005666	pack	Box (LxWxH) cm **40x28x21**	**6** Pcs	**2,20** Kg		8 004779 012570



MAX 16 l/min | 2bar min – 4bar max | 20-100° | 190 m² 12 x 16 m

"SIDERAL" oscillator

Oscillating sprink er with continuously variable watering arc from 20°to 100°. Very quiet, it provides various watering possibilities, ideal for uniformly covering either small or large rectangular areas.

- Oscillating arm in metal with 18 brass nozzles.
- Solid weighted base to prevent overturning.
- Pin for cleaning the holes
- Maximum flow 18 l/min

GF80005662	pack	Box (LxWxH) cm **59x39,5x17**	**6** Pcs	**3,90** Kg		8 004779 056628



MAX 18 l/min | 2bar min – 4bar max | 20-100° | 220 m² 13 x 17 m

“SPIT 3” pulsating sprinkler

Sectional pulsating sprink er, ideal for large areas.
- Jet interruption device for uniform distribution of water
- Watering angle from 15° to 360°
- Tripod in weighted aluminium
- Maximum flow 15 l/min

GF80005630	pack	Box (LxWxH) cm **40,4x40,5x16,5**	**6** Pcs	**6,23** Kg	8 004779 056307

Working Height 40 cm | Aluminium | MAX 15 l/min | 2bar min – 4bar max | 15-360° | 450 m² r. 12 m

“SPIT 2” pulsating sprinkler

Sectional pulsating sprink er, ideal for large areas.
- Jet interruption device for uniform distribution of water
- Watering angle from 15° to 360°
- Weighted base of remarkable stability
- Maximum flow 15 l/min

GF80005627	pack	Box (LxWxH) cm **39x28,5x27**	**6** Pcs	**3,83** Kg	8 004779 056277

MAX 15 l/min | 2bar min – 4bar max | 15-360° | 450 m² r. 12 m

“SPIT 1” pulsating sprinkler

Sectional pulsating sprink er, ideal for large areas. Stake version.
- Jet interruption device for uniform distribution of water
- Watering angle from 15° to 360°
- Maximum flow 15 l/min

GF80005624	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**8** Pcs	**1,20** Kg	8 004779 023132
GF80043624	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**12** Pcs	**1,40** Kg	8 004779 023149

MAX 15 l/min | 2bar min – 4bar max | 15-360° | 450 m² r. 12 m

“SPIT METAL” pulsating sprinkler

Sector pulsating metal sprink er assembled on tip, ideal also for large surfaces.
- Jet interruption device for uniform distribution of water
- Watering angle from 15° to 360°
- Maximum flow 16 l/min

GF80002621	pack	Box (LxWxH) cm **37x14x13**	**4** Pcs	**1,66** Kg	8 004779 026218

MAX 16 l/min | 2bar min – 4bar max | 15-360° | 500 m² r. 13 m

“SPIT” pulsating sprinkler head

Spare sector pulsating sprink er head in plastic.
- Jet interruption device for uniform distribution of water
- Watering angle from 15° to 360°
- Maximum flow 15 l/min

GF80007205	pack	Box (LxWxH) cm **18x15,5x21**	**12** Pcs	**0,91** Kg	

MAX 15 l/min | 2bar min – 4bar max | 15-360° | 450 m² r. 12 m

“SPIT METAL” pulsating sprinkler head

Spare sector pulsating sprink er head in metal.
- Jet interruption device for uniform distribution of water
- Watering angle from 15° to 360°
- Maximum flow 16 l/min

GF80007206	pack	Box (LxWxH) cm **18x15,5x21**	**12** Pcs	**3,20** Kg	

MAX 16 l/min | 2bar min – 4bar max | 15-360° | 500 m² r. 13 m

For small gardens, terraces or balconies, the practical and compact hose reel has a neat size and is easy to use and store. For watering plants and flowers or cleaning surfaces of all kinds, ideal in any context.

"AQUABAG MAXI" Portable hose-reel

Designed for any application that requires a compact product, it is ideal for balconies, terraces, medium-sized gardens.
Manually rewinding, portable, easy to store.

- 16,5 m of braided flexible hose
- 2 quick e lick hose connectors
- 3/4" tap connector
- 8 jet ergonomic nozzle

GF80005608	pack	Box (LxWxH) cm **42x36x35**	**2** Pcs	**7,00** Kg	8 004779 023170





"AQUABAG" Mini hose reel

The new mini version hose reel is ideal for watering plants, flowers and pots on patios, balconies, verandas and small gardens. Thanks to its dual purpose design — floor standing or portable — this is a product that proves highly practical when in use, by virtue of being compact and lightweight, and with its new attractive styling, makes leisure time in the open air even more enjoyable.

- 11,5 meters of braided flexible hose (10 m rewinding inside + 1,5 m outside)
- 2 hose connectors
- "3 JET" variable flow-rate ergonomic nozzle
- "indoor-outdoor" ¾" adaptor, ideal for any type of tap, also for those used indoors (for example: k tchen, bathroom, laundry…)

GF80005606	pack	Box (LxWxH) cm **39x29x32**	**2** Pcs	**4,50** Kg	8 004779 019289





Palbox 18 pcs AQUABAG display

Self-supporting cardboard display with crowner. It is supplied assembled and completed with products.
It contains: 18 pcs AquaBag
Opened dimensions: cm 72 x 54 x 140 h

GF80176077	pack	Box (LxWxH) cm **74x54x102,5**	**18** Pcs	**44,10** Kg		**EAN** 8004779019289

13/HOSE REELS

ABOVE-GROUND IRRIGATION

Practical to use and with an attractive design, these hose reels, available in portable trolley versions, are suitable for gardens of all sizes.
Also available in the Ready version, pre-assembled and fitted with accessories, ready to go.

MADE IN ITALY — MINI CONCEPT

"MINI CONCEPT" portable

- Capacity 20 m of 1/2" hosepipe
- Complete with click connectors

GF80005838	pack	Box (LxWxH) cm **29x15,5x29**	**1** Pcs	**1,00** Kg	8 004779 030079

ø1/2"-5/8" 12 - 15 mm | L-39cm W-29 cm H-28cm | ø 1/2" 20 m ø 5/8" 18 m | 5 min

MADE IN ITALY — MINI CONCEPT

"MINI CONCEPT PLUS" portable kit

- Adjustable spray nozzle
- Click-fit "Aquastop" connector
- 15 m of 1/2" hosepipe

GF80005846	pack	Box (LxWxH) cm **29x26X29**	**1** Pcs	**2,60** Kg	8 004779 030086

ø1/2"-5/8" 12 - 15 mm | L-39cm W-29 cm H-28cm | ø 1/2" 20 m ø 5/8" 18 m | 5 min | KIT READY

MADE IN ITALY

"REELY" portable

- Complete with hose connectors
- Capacity 40 m of 1/2" hosepipe

GF80005740	pack	Box (LxWxH) cm **39x14,5x37**	**1** Pcs	**1,76** Kg	8 004779 009440

ø1/2"-5/8" 12 - 15 mm | L-48cm W-32cm H-43cm | ø 1/2" 40 m | ø 5/8" 35 m | ø 3/4" 30 m | 5 min

MADE IN ITALY

"REELY PLUS" portable kit

- 20 m of 1/2" wired hosepipe
- 3/4" Tap connector
- 4 Hose connectors for 1/2"-5/8"
- Adjustable spray nozzle

GF80005817	pack	Box (LxWxH) cm **39x23,5x39**	**1** Pcs	**3,61** Kg	8 004779 026171

ø1/2"-5/8" 12 - 15 mm | L-48cm W-32cm H-43cm | ø 1/2" 40 m | ø 5/8" 35 m | ø 3/4" 30 m | 5 min | KIT READY

Trolley/tap connecting kit

Composed of:
- 1,5 m of wired 1/2” hosepipe
- 2 click-fit 1/2” hose connectors
- 3/4” tap connector

GF80007200	pack	Box (LxWxH) cm **29,7x25,7x25,4**	**6** Pcs	**2,54** Kg	8 004779 072000

2x 1x 1x 1,5m ø 1/2”

KIT READY · universal

“EUROTANK” trolley

- Capacity 60 m of 1/2” hosepipe
- Supplied complete with hose connectors

GF80005729	pack	Box (LxWxH) cm **39x14,5x37**	**1** Pcs	**2,48** Kg	8 004779 005305

2x

ø1/2”-5/8” 12 - 15 mm · L-50cm W-36cm H-80cm · ø 1/2” 60 m | ø 5/8” 50 m | ø 3/4” 40 m · 15 min

“EUROTANK PLUS” trolley

- 20 m of 1/2” wired hosepipe
- 3/4” Tap connector
- 4 Hose connectors for 1/2”-5/8”
- Adjustable spray nozzle

GF80005756	pack	Box (LxWxH) cm **39x23,5x39**	**1** Pcs	**4,23** Kg	8 004779 005558

20m ø 1/2” · 1x 3x 1x 1x

ø1/2”-5/8” 12 - 15 mm · L-50cm W-36cm H-80cm · ø 1/2” 60 m | ø 5/8” 50 m | ø 3/4” 40 m · 15 min · KIT READY

“Tank 2” trolley

- Capacity 70 m of 1/2” hosepipe
- Supplied complete with hose connectors

GF80005744	pack	Box (LxWxH) cm **40x16x40**	**1** Pcs	**2,88** Kg	8 004779 016752

2x

ø1/2”-5/8” 12 - 15 mm · L-52cm W-45cm H-90cm · ø 1/2” 70 m | ø 5/8” 60 m | ø 3/4” 50 m · 15 min

“IDEA” trolley

Plastic and metal hose reel trolley, practical and sturdy, guaranteeing optimum performance. With its retractable telescopic handle, the trolley is truly compact and easily stored, even in tight spaces. Perfect for users seek ng a complete and versatile watering solution.

- With wheels and retractable telescopic handle • SOFT TOUCH non-slip handle
- Capacity max 60 m of ø½” hose

GF80005788	pack	Box (LxWxH) cm **38,5x14,5x56**	**1** Pcs	**2,40** Kg		8 004779 018893

2x

ø1/2”-5/8” 12 - 15 mm | L-50cm W-36cm H-85cm | ø 1/2” 60 m | ø 5/8” 50 m | ø 3/4” 40 m | 10 min



“IDEA PREMIUM” metal trolley

- Steel discs and drum with anticorrosion treatment
- Retractable telescopic handle
- Soft touch non-slip handle
- 2 SOFT TOUCH “quick click” hose connectors
- Maximum capacity 60 m of ø1/2” hose
- Extremely sturdy

GF80005787	pack	Box (LxWxH) cm **38,5x14,5x55**	**1** Pcs	**3,40** Kg		8 004779 018886

2x

ø1/2”-5/8” 12 - 15 mm | L-50cm W-36cm H-85cm | ø 1/2” 60 m | ø 5/8” 50 m | ø 3/4” 40 m | 20 min



“METAL TANK 75” metal trolley

- Sturdy and stable aluminum frame
- Steel drum with corrosion-resistant coating
- Retractable telescopic handle
- 2 SOFT TOUCH “quick click” hose connectors
- Maximum capacity: 75 m ½” hose

GF80005829	pack	Box (LxWxH) cm **55x22x45**	**1** Pcs	**7,00** Kg		8 004779 029776

2x

ø1/2”-5/8” 12 - 15 mm | L-56cm W-43cm H-57cm | ø 1/2” 75 m | ø 5/8” 60 m | ø 3/4” 45 m | 15 min

MADE IN ITALY — MINI CONCEPT

"MINI CONCEPT READY 15" portable kit

Assembled and equipped with 15 m hose, connectors and spray nozzle.
Supplied in 120 x 80 cm pallet trays with 12 units per tray stackable up to 4 levels (H125 cm).

GF80005793	pack	Box (LxWxH) cm **80x120x128**	**48** Pcs	**135** Kg	8 004779 014093

ø1/2"-5/8" 12 - 15 mm | L-39cm W-29 cm H-28cm | ø 1/2" 20 m | ø 5/8" 18 m | KIT READY



Supplied in 120 x 80 cm pallet trays with 12 units per tray stackable up to 4 levels (H 125 cm).

MADE IN ITALY — CONCEPT



"CONCEPT READY" trolley kit

Portable hose reel trolley in plastic and metal fully assembled and equipped, supplied with pallet trays measuring 120 x 80cm with 6 units per tray, stackable up to 4 levels, (H 240cm).

- trolley with wheels and telescopic handle
- medium size adjustable nozzle
- 4 x automatic couplings Ø ½"-⅝" (12 – 15mm) and tap adapter Ø ¾" (20 – 27mm)
- 25m hose Ø ½"

GF80005749	pack	Box (LxWxH) cm **80x120x240**	**24** Pcs	**110** Kg	8 004779 015670

ø1/2"-5/8" 12 - 15 mm | L-48cm W-39cm H-87cm | ø 1/2" 60 m | ø 5/8" 50 m | ø 3/4" 40 m | KIT READY



supplied in 120 x 80 cm pallet trays with 6 units per tray stackable up to 4 levels (H 240 cm).

MADE IN ITALY

Kit "IDEA PREMIUM READY"

Hose reel trolley in metal mounted on wheel. Supplied fully assembled and equipped, on palletised trays of 120x80 cm carrying 6 units per pallet, stackable 4-high (height 240 cm).

- Trolley with wheels and telescopic retractable handle with SOFT TOUCH non-slip handle, max capacity 60 m of ½" hose
- steel discs and drum with anticorrosion treatment
- "3 JET" ergonomic nozzle with flow-rate regulator-modulator
- 4 SOFT TOUCH automatic connectors and ¾ tap adaptor
- 25 m of ½ hose
- extremely sturdy

GF80005789	pack	Box (LxWxH) cm **85x122x242**	**24** Pcs	**168** Kg	8 004779 018909

ø1/2"-5/8" 12 - 15 mm | L-50cm W-36cm H-85cm | ø 1/2" 60 m | ø 5/8" 50 m | ø 3/4" 40 m | KIT READY



supplied in 120 x 80 cm pallet trays with 6 units per tray stackable up to 4 levels (H 240 cm).

15/HOSEPIPES

ABOVE-GROUND IRRIGATION

High quality, reliable hosepipes. Different sizes and lengths for every kind of garden. Flexible and manageable for pleasant, safe use.

ø 1/2"
CONDITIONS OF USE
working / 8 bar
burst / 24 bar

ø 3/4"
CONDITIONS OF USE
working / 7 bar
burst / 21 bar

ø 5/8"
CONDITIONS OF USE
working / 8 bar
burst / 24 bar

Trico Star hose

- Substrate in anti-algae PVC
- Reinforced with knitted polyester
- High quality opaque covering



1 Tricot
2 PVC

GF80007011	ø 1/2" 15 m		Box (LxWxH) cm ø 29x8	1 Pcs	1,80 Kg	8 004779 070112
GF80007012	ø 1/2" 25 m		Box (LxWxH) cm ø 30x13	1 Pcs	2,95 Kg	8 004779 070129
GF80007016	ø 3/4" 25 m		Box (LxWxH) cm ø 40x12	1 Pcs	5,83 Kg	8 004779 070167
GF80007017	ø 3/4" 50 m		Box (LxWxH) cm ø 41x22	1 Pcs	11,45 Kg	8 004779 070174
GF80007013	ø 5/8" 15 m		Box (LxWxH) cm ø 33x9	1 Pcs	2,50 Kg	8 004779 070136
GF80007014	ø 5/8" 25 m		Box (LxWxH) cm ø 41x8	1 Pcs	3,94 Kg	8 004779 070143
GF80007015	ø 5/8" 50 m		Box (LxWxH) cm ø 41x16	1 Pcs	8,03 Kg	8 004779 070150

ø 1/2"
CONDITIONS OF USE
working / 10 bar
burst / 30 bar

ø 3/4"
CONDITIONS OF USE
working / 8 bar
burst / 24 bar

ø 5/8"
CONDITIONS OF USE
working / 9 bar
burst / 27 bar

Beta hose

Braided hosepipe in three layers with interposed reinforcing braid in high-strength polyester.

- Anti-algae substrate
- Covering in silver PVC



1 Polyester
2 PVC

GF80007081	ø 1/2" 15 m		Box (LxWxH) cm ø 27x7	1 Pcs	1,47 Kg	8 004779 010415
GF80007082	ø 1/2" 25 m		Box (LxWxH) cm ø 28x12	1 Pcs	2,55 Kg	8 004779 010422
GF80007086	ø 3/4" 25 m		Box (LxWxH) cm ø 36x15	1 Pcs	5,00 Kg	8 004779 010460
GF80007087	ø 3/4" 50 m		Box (LxWxH) cm ø 40x20	1 Pcs	9,33 Kg	8 004779 010477
GF80007083	ø 5/8" 15 m		Box (LxWxH) cm ø 34x8	1 Pcs	1,98 Kg	8 004779 010439
GF80007084	ø 5/8" 25 m		Box (LxWxH) cm ø 37x9	1 Pcs	3,17 Kg	8 004779 010446
GF80007085	ø 5/8" 50 m		Box (LxWxH) cm ø 36x19	1 Pcs	6,30 Kg	8 004779 010453

ø 1/2"
CONDITIONS OF USE
working / 8 bar
burst / 24 bar

ø 3/4"
CONDITIONS OF USE
working / 7 bar
burst / 21 bar

ø 5/8"
CONDITIONS OF USE
working / 7 bar
burst / 21 bar

Alpha hose

Braided hosepipe in three layers interposed with a reinforcing gauze in polyester.

- Polyester reinforcing net
- Anti-algae black substrate
- Transparent green covering



1 Polyester
2 PVC

GF80007091	ø 1/2" 15 m		Box (LxWxH) cm ø 27x8	1 Pcs	1,42 Kg	8 004779 070914
GF80007092	ø 1/2" 25 m		Box (LxWxH) cm ø 30x10	1 Pcs	2,34 Kg	8 004779 070921
GF80007097	ø 3/4" 25 m		Box (LxWxH) cm ø 37x17	1 Pcs	5,16 Kg	8 004779 070976
GF80007098	ø 3/4" 50 m		Box (LxWxH) cm ø 43x22	1 Pcs	8,74 Kg	8 004779 070983
GF80007094	ø 5/8" 15 m		Box (LxWxH) cm ø 34x8	1 Pcs	1,71 Kg	8 004779 070945
GF80007095	ø 5/8" 25 m		Box (LxWxH) cm ø 38x9	1 Pcs	2,89 Kg	8 004779 070952
GF80007096	ø 5/8" 50 m		Box (LxWxH) cm ø 36x20	1 Pcs	6,67 Kg	8 004779 070969

“Tricokit” roll kit
- 25 m of 1/2” Trico Star hosepipe
- Adjustable spray nozzle
- 3/4” tap connector
- “Open” and “acquastop” hose connectors of 1/2”-5/8”

GF80007027	**ø 1/2” 25 m**		Box (LxWxH) cm **ø 30x14**	**1** Pcs	**3,45** Kg	8 004779 070273

“Betakit” roll kit
- 25 m of 1/2” Beta hosepipe
- Adjustable spray nozzle
- 3/4” tap connector
- “Open” and “acquastop” hose connectors of 1/2”-5/8”

GF80007088	**ø 1/2” 25 m**		Box (LxWxH) cm **ø 27x13**	**1** Pcs	**2,61** Kg	8 004779 010484

“Alphakit” roll kit
- Roll of 1/2” Alpha hose pipe
- Adjustable spray nozzle
- 3/4” tap connector
- “Open” and “acquastop” hose connectors of 1/2”-5/8”

GF80007028	**ø 1/2” 15 m**		Box (LxWxH) cm **ø 27x8**	**1** Pcs	**1,38** Kg	8 004779 070280
GF80007029	**ø 1/2” 25 m**		Box (LxWxH) cm **ø 27x17**	**1** Pcs	**2,36** Kg	8 004779 070297

Wall-mounting metal hose support.
For fixing to the wall to support the roll of hosepipe.
Including wall fixing kit.

GF80005844	pack		Box (LxWxH) cm **40x28x20,5**	**8** Pcs	**3,84** Kg	8 004779 030659

universal WALL

Wall hosepipe holder
For fixing to the wall to support the roll of hosepipe.

GF80007040	pack		Box (LxWxH) cm **38,5x29x30**	**8** Pcs	**2,40** Kg	8 004779 070402

universal WALL

10 m Spiral Hosepipe Kit Plus

- 10 m of extendable spiral hosepipe
- Tap connector for 1/2”-3/4”
- SOFT TOUCH “open” hose connectors
- “8 Jet Easy Plus” spray gun
- Adaptor ring for k tchen and bathroom taps
- Wall-mounting brackets

GF80007233	pack	Box (LxWxH) cm **42x38x36,5**	4 Pcs	5,50 Kg		8 004779 021626



10 m Spiral Hosepipe Kit

- 10 m of extendable spiral hosepipe
- 3/4” tap connector
- “open” hose connectors
- Adjustable spray nozzle

GF80007204	pack	Box (LxWxH) cm **50x10,5x10,5**	1 Pcs	0,92 Kg		8 004779 072048



MADE IN ITALY

Micro-pierced tubing

Tubing sprinkler with three channels for fine spray watering

- 15 m hosepipe (GF80007032)
- 7,5 m hosepipe (GF80007031)

GF80007032	15 m	Box (LxWxH) cm **ø 36x3**	1 Pcs	1,32 Kg		8 004779 070327
GF80007031	7,5 m	Box (LxWxH) cm **ø 29x3**	1 Pcs	0,72 Kg		8 004779 070310





MADE IN ITALY

1/2”diam. porous hosepipe

Ideal for localised watering of groups of plants, hedges, flowerbeds, vegetable gardens and orchards.
The slow and continuous release manages to save up to 50% of water perfectly maintaining damp soil and avoiding excessive evaporation.

- 15 meters
- Complete with end of line cap
- Male connection
- Maximum pressure in use of 2 bar

GF80002300	15 m	Box (LxWxH) cm **ø 30x10**	1 Pcs	1,36 Kg		8 004779 004292







“AQUAPOP JOY”

Self-extendable hose kit for watering plants and flowers and washing outdoor surfaces. Ideal for small gardens, terraces or balconies. Practical, lightweight and easy to use, thanks to the hose that expands up to 15 m with water pressure. After use, the emptied hose retracts becoming very compact.

- self-extendable hose of various lengths: up to 7,5m / 15m / 22,5m
- mini nozzle • click-fit hose connectors
- 3/4” tap connector

7,5m GF80007452	pack		Box (LxWxH) cm **39x72x20**	**10** Pcs	**3,2** Kg	8 004779 043178
15m GF80007453	pack		Box (LxWxH) cm **44x36x29,5**	**10** Pcs	**6,2** Kg	8 004779 043185
22,5m GF80007454	pack		Box (LxWxH) cm **49x42x28**	**10** Pcs	**8,7** Kg	8 004779 043222

1x 1x

KIT READY | EXTENDABLE DURING USE | balcony | garden | car | camping

17/AQUAFLORA SMART 16	• Independent: works without batteries, electricity or connection to the tap. • Indoor and Outdoor: can be used safely both inside and outside the house • Adjustable: to water up to 16 average-sized plant pots for 14/18 days • Simple and safe: the appropriate amount of water is supplied through an automatic dispenser, sufficient to maintain correct dampness in the soil. Equipped with an 18-litre tank it can deliver 1 to 2 litres of water a day at precise and regular intervals. Fitted with scale prevention device. Easy to use and, convenient.
MICRO IRRIGATION DRIP IRRIGATION	

MADE IN ITALY

aquaflora smart 16

Watering sytstem for apartments

An autonomous device and very simple for watering up to 16 medium-sized apartment vases for 14/18 days. Thanks to an automatic doser, the right amount of water is dispensed, sufficient to maintain correct dampness in the soil.

- 18 l water tank
- Dispenses from 1 to 2 l of water a day
- CONTAINS:
  1 automatic dispensing doser
  1 tank of 18 l
  30 m of capillary hose in PVC
  16 tube supports
  20 plugs
  Instruction manual
- WORKS:
  without electricity
  without batteries
  without connection to a tap

GF80006300	pack	Box (LxWxH) cm **39x25,5x25**	1 Pcs	2,99 Kg	8 004779 063008







18/PROGRAMMERS	Electronic programmers allow watering to be set for more efficient care of plants and flowers.
MICRO IRRIGATION DRIP IRRIGATION	

AQUATIME EASY DROP

"AQUATIME EASYDROP" electronic programmer

Simple, reliable and with a modern design, it allows setting different programs using the convenient selector knob. Set the knob on START to begin irrigation and on STOP to interrupt irrigation. The irrigation cycle is stored and automatically repeated every 24 hours. It's therefore possible to configure several combinations.

- Set the knob to MAN for manual starts outside of programming cycles
- Powered by 9 Volt alkaline battery
- Water flow stop device in case of dead battery
- Electrical components protected from water and moisture
- 3/4" tap connection
- Maximum operating pressure 8 bar



GF80006026	pack	Box (LxWxH) cm **18,5x22,5x14,5**	2 Pcs	1,08 Kg	8 004779 036590

UK CA · CE · OUT · INLET FILTER

AQUATIME DUE.5

"AQUATIME DUE.5 " electronic programmer

Simple, intuitive and practical, with a modern design, it has programs that can be combined to create up to 25 + 1 possibilities, manageable through the two easy-to-use selectors knobs.

- starts every 6, 12, 24, 48, 72 hours for 1, 3, 5, 20, 45 minutes
- manual start button for starting independently of the programme cycle
- button for delayed start 1 to 8 hours after initial setting depending on user needs
- Easy Balcony function: ideal for drip irrigation
- powered by 9 Volt alkaline battery
- Water flow stop device in case of dead battery
- electrical components protected from water and moisture
- 3/4" tap connection
- Maximum operating pressure 8 bar



GF80006025	pack	Box (LxWxH) cm **18,5x22,5x14,5**	2 Pcs	1,08 Kg	8 004779 036675

UK CA · CE · OUT · INLET FILTER

GF10 ELECTRONIC WATERING COMPUTER

"GF10" electronic programmer

Simplicity, reliability, and modern design allow you to program different programs (10) through the practical button selector. To adjust the frequency and duration of watering, turn the button to the desired value.
Watering will begin 3 seconds after the last rotation.

- Set the selector to MAN for manual starts outside of programmed cycles.
- Operates with a 9-volt alkaline battery.
- Water supply cut-off device in case of low battery.
- Electrical components protected against water and moisture.
- 3/4" tap connection.
- Maximum operating pressure: 8 bars.



GF80006018	pack	Box (LxWxH) cm **18,5x22,5x14,5**	2 Pcs	1,08 Kg	8 004779 029783

UK CA · CE · OUT · INLET FILTER

GF16 EASY

“GF16 easy” electronic programmer

Simple and reliable, it features programs that can be combined with each other up to 16 + 1 combinations, selectable through a handy knob selector.
Starts every 6, 12, 24, 48 hours with prefixed watering times.
“Easy garden” program for the optimization of the watering cycles: two preset daily watering to water properly morning and evening, improving the absorption of water by the soil, thus avoiding the plants damaging.

- manual start button for starting independently of the programme cycle
- works with 9 volt alkaline battery
- device to stop the water flow in case the battery runs down
- electrical components protected from water and humidity
- 3/4” attachment to tap
- maximum pressure in use 8 Bar

16 PROGRAMS



GF80006016	pack	Box (LxWxH) cm **18x19x12**	2 Pcs	1,00 Kg		8 004779 022944

UK CA · CE · OUT · INLET FILTER

GF48

“GF48” electronic programmer

It is simple, easy to understand and practical to be used,provides combinations of programs up to 48 possibilities managed through the easy to use concentric knob switches.
Starts every 3, 6, 12, 24, 48, 96 hours for 1, 2, 5, 10, 15, 30, 60, 120 minutes.

- manual start button for starting independently of the program cycle
- button for delaying of 8 hours after the initial setting-up
- works with 9 volt alkaline battery
- device to stop the water flow in case the battery runs down
- electrical components protected from water and humidity
- 3/4” attachment to tap
- maximum pressure in use 8 Bar

48 PROGRAMS



GF80006015	pack	Box (LxWxH) cm **18x19x12**	2 Pcs	1,00 Kg		8 004779 022937

UK CA · CE · OUT · INLET FILTER

AQUATIME SOLAR UNO.3

Watering Computer Kit 20 pots/zones AQUATIME Solar UNO.3

Kit Ready Solar-Powered Irrigation Timer:

• AUTONOMOUS: Thanks to the integrated solar panel (≈3500 mm^2) and pump system, it does not require an electrical outlet or connection to the water supply.
• ECO-FRIENDLY: Powered by solar energy, even on cloudy days thanks to rechargeable batteries, requiring 1.2V AA NiMH (HR6) batteries with a minimum capacity of 2000 mAh (not included in the kit).
• SIMPLE and SAFE: Just place the intake system in a container filled with water and select one of the 13 preset programs by turning the dial (to activate manual starts out of the programming cycles, set the dial to MAN). Additionally, the electronic components are protected from water and humidity.
• PRACTICAL: Thanks to the hook on the back, you can hang the timer on the wall or, by folding the support, place it directly on a flat surface.
• KIT READY: The kit contains everything needed for drip irrigation up to 20 zones/pots.

• 1 irrigation timer
• 1 filter integrated into the intakesystem
• 1 air release valve
• 20m of 4x6 capillary hose
• 20 stakes for capillary hose
• 20 self-compensating drippers (2 l/h)
• 2 straight connectors
• 2 elbow connectors
• 20 T-connectors
• 4 end plugs

GF80006165	pack		Box (LxWxH) cm **31x18x23**	**2** Pcs	**2,20** Kg		8 004779 044021





UK CA | CE | OUT | INLET FILTER | WALL

Palbox 12 pcs AQUATIME SOLAR display

Self-supporting cardboard display with crowner. It is supplied assembled and completed with products.
It contains: 12 pcs AQUATIME
Opened dimensions:
cm 50 x 40 x 140 h

GF80176165	pack		Box (LxWxH) cm **50x40x73** In Store (LxWxH) cm **50x40x140**	**12** Pcs	**16** Kg		**EAN** 8004779044021

19/DRIPPERS

MICRO IRRIGATION
DRIP IRRIGATION

blister 10x
bag 10x

"Barrel" adjustable dripper

The axial adjustment of the two bodies allows accurate adjustment of the flow. Adjustable from 0 to 8 l./hr. at the advised pressure of 1.5 bar. In-line dripper.

0-8 l/h 1,5 bar | Ø 4 x 6 mm



GF80006208	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,71** Kg		8 004779 009419
GF80006141	sabot	Box (LxWxH) cm **40x13x14**	**15** Pcs	**1** Kg		8 004779 027086

blister 10x
bag 10x

"Barrel" adjustable dripper

The axial adjustment of the two bodies allows accurate adjustment of the flow. Adjustable from 0 to 8 l./hr. at the advised pressure of 1.5 bar. End of line dripper.

0-8 l/h 1,5 bar | Ø 4 x 6 mm

GF80006200	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,70** Kg		8 004779 009402
GF80006140	sabot	Box (LxWxH) cm **40x13x14**	**25** Pcs	**1,5** Kg		8 004779 027079

blister 10x

"Autocompensating" drippers

Dispense at a constant flow-rate independently of the supply pressure. Excellent for standardising the flow at the beginning and end of the line. 2 l/h dripper.



GF80006227	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,39** Kg		8 004779 009372

automatic permanent flow rate | Ø 14 x 16 mm | Ø 4 x 6 mm | 2 l/h

blister 10x
bag 20x

"Autocompensating" drippers

Dispense at a constant flow-rate independently of the supply pressure. Excellent for standardising the flow at the beginning and end of the line. 4 l/h dripper. 4 l/h

automatic permanent flow rate | Ø 14 x 16 mm | Ø 4 x 6 mm | 4 l/h

GF80006224	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,39** Kg		8 004779 009341
GF80006144	sabot	Box (LxWxH) cm **40x13x14**	**30** Pcs	**1,17** Kg		8 004779 027116

blister 10x

"Ottima 360°" adjustable dripper

The click rotation of the head allows simultaneous adjustment of flowrate and diameter of watering. Adjustable from 0 to 60 l./hr. Advised pressure to use, 1,5 bar.

GF80006239	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,35** Kg		8 004779 009228

0-60 l/h 1,5 bar | r 0-0,4 m max | 360° | Ø 14 x 16 mm

blister
10x

“Delta drip” adjustable dripper

The rotation of the key adjusts the flow until totally closed.
Adjustable from 0 to 6 l./hr. at the advised pressure of 1,5, bar.

GF80006214	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,35** Kg		8 004779 009303

0-6 l/h · 1,5 bar · Ø 4 x 6 mm

blister
10x

“Delta drip” adjustable dripper

The rotation of the key adjusts the flow until totally closed.
Adjustable from 0 to 6 l./hr. at the advised pressure of 1,5 bar.
Version complete with stake and direct connection to the hose.

GF80006217	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**5** Pcs	**0,54** Kg		8 004779 009334

0-6 l/h · 1,5 bar · Ø 4 x 6 mm

blister
10x

“Ottima 180°” adjustable dripper

The click rotation of the head allows simultaneous adjustment of flowrate and diameter of watering. Adjustable from 0 to 60 l./hr. Advised pressure to use, 1,5 bar.



GF80006233	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,36** Kg		8 004779 009167

0-60 l/h · 1,5 bar · r0-0,65 m max · 180° · Ø 14 x 16 mm

blister
10x

bag
20x

“Ottima 360°” adjustable dripper

The click rotation of the head allows simultaneous adjustment of flowrate and diameter of watering. Adjustable from 0 to 60 l./hr. Advised pressure to use, 1,5 bar. Version complete with stake and direct connection to the hose.

0-60 l/h · 1,5 bar · r0-0,4 m max · 360° · Ø 14 x 16 mm



GF80006246	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**5** Pcs	**0,62** Kg		8 004779 009297
GF80006166	sabot	Box (LxWxH) cm **40x25x14**	**10** Pcs	**1,24** Kg		8 004779 039027

blister
10x

“Ottima 180°” adjustable dripper

The click rotation of the head allows simultaneous adjustment of flowrate and diameter of watering. Adjustable from 0 to 60 l./hr. Advised pressure to use, 1,5 bar.
Version complete with stake and direct connection to the hose.

GF80006245	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**5** Pcs	**0,62** Kg		8 004779 009280

0-60 l/h · 1,5 bar · r0-0,65 m max · 180° · Ø 4 x 6 mm

20/MICRO SPRINKLERS

MICRO IRRIGATION
DRIP IRRIGATION

MADE IN ITALY

blister
6x

Standard “orbita” micro-sprinkler

With rotating 360° jet spreader to provide best coverage of the sprink ed area that varies from 6 to 8 m. in diameter.
Work ng pressure from 1 - 2 bar.
Maximum sprinkling area diam. 6 m.
Maximum flow 47 l./hr.



GF80006273	pack	Box (LxWxH) cm 20,7x14,7x10,4	10 Pcs	0,31 Kg	8 004779 009785

47 l/h 1-2 bar | r3m max | 360° | Ø 4 x 6 mm | Ø 14 x 16 mm

MADE IN ITALY

blister
6x

Adjustable “orbita” micro-sprinkler

With rotating 360° jet spreader to provide best coverage of the sprink ed area that varies from 6 to 8 m. in diameter.
Work ng pressure from 1 - 2 bar.
Flow changeable from 0 to105 l./hr.
Maximum sprink ing area diam.from 0 to 8 m.



GF80006274	pack	Box (LxWxH) cm 22,7x15,2x15,4	10 Pcs	0,47 Kg	8 004779 009792

0-105 l/h 1-2 bar | r0-4m max | 360° | Ø 4 x 6 mm | Ø 14 x 16 mm

MADE IN ITALY

blister
6x

“Idra 90°” adjustable micro-sprinklers

Adjustable from 0 to 120 l/hr and for 90° surfaces. The tap adjustment permits simultaneous adjustment of flow and watering diameter. Work ng pressure from 0.5 – 2.5 bar. Sprink ed area diameter from 0 to 6,6 m



GF80006267	pack	Box (LxWxH) cm 20,7x14,7x10,4	10 Pcs	0,34 Kg	8 004779 009723

0-120 l/h 0,5-2,5 bar | r0-3,3m max | 90° | Ø 4 x 6 mm | Ø 14 x 16 mm

MADE IN ITALY

blister
6x

“Idra 180°” adjustable micro-sprinklers

Adjustable from 0 to 120 l/hr and for 180° surfaces.
The tap adjustment permits simultaneous adjustment of flow and watering diameter.
Work ng pressure from 0.5 – 2.5 bar. Sprink ed area diameter from 0 to 7 m



GF80006268	pack	Box (LxWxH) cm 20,7x14,7x10,4	10 Pcs	0,33 Kg	8 004779 009730

0-120 l/h 0,5-2,5 bar | r0-3,5 m max | 180° | Ø 4 x 6 mm | Ø 14 x 16 mm

MADE IN ITALY

blister
6x

“Idra 360°” adjustable micro-sprinklers

Adjustable from 0 to 120 l/hr and for 360° surfaces.
The tap adjustment permits simultaneous adjustment of flow and watering diameter.
Work ng pressure from 0.5 – 2.5 bar. Sprink ed area diameter from 0 to 8 m



GF80006269	pack	Box (LxWxH) cm 20,7x14,7x10,4	10 Pcs	0,33 Kg	8 004779 009747

0-120 l/h 0,5-2,5 bar | r0-4 m max | 360° | Ø 4 x 6 mm | Ø 14 x 16 mm

MADE IN ITALY

blister
10x

“Aquila jet” 90° micro-sprinklers

Fixed sprink ers for 90° surfaces. Complete with rapid screw for easy application to extension hoses. Work ng pressure from 0.5 – 2.5 bar. Maximum sprink ing area diam. 6,2 m. Maximum flow 61 l./hr.



GF80006261	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,26** Kg		8 004779 009662

30-61 l/h · 0,5-2,5 bar · 90° · r2-3,1 m max · Ø 14 x 16 mm · Ø 4 x 6 mm

MADE IN ITALY

blister
10x

“Aquila jet” 180° micro-sprinklers

Fixed sprink ers for 180° surfaces. Complete with rapid screw for easy application to extension hoses. Work ng pressure from 0.5 – 2.5 bar. Maximum sprink ing area diam. 4,8 m. Maximum flow 61 l./hr.



GF80006263	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**10** Pcs	**0,25** Kg		8 004779 009686

30-61 l/h · 0,5-2,5 bar · 180° · r1,5-2,4 m max · Ø 14 x 16 mm · Ø 4 x 6 mm

MADE IN ITALY

blister
10x

“Aquila jet” 360° micro-sprinklers

Fixed sprink ers for 360° surfaces. Complete with rapid screw for easy application to extension hoses. Work ng pressure from 0.5 – 2.5 bar. Maximum sprink ing area diam. 6,6 m. Maximum flow 61 l./hr.



GF80006265	pack	Box (LxWxH) cm **30x24x12,5**	**10** Pcs	**0,25** Kg		8 004779 009709

30-61 l/h · 0,5-2,5 bar · 360° · r1,8-3,3 m max · Ø 14 x 16 mm · Ø 4 x 6 mm

MADE IN ITALY

blister
10x

“Maxima 360°” micro-sprinklers

The click adjustment on the head allows umbrella flow adjustment both in intensity and surface area until totally closed. Work ng pressure from 1 - 2 bar. Sprink ing area from 0 to 3.5 m diameter.



GF80006254	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,40** Kg		8 004779 009594

0-75 l/h · 1- 2 bar · 360° · r0-1,7m max · Ø 14 x 16 mm

MADE IN ITALY

blister
10x

bag
20x

“Maxima 360°” micro-sprinklers

The click adjustment on the head allows umbrella flow adjustment both in intensity and surface area until totally closed. Work ng pressure from 1 - 2 bar. Sprink ing area from 0 to 3.5 m diameter.Version complete with stake and straight connection to the hose.

0-65 l/h · 1- 2 bar · 360° · r0,-1,7m · Ø 4 x 6 mm



GF80006260	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**5** Pcs	**0,64** Kg		8 004779 009655
GF80006164	sabot	Box (LxWxH) cm **40x25x14**	**10** Pcs	**1,20** Kg		8 004779 039003

blister
3x

“Idra 90°” adjustable micro-sprinklers

Adjustable from 0 to 120 l/hr and for 90°sectors. The tap adjustment permits simultaneous adjustment of the flow and watering diameter. Work ng pressure from 0.5 – 2.5 bar. Maximum sprink ing area 6,6 m diameter. Complete with stakes and hoist tube. Maximum height 30 + 30 cm.



GF80006275	pack	Box (LxWxH) cm **36x21,5x12**	**5** Pcs	**1,28** Kg		8 004779 010026

r0-3,5m max | 0-120 l/h 0,5-2,5 bar | 90° | Ø 14 x 16 Ø 4 x 6 mm

blister
3x

“Idra 180°” adjustable micro-sprinklers

Adjustable from 0 to 120 l/hr and for 180°sectors. The tap adjustment permits simultaneous adjustment of the flow and watering diameter. Work ng pressure from 0.5 – 2.5 bar. Maximum sprink ing area 7 m diameter. Complete with stakes and hoist tube. Maximum height 30 + 30 cm.



GF80006276	pack	Box (LxWxH) cm **36x21,5x12**	**5** Pcs	**1,28** Kg		8 004779 010033

r0-3,5m max | 0-120 l/h 0,5-2,5 bar | 180° | Ø 14 x 16 Ø 4 x 6 mm

blister
3x

“Idra 360°” adjustable micro-sprinklers

Adjustable from 0 to 120 l/hr and for 360°sectors. The tap adjustment permits simultaneous adjustment of the flow and watering diameter. Work ng pressure from 0.5 – 2.5 bar. Maximum sprink ing area 8 m diameter. Complete with stakes and hoist tube. Maximum height 30 + 30 cm.



GF80006277	pack	Box (LxWxH) cm **36x21,5x12**	**5** Pcs	**1,28** Kg		8 004779 010040

r0-3,5m max | 0-120 l/h 0,5-2,5 bar | 360° | Ø 14 x 16 Ø 4 x 6 mm

blister
6x

Hose staff

- Cm 30 h.



GF80006295	pack	Box (LxWxH) cm **36x21,5x12**	**10** Pcs	**1,90** Kg		8 004779 010309

Ø 4 x 6 mm | Ø 14 x 16 mm

blister
10x

Hose hoist

- Cm 30 h.
- Complete with connector



GF80006296	pack	Box (LxWxH) cm **36x21,5x12**	**5** Pcs	**0,83** Kg		8 004779 010316

Ø 4 x 6 mm | Ø 14 x 16 mm

21/MAIN LINE ACCESSORIES

MICRO IRRIGATION
DRIP IRRIGATION

Main line accessories
For manifold hose
Accessories suitable for the main line with the attachment to tap or with programmer for manifold hose with diam. 14x16 mm. Ideal for connecting or easily change systems for large terraces and flower beds that require the installation of high water flow main line and a capillary secondary line.

MADE IN ITALY

"Straight" connector
• For 14 x 16 hose.

Ø 14 x 16 mm



blister 10x	GF80006286	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**10** Pcs	**0,70** Kg		8 004779 010194
bag 20x	GF80006152	sabot	Box (LxWxH) cm **40x25x14**	**25** Pcs	**1,8** Kg		8 004779 027192

MADE IN ITALY

"Elbow" connector
• For 14 x 16 hose.

Ø 14 x 16 mm



blister 10x	GF80006287	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**10** Pcs	**0,94** Kg		8 004779 010217
bag 20x	GF80006153	sabot	Box (LxWxH) cm **40x25x14**	**10** Pcs	**1** Kg		8 004779 027208

MADE IN ITALY

"T" connector
• For 14 x 16 hose.

Ø 14 x 16 mm



blister 10x	GF80006288	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**10** Pcs	**1,12** Kg		8 004779 010224
bag 20x	GF80006154	sabot	Box (LxWxH) cm **40x25x14**	**15** Pcs	**1,15** Kg		8 004779 027215

MADE IN ITALY

Automatic hose connector 14x16
To click-fit the 14x16 collector hose to the tap connector.



GF80006600	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,25** Kg		8 004779 036583

Ø 14 x 16 mm

MADE IN ITALY

3/4" (20-27mm) automatic connector
For connecting to electronic irrigation programmers:
• Pressure reducer
• 1/4" connector for capillary hose
• 1/2" connector for collector hose
• Other accessories with 3/4" thread



GF80006601	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,23** Kg		8 004779 036576

Ø 3/4" 20x27mm

blister 1x

In-line tap
• For 14 x 16 manifold hose



GF80006280	pack	Box (LxWxH) cm **15x15x12**	**5** Pcs	**0,23** Kg	8 004779 010088

ON OFF 1 | Ø 14 x 16 mm

blister 10x
bag 20x

"Manifold hose" stake
• For 14 x 16 hose.

15 cm | Ø 14 x 16 mm



GF80006278	pack	Box (LxWxH) cm **37,5x24x19,5**	**10** Pcs	**1,73** Kg	8 004779 010064
GF80006148	sabot	Box (LxWxH) cm **40x25x14**	**10** Pcs	**1,8** Kg	8 004779 027154

blister 1x

Hose piercer



GF80006294	pack	Box (LxWxH) cm **15x15x12**	**5** Pcs	**0,13** Kg	8 004779 010293

Ø 14 x 16 mm

25m
14x16mm

14 x 16 manifold hose
• 25 metres

GF80006298	pack	Box (LxWxH) cm **ø 39x13**	**1** Pcs	**1,37** Kg	8 004779 010330

Ø 14 x 16 mm

blister 10x
bag 20x

"Hose Clamping" band
• For hoses from 16 to 18 ext. diam.

Ø 14 x 16 mm



GF80006292	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,55** Kg	8 004779 010279
GF80006156	sabot	Box (LxWxH) cm **40x13x14**	**20** Pcs	**1** Kg	8 004779 027239

blister 10x
bag 10x

"End of line" plug
• For 14 x 16 hose.

Ø 14 x 16 mm

GF80006289	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,37** Kg	8 004779 010248
GF80006160	sabot	Box (LxWxH) cm **40x13x14**	**30** Pcs	**1,1** Kg	8 004779 032172

MADE IN ITALY

blister
10x

Repair patches

For use in case of incorrect hole positioning on the main line



GF80006272	pack	Box (LxWxH) cm **21x16x11**	**10** Pcs	**0,18** Kg		8 004779 016806

Ø 14 x 16 mm

22/SECONDARY LINE ACCESSORIES

MICRO IRRIGATION
DRIP IRRIGATION

Secondary line accessories
For capillary hose
Accessories indicated for capillary HOSE of diam. 4x6 mm, suitable both for direct line with attachment to the tap or with programmer, that for the secondary line. Ideal for connecting or easily modify systems for balconies, small terraces or flower beds that require the installation of a direct line with reduced capacity.

MADE IN ITALY

blister 3x

In-line tap
• For 4 x 6 capillary hose.



GF80006279	pack	Box (LxWxH) cm 20,7x14,7x10,4	10 Pcs	0,24 Kg	8 004779 010071

ON OFF 1 | Ø 4 x 6 mm

MADE IN ITALY

blister 10x
bag 20x

"Straight" connector
• For 4 x 6 hose

in Ø 14 x 16 mm | out Ø 4 x 6 mm

GF80006281	pack	Box (LxWxH) cm 20,7x14,7x10,4	10 Pcs	0,23 Kg	8 004779 010095
GF80006149	sabot	Box (LxWxH) cm 40x13x14	50 Pcs	1,01 Kg	8 004779 027161

MADE IN ITALY

blister 10x

"Elbow" connector
• For 4 x 6 hose

GF80006283	pack	Box (LxWxH) cm 20,7x14,7x10,4	10 Pcs	0,23 Kg	8 004779 010118

Ø 4 x 6 mm

MADE IN ITALY

blister 10x

"T" connector
• For 4 x 6 hose



GF80006282	pack	Box (LxWxH) cm 20,7x14,7x10,4	10 Pcs	0,24 Kg	8 004779 010101

Ø 4 x 6 mm

MADE IN ITALY

blister 10x
bag 20x

"Cross" connector
• For 4 x 6 hose

Ø 4 x 6 mm



GF80006284	pack	Box (LxWxH) cm 20,7x14,7x10,4	10 Pcs	0,25 Kg	8 004779 010170
GF80006150	sabot	Box (LxWxH) cm 40x13x14	40 Pcs	0,98 Kg	8 004779 027178

MADE IN ITALY

blister
10x

“End of line” plug
• For 4 x 6 hose



GF80006285	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,22** Kg		8 004779 010187

Ø 4 x 6 mm

MADE IN ITALY

blister
10x

bag
20x

“Capillary tube” stake
• For 4 x 6 hose

Ø 4 x 6 mm



GF80006222	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**10** Pcs	**0,55** Kg		8 004779 010057
GF80006143	sabot	Box (LxWxH) cm **40x13x14**	**10** Pcs	**0,7** Kg		8 004779 027109

MADE IN ITALY

blister
5x

Micro saddle
Useful innovative system to puncture holes and at the same time tighten the hose of the main line. Once positioned it makes it extremely simple to provide a direct secondary connection to drippers and microsprayers both “in line” and “end line”.

GF80006271	pack	Box (LxWxH) cm **21x16x11,5**	**10** Pcs	**0,25** Kg		8 004779 016790

in Ø 14 x 16 mm | out Ø 4 x 6 mm

MADE IN ITALY

20m
4x6mm

4 x 6 capillary hose
• 20 metres



GF80006297	pack	Box (LxWxH) cm **37,5x25,5x15**	**5** Pcs	**2,70** Kg		8 004779 010323

Ø 4 x 6 mm

23/UNIVERSAL ACCESSORIES AND KIT	Universal accessories For manifold hose For capillary hose
MICRO IRRIGATION DRIP IRRIGATION	

MADE IN ITALY

1x

Line filter

- Inlet diameter 14 mm
- Outlet diameter 14 mm + 4 mm
- Flow 35 l/minute



GF80006293	pack	Box (LxWxH) cm **29,7x24,2x11,4**	5 Pcs	0,82 Kg	8 004779 010286

Ø 4 x 6 mm | net 120 µm WASHABLE | Ø 14 x 16 mm

MADE IN ITALY

1x

Pressure reducer

- Threaded 3/4"+ 3/4"
- Outlet pressure approx. 1.2 bar.



GF80006291	pack	Box (LxWxH) cm **22,7x15,2x15,4**	10 Pcs	0,53 Kg	8 004779 010262

ø 3/4" 20 x 27 mm | 1 -1,2 bar

MADE IN ITALY

12

"12 Vase" mini dripper kit

Complete collection for balcony, terrace or small flowerbeds.

- 1 pressure reducer
- 1 3/4" tap connector
- 12 m of capillary hose
- 12 T connectors
- 12 support rods
- 12 end of line drippers
- 2 end of line plugs

GF80006299	pack	Box (LxWxH) cm **40x28x20,5**	10 Pcs	5,30 Kg	8 004779 009471



EASY | CUT | H_2O SAVING | KIT READY | 0-6 l/h 1,5 bar



12

“12 Vase” dripper kit

Complete collection for balcony, terrace or small flowerbeds.

- 1 pressure reducer
- 1 3/4” tap connector
- 20 m of capillary hose
- 4 T connectors
- 4 L connectors
- 12 support rods
- 10 line drippers
- 2 end of line drippers
- 2 end of line plugs

GF80006101	pack	Box (LxWxH) cm **29,7x25,7x25,4**	**4** Pcs	**3,72** Kg		8 004779 061011







20

“20 Vase” dripper kit

Complete collection for balcony, terrace or flowerbeds

- 1 pressure reducer
- 1 3/4” tap connector for hose diam. 14x16 mm and 4x6 mm
- 25 m of manifold hose diam. 14x16 mm
- 20 m of capillary hose diam. 4x6 mm
- 20 “Ottima 360°” drippers adjustable from 0 to 60 l./hr. Stake version.
- 3 rubber connectors for hose diam. 14x16 mm
- 2 straight connectors for hose diam. 14x16 mm
- 1 end of line plug for hose diam. 14x16 mm
- 1 tube piercer

GF80006105	pack	Box (LxWxH) cm **40x16x40**	**1** Pcs	**2,25** Kg		8 004779 012808



Tap connector

- For 3/4” taps
- For 14 x 16 and 4 x 6 hose



1x

GF80006290	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,33** Kg		8 004779 010255



25m
ø25mm

25 mm polyethylene hosepipe

Hosepipe for PN4 compression couplings
• 25 meters



GF80002302	pack	Box (LxWxH) cm **ø 56x16**	1 Pcs	3,28 Kg	8 004779 001949

ø 25 mm

15m
ø 1/2"

1/2"diam. porous hosepipe

Ideal for localised watering of groups of plants, hedges, flowerbeds, vegetable gardens and orchards.
The slow and continuous release manages to save up to 50% of water perfectly maintaining damp soil and avoiding excessive evaporation.
• 15 meters
• Complete with end of line cap
• Male connection
• Maximum pressure in use of 2 bar



GF80002300	15 m	Box (LxWxH) cm **ø 30x10**	1 Pcs	1,36 Kg	8 004779 004292

Included | 2 Bar max | STOP

25m
ø16mm

16 mm external diam. dripper hosepipe

Hose for localised watering of orchards, flowerbeds and plants, constantly maintaining damp soil avoiding excessive evaporation and allowing water savings up to 50%.
• 25 meters
• 30 cm spacing
• Flow 2.1 l/hr



GF80002301	pack	Box (LxWxH) cm **ø 30x11**	1 Pcs	1,57 Kg	8 004779 001956

2 l/h
1,5 bar

blister
10x

Stake for soaker hoses

• For tubing of 14-6 mm



GF80006278	pack	Box (LxWxH) cm **37,5x24x19,5**	10 Pcs	1,73 Kg	8 004779 010064

Ø
14-16 mm

Connection kit for soaker hoses

ø 14-16 mm, composed of:
- 1 T connector
- 2 elbow connectors
- 2 straight connectors



GF80002275	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,47** Kg		8 004779 001970

ø 14-16 mm | KIT READY

Connection kit for soaker hoses

Diameter 14-16 mm, composed of:
- 1 threated coupling
- 2 end of plugs



GF80002276	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,32** Kg		8 004779 001987

ø 14-16 mm | KIT READY

VARIOUS

Geared rotating brush

Rotating brush for car washing with a system of gearing that allows it to be used even at low pressures.
- Edge in soft shock resistant polypropylene
- External body in transparent polycarbonate
- Bristles in soft plumed anti-scratch PVC

GF80005175	pack	Box (LxWxH) cm **40x28x20,5**	**6** Pcs	**2,47** Kg		8 004779 002137

ROTARY SYSTEM | SOFT PP | SOAP

Geared rotating brush kit

Rotating brush for car washing with a system of gearing that allows it to be used even at low pressures.
- Edge in soft shock resistant polypropylene
- External body in transparent polycarbonate
- Bristles in soft plumed anti-scratch PVC
- Spray nozzle
- Hose connector with tap adjustment

GF80005233	pack	Box (LxWxH) cm **46x46,5x19,5**	**6** Pcs	**4,16** Kg		8 004779 038747

ROTARY SYSTEM | SOFT PP | SOAP | ø1/2"-5/8" 12 - 15 mm | ON OFF 1 | KIT READY

"Promotional" fixed brush

Practical and inexpensive brush for car washing
- Constructed from soft shock resistant materials

GF80005218	pack	Box (LxWxH) cm **36,5x27,5x39**	**12** Pcs	**2,49** Kg		8 004779 052187

ANTI-SCRATCH PVC | SOAP

“Promotional” fixed brush kit

Contains:
- Fixed brush
- Hose connector with tap adjustment

GF80005224	pack	Box (LxWxH) cm **57x48x19,5**	**12** Pcs	**4,07** Kg		8 004779 052248

ANTI-SCRATCH PVC | SOAP | ø1/2"-5/8" 12 - 15 mm | ON OFF 1

Garden shower

A “use-anywhere” shower connected to the water supply.
Consisting of dismountable pipe-work in anodised aluminium and stable tripod stand. With a tap for flow adjustment and turning off the water. Useful height 2 m.

GF80005461	pack	Box (LxWxH) cm **80x24x17**	**4** Pcs	**3,85** Kg		8 004779 003691

shower head

dismountable pipe-work and stable tripod stand

Aluminium | ON OFF | Working Height 200 cm | 5 min

ElectricWeeder

Delivers a thermal shock to the weed (up to 650°) that will destroy the plant cells and the weed
in just a few seconds.
ECO-FRIENDLY : no chemicals, pesticides and gas are used so there are no CO2 emissions and no waste.
SAFE : no flame. The hook at the back allows the product to be placed horizontally on the floor, without the nozzle touching the ground, so that the product cools down safely.
ECONOMICAL : no consumables to replace e.g. gas or pipe. 10 times less expensive than a gas weeder.
EFFECTIVE AND ROBUST : destroys the plant cells and the weed in just a few seconds. Motor with robust heating elements, providing the GF Electric Weeder with a long service life.
PRECISE : 2 nozzles included :
A round nozzle, ideal for removing weeds from the lawn, flower beds, or vegetable garden. A flat nozzle for precise weeding of borders.
ENGINE POWER : 2000W
ERGONOMIC : comfortable to use thanks to its 116 cm length. Ergonomic handle with easy-to-use power button

Included:
- 1 cone nozzle (pre-fitted) • 1 flat nozzle • 1 set of operating instructions

Technical data:
Rated voltage 230 V - 50 Hz (alternative current)
Rated power consumption: max. 2000 W
Temperature (nozzle outlet): approx 650°
Protection class: II/ (double insulation)

Ergonomic handle

ON/OFF switch

Stand

GF80009203	pack	Box (LxWxH) cm **80x20x20**	**2** Pcs	**2,80** Kg		8 004779 044908

1 | **ERGONOMIC** ON– OFF

2 | **BEFORE ...** TERMAL SHOCK

3 | **... AFTER** 2 DAYS

ACCESSORY INCLUDED

BE DIFFERENT.
BE UNCONVENTIONAL.

This is GF Garden.
Understated shapes.
Bold lines.
Pure colours.
Bring style to outdoor spaces.
Revolutionise the concept of traditional gardening.

GF UNCONVENTIONAL

The Unconventional project grew out of a desire to deconstruct the vision of traditional gardening and awaken curiosity, wonder and a sense of belonging. The irrigation products have been taken out of their 'natural habitat' and are no longer represented in the usual way people would use them.

Instead, they have been given a lifestyle twist and transformed into veritable accessories with their own distinctive and appealing character. The reference to their original context remains, yet this now lies in the background, like a decorative frame.

The synergies that are created between the colours, shapes, materials and gestures permeate the visual content of the images, bringing the viewer's own vision of style to the forefront and allowing them to interpret the context on their own.

Spending time in outdoor spaces means personalising them, connecting them to our own lives and moulding them to our desires.

This is the message that the GF project wants to convey. Rules are not always set in stone.

PRO25 aquapop™ GREY

AQUAPOP GREY PRO 25 m
Textile self-extendable hose
Made in Italy

- self-extendable hose of various lengths
- mini ergonomic lance or 8-jet ergonomic lance
- click-fit hose connectos, 3/4” tap connector
- container designed to facilitate storage and tap coupling system



GF80287678	
Box (LxWxH) cm **40x35,5x35**	
Pcs 2	8 004779 040160
Kg 4,8	

AQUAPOP GREY EASY 15/25/30 m

Textile self-extendable hose Made in Italy

- self-extendable hose of various lengths
- mini lance
- click-fit hose connectos
- 3/4” tap connector

GF80297675	
Box (LxWxH) cm **25,5x14,5x25,5**	
25m **Pcs** 1	
Kg 1,55	8 004779 040139



GF80297673	
Box (LxWxH) cm **25,5x9,7x25,5**	
15m **Pcs** 1	
Kg 1	8 004779 040115

GF80297676	
Box (LxWxH) cm **25,5x14,5x25,5**	
30m **Pcs** 1	
Kg 1,88	8 004779 040146

AQUAPOP GREY 25

Textile self-extendable hose Made in Italy

- self-extendable up to 25m
- 8-jet ergonomic lance
- click-fit hose connectos, 3/4” tap connector
- container bag

GF80297686	
Box (LxWxH) cm **40,5x35,5x35**	
25m **Pcs** 2	
Kg 4,5	8 004779 040306



aquapop™

“AQUAPOP” self-extendable hose kit
Self-extendable hose kit for watering plants and flowers and for cleaning outdoor surfaces. Ideal for gardens, patios and balconies. After use, the empty hose retracts to extremely compact dimensions so it occupies minimal space in the practical container supplied, designed to facilitate storage.

- self-extendable hose of various lengths
- mini ergonomic lance or 3 jet ergonomic lance
- click-fit hose connectors
- 3/4” tap connector

aquapop™ 15

aquapop™ 30





GF80287600	
Box (LxWxH) cm **42x36x24**	
Pcs 2	8 004779 025914
Kg 2,6	

GF80277600	
Box (LxWxH) cm **42x36x24**	
Pcs 2	8 004779 025907
Kg 2,6	

GF80267600	
Box (LxWxH) cm **42x36x24**	
Pcs 2	8 004779 025891
Kg 2,6	

GF80297600	
Box (LxWxH) cm **42x36x24**	
Pcs 2	8 004779 025921
Kg 2,6	

GF80287603	
Box (LxWxH) cm **40,5x35,5x35**	
Pcs 2	8 004779 027697
Kg 4,5	

GF80277603	
Box (LxWxH) cm **40,5x35,5x35**	
Pcs 2	8 004779 027680
Kg 4,5	

GF80267603	
Box (LxWxH) cm **40,5x35,5x35**	
Pcs 2	8 004779 027673
Kg 4,5	

GF80297603	
Box (LxWxH) cm **40,5x35,5x35**	
Pcs 2	8 004779 027703
Kg 4,5	

"AQUALIGHT" light hose kit
AquaLight is the innovative, super-light and anti-knot hose. Lightweight and manageable. Anti-kink and anti-twist construction. Durable and flexible even at low temperatures. Easy to roll up and store. Easy to repair in case of cuts or punctures. Up to 3 times lighter than a traditional hose. 100% recyclable hose, disposed of with other plastics (excluding accessories).
• AQUALIGHT 15 KIT: "8 jet" gun

aqualight

SUPER LIGHT · ANTI-TORSION · ANTI-KINK · 100% RECYCLABLE HOSE · NO LATEX PHTALATE &BPA

aqualight 15 KIT

SUPER LIGHT

Ø 5/8" 15 mm
15 m

MADE IN ITALY · 4 Bar · 12 Bar · 8 jet

GF80287156	
Box (LxWxH) cm **12x29x33**	
Pcs 1	8 004779 038785
kg 1,5	

1x 1x 1x 1x

aqualight 15

aqualight 30

SUPER LIGHT

Ø 5/8" 15 mm
15 m

1x 2x · MADE IN ITALY · 4 Bar · 12 Bar

GF80007151	
Box (LxWxH) cm **30x26x11,5**	
Pcs 1	8 004779 036156
kg 1,2	

Ø 5/8" 15 mm
30m

1x 2x · MADE IN ITALY · 4 Bar · 12 Bar

GF80007152	
Box (LxWxH) cm **30x26x19**	
Pcs 1	8 004779 036163
kg 2,2	

aquabag MAXI

"AQUABAG MAXI" Portable hose-reel
Designed for any application that requires a compact product, it is ideal for balconies, terraces, medium-sized gardens.
Manually rewinding, portable, easy to store.

- 16,5 meters of braided flexible hose (15 m rewinding inside + 1,5 moutside)
- 2 Soft Touch quick –click hose connectors
- 8 jet ergonomic nozzle
- "indoor-outdoor" 3/4" adaptor, ideal for any type of tap, also for those used indoors (for example: kitchen, bathroom, laundry….)





GF80285608	GF80275608
Box (LxWxH) cm **42x36x35**	Box (LxWxH) cm **42x36x35**
Pcs 2	**Pcs** 2
Kg 7	**Kg**7
8 004779 023217	8 004779 023200

GF80265608	GF80295608
Box (LxWxH) cm **42x36x35**	Box (LxWxH) cm **42x36x35**
Pcs 2	**Pcs** 2
Kg 7	**Kg** 7
8 004779 023194	8 004779 023224

aquabalcony

AQUABALCONY - Kit Enrolador de mangueira 10 m
AQUABALCONY - Hose hanger kit with 10 m hose
Ideal para regar plantas, flores e vasos que se encontram em terraços, varandas e jardins de pequenas dimensões. Graças à sua modelidade de utilização, pode ser posicionado no chão ou transportado, demonstrando-se assim extremamente prático. Equipado com:

Ideal for watering plants, flowers and pots on patios, balconies, verandas and small gardens. Thanks to the dual method of use, this product can be placed on the ground or transported. It is also extremely practical. It can be also wall mounted. Equipped with:

- 10 metros de mangueira flexível
- 2 ligações de conexão rápida
- lança ergonómica 8 jet
- Tomada de torneira 3/4

- 10 meters of flexible hose
- 2 quick connectors
- 8 jet ergonomic nozzle
- 3/4" tap connector

GF80285852	GF80275852	GF80265852	GF80295852
Box (LxWxH) cm **64x29x32**	Box (LxWxH) cm **64x29x32**	Box (LxWxH) cm **64x29x32**	Box (LxWxH) cm **64x29x32**
Pcs 6	**Pcs** 6	**Pcs** 6	**Pcs** 6
Kg 7,5	**Kg** 7,5	**Kg** 7,5	**Kg** 7,5
8 004779 030697	8 004779 030680	8 004779 030673	8 004779 030710

“AQUABAG STYLE” Mini hose reel

The new mini version hose reel is ideal for watering plants, flowers and pots on patios, balconies, verandas and small gardens.
Thanks to its dual purpose design - floor standing or portable - this is a product that proves highly practical.
It is equipped with:

- 11,5 meters of braided flexible hose (10 m rewinding inside + 1,5 moutside)
- 2 Soft Touch quick –click hose connectors
- 8 jet ergonomic nozzle
- 3/4” adaptor

rewindable and portable / dual purpose / storable and wall-mountable

aquabag style







GF80285628	
Box (LxWxH) cm **33x30x31,5**	
Pcs 2	
Kg 4,5	8 004779 038341

GF80275628	
Box (LxWxH) cm **33x30x31,5**	
Pcs 2	
Kg 4,5	8 004779 038754

GF80265628	
Box (LxWxH) cm **33x30x31,5**	
Pcs 2	
Kg 4,5	8 004779 038761

CONCEPT easyguide with aqualight 30

Concept Easy Guide hose reel kit, with super light Aqualight 30 hose.
Plastic and metal hose reel trolley, practical thanks to the hose-guide system to facilitate hose rewinding. It is very light thanks to the hose supplied that is up to 3 times lighter than a traditional hose. Thanks to the telescopic handle it is not bulky and is easy to store even in small spaces. Fully assembled and equipped.

- 8 jet gun
- 4 SOFT TOUCH automatic connectors 1/2"- 5/8" (12 - 15 mm)
- 1 tap connector 3/4" (20 - 27 mm)
- Aqualight 30 m superlight hose 5/8"

GF80285866	
Box (LxWxH) cm **80x120x55**	
Pcs 6	8 004779 038815
Kg 30	

ø1/2"-5/8" 12 - 15 mm	ø 1/2" 60 m	ø 5/8" 50 m	ø 3/4" 40 m

MADE IN ITALY

8 jet — MAX 18 l/min 4 bar

CONCEPT easyguide

Concept Easy Guide hose reel kit
Plastic and metal hose reel trolley, practical thanks to the hose-guide system to facilitate hose rewinding. Thanks to the telescopic handle it is not bulky and is easy to store even in small spaces. Fully assembled and equipped.

- 8 jet gun
- 4 SOFT TOUCH automatic connectors 1/2"- 5/8" (12 - 15 mm)
- 1 tap connector 3/4" (20 - 27 mm)
- 30 m hose with Ø 5/8"

GF80285868	
Box (LxWxH) cm **80x120x55**	
Pcs 6	8 004779 040191
Kg 36	

ø1/2"-5/8" 12 - 15 mm	ø 1/2" 60 m	ø 5/8" 50 m	ø 3/4" 40 m

8 jet — MAX 18 l/min 4 bar

MADE IN ITALY

"CONCEPT PLUS" hose reel kit
Plastic and metal hose reel trolleyThanks to the telescopic handle,
it is compact and easy to store even in small spaces.
Fully assembled and equipped





Hose hanger
Ideal for both conventional flexible garden hoses and for self-extendable hoses. Dual use: can be attached to a tap or wall-mounted.



GF80287044
Box (LxWxH) cm **58x20x11,5**
Pcs 8
Kg 1,1
8 004779 030666

Trolley/tap connecting kit
- 1,5 m of wired 1/2" hosepipe
- 2 click-fit 1/2" hose connectors
- 3/4" tap connector

GF80287234
Box (LxWxH) cm **29,7x25,7x25,4**
Pcs 6
Kg 2,54
8 004779 030635

CONCEPT PLUS

"CONCEPT PLUS READY 25" hose reel kit
- trolley with wheels and retractable telescopic handle
- "8 jet Easy Plus" gun • 4 SOFT TOUCH "quick click" hose connectors
- 1 Ø 3/4" tap adaptor • 25 m hose with Ø 1/2" or 5/8"



CONCEPT PLUS tubo 1/2"

GF80285820
Box (LxWxH) cm **80x120x55**
Pcs 6
Kg 33
8 004779 027338

CONCEPT

"CONCEPT"
Plastic and metal hose reel trolley. Thanks to the telescopic handle, it is compact and easy to store even in small spaces. Fully assembled and equipped.
- trolley with wheels and retractable telescopic handle
- max. capacity 60m of 1/2" Ø hose
- complete with hose holder click connectors



GF80285795
Box (LxWxH) cm **38,5x14,5x55**
Pcs 1
Kg 2,5
8 004779 021183

CONCEPT

"MINI CONCEPT READY 15" portable kit
Transportable and wall hanging thanks to the appropriate supports (not supplied). Already assembled and equipped with 15 m of hose, connectors and "3 JET" ergonomically-designed nozzle.



GF80285793
Box (LxWxH) cm **80x120x28**
Pcs 12
Kg 30
8 004779 021145

GF16 EASY

"GF16 EASY"
Electronic programmer
Simple and trustworthy, provides combinations of programs up to 16 possibilities managed through the easy to use knob switch. Starts every 6, 12, 24, 48 hours with prefixed watering times. "Easy garden" program for the optimization of the watering cycles: two preset daily watering to water properly morning and evening, improving the absorption of water by the soil, thus avoiding the plants damaging.
• manual start button for starting independently of the programme cycle
• works with 9 volt alkaline battery
• device to stop the water flow in case the battery runs down
• electrical components protected from water and humidity
• 3/4" attachment to tap
• maximum pressure in use 8 Bar

GF48

"GF48" Electronic programmer
It is simple, easy to understand and practical to be used, it is possible to select programs easily managed up to 48 possibilities controlled through the easy to use concentric knob switches and by two selector switches.
• manual start button for starting independently of the program cycle
• button for delaying of 8 hours after the initial setting-up
• works with 9 volt alkaline battery
• device to stop the water flow in case the battery runs down
• electrical components protected from water and humidity
• 3/4" attachment to tap
• maximum pressure in use 8 Bar





MADE IN ITALY

GF80286016	
Box (LxWxH) cm **18x19x12**	
Pcs 2	8 004779 022975
Kg 1	

MADE IN ITALY

GF80286015	
Box (LxWxH) cm **18x19x12**	
Pcs 2	8 004779 023682
Kg 1	

aquaflora holiday

Stand-alone drip watering system for pot plants.
Simple and practical, all that the aquaflora holiday system requires in order to function is a plastic drinks bottle of 0.5 to 2 litres capacity. No need to move any plant from its usual place, and no need for makeshift connections to the water supply.

- **simplicity:** to start watering, just attach a plastic bottle filled with water to the spike, pierce a small hole in the upturned bottom so that air can escape, then push the spike into the soil and adjust the flow of water as required.
- **effective watering:** the aquaflora holiday incorporates a special outlet grille that delivers each successive drip directly to the roots, avoiding waste and evaporation of the water.
- **adaptability:** suitable for any kind of pot or planter, whatever the size and shape.
- **indoor and outdoor use**



"AQUAFLORA HOLIDAY" Mix color
A drip watering system for pot plants that will keep all house plants regularly watered during excursions, trips and holidays.

"AQUAFLORA HOLIDAY TRIS" Mix color
Practical hang-pack containing 3 pieces

GF80256343	
Box (LxWxH) cm **38,5x29x30**	
Pcs 24	8 004779 023330
Kg 2	

GF80256344	
Box (LxWxH) cm **37x24x19,5**	
Pcs 6	8 004779 023385
Kg 1,4	

Sunny Line, safe and enviromental frendly
Using the sun's energy in a natural way, SUNNY LINE solar showers produce free hot water: just like a solar panel, the tank base connected to the water mains and exposed to the sun for about 2 hours to heat the water contained in it up to over 60°. This, properly mixed with cold water through the mixer, makes it possible to deliver approximately **60 litres of water at 30°***.
The horizontal development of the base provides better exposure to sunlight compared to vertical development models. The tank base, constantly filled via the connection to the water mains, ensures stability and strength. The pressure regulator also ensures use in total safety.
*The figures vary depending on weather conditions and are calculated in ideal conditions.

"SUNNY NIAGARA" Solar shower
The Sunny NIAGARA solar shower exploits natural sunlight to produce hot water naturally and free of charge.
- Contemporary styling
- Ergonomic mixer that allows more precise temperature control and independent selection of flow rate and temperature.
- Height 2.10 m
- Larger tank base and 20 cm diameter shower head for increased flow rate.

Patented

GF80286908	
Box (LxWxH) cm **60x28x60**	
Pcs 1	8 004779 033995
Kg 9	

GF80276908	
Box (LxWxH) cm **60x28x60**	
Pcs 1	8 004779 033988
Kg 9	

GF80266908	
Box (LxWxH) cm **60x28x60**	
Pcs 1	8 004779 033971
Kg 9	

GF80296908	
Box (LxWxH) cm **60x28x60**	
Pcs 1	8 004779 034008
Kg 9	

"SUNNY STYLE PREMIUM" Solar shower
The "Sunny Style Premium" solar shower uses the energy from the sun's ray to produce hot water ecologically and without using any electricity.
- hot and cold water mixer, to adjust the requested temperature
- stable and safe tank/base
- adjustable height from 1,40 to 2,10 m
- extractible and adjustable shower hose
- inlet pressure regulator with safety valve
- plug&play kit equipped with 3/4" tap adaptor, 2 SOFT TOUCH hose connectors and 10 m of phthalates free hose for the tap connection.

Patented

"SUNNY STYLE" Solar shower
The "Sunny Style" solar shower uses the energy from the sun's ray to produce hot water ecologically and without using any electricity.
- hot and cold water mixer, to adjust the requested temperature
- stable and safe tank/base
- useful height 2 m
- inlet pressure regulator with safety valve
- 3/4" tap adaptor

Patented

Sunny Style Premium

sunny the solar shower

MADE IN ITALY

Sunny Style

sunny the solar shower

MADE IN ITALY

GF80005524	GF80005525	GF80005520	GF80005521
Box (LxWxH) cm **60x23x60**	Box (LxWxH) cm **60x23x60**	Box (LxWxH) cm **60x23x60**	Box (LxWxH) cm **60x23x60**
Pcs 1	**Pcs** 1	**Pcs** 1	**Pcs** 1
Kg 7,53	**Kg** 7,53	**Kg** 6,38	**Kg** 6,38
8 004779 019210	8 004779 019227	8 004779 019135	8 004779 019142

GF80005526	GF80005523	GF80005522	GF80005519
Box (LxWxH) cm **60x23x60**	Box (LxWxH) cm **60x23x60**	Box (LxWxH) cm **60x23x60**	Box (LxWxH) cm **60x23x60**
Pcs 1	**Pcs** 1	**Pcs** 1	**Pcs** 1
Kg 7,53	**Kg** 7,53	**Kg** 6,38	**Kg** 6,38
8 004779 019234	8 004779 019203	8 004779 019159	8 004779 018794

MODO
il verde sempre in casa

FOR EVERYDAY

FOR2 EVERYDAY

Wall plant "MODO"
Wall plant container with new and exclusive styling. The geometrical shape and clean lines are perfect for creating green features to bring nature into the home. The clear plastic housing holds the coloured container to protect the walls from soil, water and leaves.
Removable container for easy maintenance.
MODO is a modular and versatile décor accessory that can be hung on a wall or placed on a flat surface. Sold complete with potting compost.

"FOR" container bag
Container bag in soft plastic material. Multifunction for gardening, shopping, sea, living, and camping. Simple and functional, it is ideal for organizing and storing small items.

"For2" container bag
Container bag in soft plastic material. Multifunction for gardening, shopping, beach-going, living, and camping. Simple and functional, it is ideal for organizing and storing small and medium sized items.

MADE IN ITALY

"MODO" Light Grey

GF86010001	
Box (LxWxH) cm **28,5x26x26**	
Pcs 2	8 004779 034091
Kg 2,3	

"MODO" Grey

GF86010002	
Box (LxWxH) cm **28,5x26x26**	
Pcs 2	8 004779 034107
Kg 2,3	

"MODO" Dark Grey

GF86010003	
Box (LxWxH) cm **28,5x26x26**	
Pcs 2	8 004779 034121
Kg 2,3	

MADE IN ITALY

GF80287602	
Box (LxWxH) cm **38x28x60**	
Pcs 10	8 004779 026133
Kg 3,2	

GF80277602	
Box (LxWxH) cm **38x28x60**	
Pcs 10	8 004779 026126
Kg 3,2	

GF80267602	
Box (LxWxH) cm **38x28x60**	
Pcs 10	8 004779 026119
Kg 3,2	

GF80297602	
Box (LxWxH) cm **38x28x60**	
Pcs 10	8 004779 026140
Kg 3,2	

MADE IN ITALY

GF80287606	
Box (LxWxH) cm **37x20x56**	
Pcs 4	8 004779 029738
Kg 2,4	

GF80277606	
Box (LxWxH) cm **37x20x56**	
Pcs 4	8 004779 029721
Kg 2,4	

GF80267606	
Box (LxWxH) cm **37x20x56**	
Pcs 4	8 004779 029714
Kg 2,4	

GF80297606	
Box (LxWxH) cm **37x20x56**	
Pcs 4	8 004779 029745
Kg 2,4	

aquabag style | aquabag MAXI | aquaflora holiday

Carton Display
"AQUABAG STYLE" mix color
18 pz. (6 pz. fuxia, 6 pz. blue, 6 pz. lime)

GF80255628	
Box (LxWxH) cm **72x54x103** In Store (LxWxH) cm **72x54x140**	
Pcs 1	**Kg** 44

Carton Display
"AQUABAG MAXI" color mix
12 pz.(4 pz. fuxia, 4 pz. blue, 4 pz. lime)

GF80255608	
Box (LxWxH) cm **72x54x115** In Store (LxWxH) cm **72x54x160**	
Pcs 1	**Kg** 49,5

Carton Display
"AQUAFLORA HOLIDAY" color mix
160 pz.

GF80250080		
Box (LxWxH) cm **82x42x63** In Store (LxWxH) cm **79x40x143**		
Kg 15	**Pcs** 160	**EAN** 8004779023330

Carton Display
"AQUAFLORA HOLIDAY TRIS"
color mix 72 pz.

GF80250081		
Box (LxWxH) cm **82x42x63** In Store (LxWxH) cm **79x40x143**		
Kg 17,4	**Pcs** 72	**EAN** 8004779023385

MER CHAND ISING

Carton Banner
"SUNNY STYLE"

GF21000609	
Box (LxWxH) cm **61x50x2,5**	
Pcs 1	**Kg** 0,5

sunny niagara
solar shower

Carton Display
"SUNNY NIAGARA" color mix
4 pz. (1 pz. gray, 1 pz. lime,
1 pz. fuxia, 1 pz. blue)

GF80256909	
Box (LxWxH) cm **62x62x115**	
In Store (LxWxH) cm **62x62x171**	
Pcs 1	**Kg** 43

Carton Display
"SUNNY NIAGARA" lime
4 pz. lime

GF80286909		
Box (LxWxH) cm **62x62x115**		
In Store (LxWxH) cm **62x62x171**		
Kg 43	**Pcs** 4	**EAN** 8004779033995

Carton Display
"SUNNY NIAGARA" blue
4 pz. blue

GF80266909		
Box (LxWxH) cm **62x62x115**		
In Store (LxWxH) cm **62x62x171**		
Kg 43	**Pcs** 4	**EAN** 8004779033971

Carton Display
"SUNNY NIAGARA" fuxia
4 pz. fuxia

GF80276909		
Box (LxWxH) cm **62x62x115**		
In Store (LxWxH) cm **62x62x171**		
Kg 43	**Pcs** 4	**EAN** 8004779033988

Carton Display
"SUNNY NIAGARA" gray
4 pz. gray

GF80296909		
Box (LxWxH) cm **62x62x115**		
In Store (LxWxH) cm **62x62x171**		
Kg 43	**Pcs** 4	**EAN** 8004779034008

sunny
the solar shower

Carton Display
"SUNNY STYLE" color mix
4 pz. (1 pz. gray, 1 pz. lime,
1 pz. fuxia, 1 pz. blue)

GF80005919	
Box (LxWxH) cm **62x62x95**	
In Store (LxWxH) cm **62x62x171**	
Pcs 1	**Kg** 29,5

Carton Display
"SUNNY STYLE PREMIUM"color mix
4 pz. (1 pz. gray, 1 pz. lime,
1 pz. fuxia, 1 pz. blue)

GF80005918	
Box (LxWxH) cm **62x62x95**	
In Store (LxWxH) cm **62x62x171**	
Pcs 1	**Kg** 33,7

Carton Display
"SUNNY STYLE PREMIUM" lime
4 pz. lime

GF80176074		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 33,7	**Pcs** 4	**EAN** 8004779019210

Carton Display
"SUNNY STYLE" lime
4 pz. lime

GF80176070		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 29,5	**Pcs** 4	**EAN** 8004779019135

Carton Display
"SUNNY STYLE PREMIUM" fuxia
4 pz. fuxia

GF80176075		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 33,7	**Pcs** 4	**EAN** 8004779019227

Carton Display
"SUNNY STYLE" fuxia
4 pz. fuxia

GF80176071		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 29,5	**Pcs** 4	**EAN** 8004779019142

Carton Display
"SUNNY STYLE PREMIUM" blue
4 pz. blue

GF80176076		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 33,7	**Pcs** 4	**EAN** 8004779019234

Carton Display
"SUNNY STYLE" blue
4 pz. blue

GF80176072		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 29,5	**Pcs** 4	**EAN** 8004779019159

Carton Display
"SUNNY STYLE PREMIUM" gray
4 pz. gray

GF80176073		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 33,7	**Pcs** 4	**EAN** 8004779019203

Carton Display
"SUNNY STYLE" gray
4 pz. gray

GF80176069		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 29,5	**Pcs** 4	**EAN** 8004779018794

aquapop 15 | aquapop 30 | aquabalcony | aquapop GREY

Carton Display
"AQUAPOP 15" mix color
20 pz. (6 pz. lime, 4 pz. fuxia, 6 pz. blue, 4 pz. gray)

GF80257651	
Box (LxWxH) cm **72x54x115** In Store (LxWxH) cm **72x54x160**	
Pcs 1	**Kg** 31

Carton Display
"AQUAPOP 30" mix color
12 pz. (4 pz. lime, 2 pz. fuxia, 4 pz. blue, 2 pz. gray)

GF80257603	
Box (LxWxH) cm **72x54x115** In Store (LxWxH) cm **72x54x160**	
Pcs 1	**Kg** 33

Carton Display
"AQUABALCONY" mix color
24 pz. (6 pz. lime, 6 pz. fuxia, 6 pz. blue, 6 pz. gray)

GF80255852	
Box (LxWxH) cm **72x54x102,5** In Store (LxWxH) cm **72x54x140**	
Pcs 1	**Kg** 37

Carton Display - 18pz
"AQUAPOP GREY 25"

GF80297687		
Box (LxWxH) cm **80x60x115** In Store (LxWxH) cm **80x60x160**		
Kg 56	**Pcs** 18	**EAN** 8004779040306

MODO il verde sempre in casa | aqualight 15 KIT | FOR EVERYDAY | PRO aquapop GREY

Carton Display
"MODO" mix color
18 pz. (6 pz. light gray, 6 pz. gray, 6 pz. dark gray)

GF86010000	
Box (LxWxH) cm **72x54x102,5** In Store (LxWxH) cm **72x54x140**	
Pcs 1	**Kg** 29

Carton Display
AQUALIGHT 15 KIT 5/8"
36 pz.

GF80287157		
Box (LxWxH) cm **80x60x115** In Store (LxWxH) cm **80x60x160**		
Kg 65	**Pcs** 36	**EAN** 8004779038785

Carton Display "FOR" mix color
40 pz. (10 pz. lime, 10 pz. fuxia, 10 pz. blue, 10 pz. gray)

GF80257602	
Box (LxWxH) cm **72x54x102,5** In Store (LxWxH) cm **72x54x140**	
Pcs 1	**Kg** 20

Carton Display - 24pz
"AQUAPOP GREY PRO 25m"

GF80287685		
Box (LxWxH) cm **80x60x115** In Store (LxWxH) cm **80x60x160**		
Kg 73	**Pcs** 24	**EAN** 8004779040160

Carton Display - 48pz
"AQUAPOP GREY EASY 25m"

GF80297682		
Box (LxWxH) cm **80x60x115** In Store (LxWxH) cm **80x60x160**		
Kg 90	**Pcs** 48	**EAN** 8004779040139

Carton Display - 72pz
"AQUAPOP GREY EASY 15m"

15m GF80297680		
Box (LxWxH) cm **80x60x115** In Store (LxWxH) cm **80x60x160**		
Kg 87	**Pcs** 72	**EAN** 8004779040115

Carton Display - 48pz
"AQUAPOP GREY EASY 30m"

30m GF80297683		
Box (LxWxH) cm **80x60x115** In Store (LxWxH) cm **80x60x160**		
Kg 105	**Pcs** 48	**EAN** 8004779040146

Carton Display
AQUALIGHT 15 m 5/8"
45 pz.

GF80170083		
Box (LxWxH) cm **82x60x115** In Store (LxWxH) cm **80x60x160**		
Kg 70	**Pcs** 45	**EAN** 8004779036156

Carton Display
AQUALIGHT 30 m 5/8"
25 pz.

GF80170085		
Box (LxWxH) cm **82x60x115** In Store (LxWxH) cm **80x60x160**		
Kg 71	**Pcs** 25	**EAN** 8004779036163

G.F.
ENJOY THE GARDEN
www.gfgarden.it
KIT 20
REWALL
20m

G.F.
ENJOY THE GARDEN
www.gfgarden.it
REWALL
35m
RECO
REUSE REDUCE RECYCLE
RECO ULTRAMEMORY
LA PRIMA GAMMA DI IRRIGAZIONE, CON OLTRE IL 70% DI PLASTICA RICICLATA

WE ARE BLUE

FOR OCEAN
GF COLLECTION

The GF collection made with
plastic collected from coastlines, islands, shores and rivers

GF FOR OCEAN

FOR OCEAN
GF COLLECTION

What is the GF for ocean collection?

The FOR OCEAN collection is a selection of GF UNCONVENTIONAL products, made with +50% and +80%* of #tide ocean-bound recycled plastic: plastic waste (particularly bottles) collected from coasts, islands and rivers, and transformed into new raw material.
*percentage calculated on the weight of the product,hose not included

what is the OCEAN-BOUND PLASTIC?

It is defined as plastic waste “at risk of ending up in the ocean”, (It is estimated that around 80% of marine plastic waste comes from landbased sources.). The certification divides this plastic waste into 3 main categories:

1 / Inadequately collected plastic waste located within 50 km of the coastline

2 / Inadequately collected plastic waste located 200m from rivers & in rivers

3 / Inadequately collected plastic waste located 200m from shores

in collaboration with
#tide
OCEAN MATERIAL

#TIDE OCEAN MATERIAL

Tide Ocean SA is a Swiss company that collects 100% ocean-bound plastic and turns it into a valuable resource. The award-winning upcycling process is strictly mechanical and was developed in close collaboration with the Swiss University of Applied Sciences. #tide® does not process virgin plastic. Due to its strict ethical business standards and supply chain transparency, #tide® is the most trusted label when it comes to responsible plastic consumption.

tide.earth/EN/

1/Collect Ocean–Bound Plastic:

Coordinating groups of Fishermen in Southeast Asia and in Central America collect plastic waste on islands, beaches and along coastlines.

2. Sort and process plastic in a recycled raw material:

The process is overseen and monitored by a specialized branch of Swiss University.

3/Sell recycled and certified raw material:

All certified 100% Ocean Bound Plastic.

Aquabag 11,5 m and 16,5 m
Designed for any application that requires a compact product, it is ideal for balconies, terraces, medium-sized gardens.
Manually rewinding, portable, easy to store.
• 11,5/16,5 m of braided flexible hose
• 2 quick –click hose connectors • 3/4” tap connector
• ergonomic nozzle

+80%* RECYCLED OCEAN BOUND PLASTIC

MADE IN ITALY

Percentage calculated based on the product weight, excluding the hose

Aquabag 16,5 m

GF80655608	
Box (LxWxH) cm **42x36x35**	
Pcs 2	8 004779 044076
Kg 7	

Aquabag 11,5 m

GF80655606	
Box (LxWxH) cm **39x29x32**	
Pcs 2	8 004779 044069
Kg 4,5	

Aquapop 15m e 30m
Self-extendable hose kit for watering plants and flowers and for cleaning outdoor surfaces. Ideal for gardens, patios and balconies. After use, the empty hose retracts to extremely compact dimensions so it occupies minimal space in the practical container supplied, designed to facilitate storage.
• self-extendable hose of various lengths
• mini ergonomic lance or 3 jet ergonomic lance
• click-fit hose connectors • 3/4” tap connector

+80%* RECYCLED OCEAN BOUND PLASTIC

Percentage calculated based on the product weight, excluding the hose

Aquapop 15 m

GF80657600	
Box (LxWxH) cm **42x36x24**	
Pcs 2	8 004779 044045
Kg 2,6	

Aquapop 30 m

GF80657603	
Box (LxWxH) cm **40,5x35,5x35**	
Pcs 2	8 004779 044052
Kg 4,5	

Aquaflora Holiday Single and Tris
A drip watering system for pot plants. To start watering, just attach a plastic drinks bottle of 0.5 to 2 litres capacity, filled with water to the spike, pierce a small hole in the upturned bottom so that air can escape, then push the spike into the soil and adjust the flow of water as required. It incorporates a special outlet grille that delivers each successive drip directly to the roots, avoiding waste and evaporation of the water.

+50% RECYCLED OCEAN BOUND PLASTIC 1x

MADE IN ITALY

aquaflora holiday 1x 3x

Aquaflora Single

GF80656343	
Box (LxWxH) cm **38,5x29x30**	
Pcs 24	
Kg 2	8 004779 044601

Aquaflora Tris

GF80656344	
Box (LxWxH) cm **37x24x19,5**	
Pcs 6	
Kg 1,4	8 004779 044106

aquapop 15

aquapop 30

aqualag 11,5

aqualag 16,5

Carton Display "AQUAPOP 30 m
12 pz.

Carton Display "AQUAPOP 15 m
16 pz.

Carton Display "AQUABAG 16,5 m
12 pz.

Carton Display "AQUAPOP 11,5 m
14 pz.

GF80657694		
Box (LxWxH) cm **80x40x115** In Store (LxWxH) cm **80x40x140**		
Kg 38	**Pcs** 12	**EAN** 8004779044052

GF80657693		
Box (LxWxH) cm **80x40x115** In Store (LxWxH) cm **80x40x140**		
Kg 32	**Pcs** 16	**EAN** 8004779044045

GF80656088		
Box (LxWxH) cm **80x40x115** In Store (LxWxH) cm **80x40x140**		
Kg 44	**Pcs** 12	**EAN** 8004779044076

GF80656077		
Box (LxWxH) cm **80x40x115** In Store (LxWxH) cm **80x40x140**		
Kg 48	**Pcs** 14	**EAN** 8004779044069

MERCHANDISING

aquaflora holiday

1x
3x

Carton Display
"AQUAFLORA" 1X
80 pz.

Carton Display
"AQUAFLORA" TRIS
36 pz.

GF80650080		
Box (LxWxH) cm **40x40x115** In Store (LxWxH) cm **40x40x140**		
Kg 25	**Pcs** 80	**EAN** 8004779044601

GF80650081		
Box (LxWxH) cm **40x40x115** In Store (LxWxH) cm **40x40x140**		
Kg 33	**Pcs** 36	**EAN** 8004779044106

Floor Totem
GF21001969
Box (LxWxH) cm 52x152x10
In Store (LxWxH) cm 56x56x152

Totem Video
GF21001135
Box (LxWxH)cm 52x152x10
In Store (LxWxH) cm 56x56x152

G.F.
RECO®
REUSE REDUCE RECYCLE
WE ARE GREEN

The first irrigation range,
with over 70% recycled plastic

GF RECO

REUSE, REDUCE, RECYCLE,
the new approach of G.F. engendered in the RECO range.
A range made with more than 70% of recycled plastic, a range that is rigorously Made in Italy. A new production chain cycle, more attentive to sustainability and CO2 emissions. A new Mission, a future-oriented Vision, because correct irrigation practices must start from respect for the environment. **We are green.**

REUSE

Give plastic a second lease of life
The Circular Economy concept can be applied also and above all to the plastic production chain. In recent times the use of this raw material in the manufacturing sector has been rising steadily, although recycling practices are unable to keep up. This is the background to the birth of the RECO range.
***Reuse* - The irrigation articles of the RECO range are made of post-consumer polypropylene (e.g. sourced from domestic sorted waste collection nationwide) and not all: also material taken from industrial scrap produced by companies operating in a range of different sectors (medical, building construction, automotive and many more besides).**
The system therefore considers not merely the industrial process, but also the waste produced by end consumers, thus making the production process as complete as possible and with the greatest potential for positive impact.
***Recycle* -** thanks to the replacement of conventional plastics with sustainable materials, **more than 70% of the RECO range is made from recycled plastics. The process adopted allows G.F. to take what is deemed to be a waste product and give it a New Lease of Life: from waste to new resource.**



ENVIRONMENT

Reduce emissions
We must take care not to forget the impact on climate: processes of transformation and use of raw materials produce a major impact on the environment and an increase in CO2 emissions. More rational use can reduce the production of carbon dioxide and help to improve the health of the environment.
***Reduce* -** with the aim of reducing both CO2 emissions and those released by the use of fossil fuels, thus reducing the negative footprint of the production process, products in the RECO range are made using ABS sourced from G.F.'s own industrial scrap. After suitable reprocessing, the ABS is transformed into a reusable raw material. **This system allows G.F. to maintain a more sustainable supply chain with reduced CO2 emissions: each product in the RECO range allows a saving of more than 50%* in CO2 emissions compared to an equivalent product from the conventional range.**
(*) Average, non-contractual data that may vary in accordance with external factors.

FIRST IN THE GARDEN SECTOR

Unconventional innovation
G.F. has always been committed to the continual development of the quality of products and of a range that is increasingly aligned with market needs and demands. That's why G.F. is the first player in the irrigation accessories sector to develop a range made from renewable sources.
RECO is the first range of irrigation accessories composed of more than 70% recycled plastic.
A complete, essential and intuitive range. A line that accepts no compromise: the maximum G.F. quality, combined with respect for the environment.

G.F. PRODUCTION CHAIN CYCLE

SUPPLY CHAIN AND PRODUCTION
Thanks to the Procurement, R&D, and Quality departments, and thanks also to its ultra-modern production plants, G.F. can guarantee highly attentive selection of resources and close control of each stage in the production process, from incoming raw materials to final assembly.
All this, combined with constant monitoring and assessment of all suppliers, allows us to work exclusively with safe and certified partners.

G.F. Produit RECO
Manufactures RECO / Produit RECO
Fertigung von RECO / Produce RECO
A G.F. produz RECO

+70% RICICLATA
recycled - recyclée
recycelt - reciclada



Threaded tap connector

- Internal screw thread for tap
- Grabbing surface
- Male connection to connect to the hose terminal

Dual outlet tap connector

Dual outlet tap connector with differentiated water flow adjustment. Flow-rate regulator-modulator for each outlet to adjust separately the flow rate until the total closing. Useful for coupling more accessories simultaneously.

"OPEN" hose connector

For click-fitting the hose to the tap connector. Uninterrupted water passage.

Repair connector

For repairing damaged hoses or joining two hoses.

GF80605414	GF80605073	GF80605808	GF80605819
Box (LxWxH) cm **20,7x14,7x10,4**	Box (LxWxH) cm **37,5x25,5x15,5**	Box (LxWxH) cm **20,7x14,7x10,4**	Box (LxWxH) cm **22,7x15,2x15,4**
Pcs 10	**Pcs** 8	**Pcs** 10	**Pcs** 10
Kg 0,44	**Kg** 1,49	**Kg** 0,46	**Kg** 0,66
8 004779 035692	8 004779 035807	8 004779 035715	8 004779 038969
GF80603414	**GF80603073**	**GF80603808**	**GF80603819**
Box (LxWxH) cm **24x46x15**	Box (LxWxH) cm **24x46x15**	Box (LxWxH) cm **24x46x15**	Box (LxWxH) cm **12x46x15**
Pcs 75	**Pcs** 10	**Pcs** 50	**Pcs** 25
Kg 2,07	**Kg** 1,51	**Kg** 1,57	**Kg** 1,33
8 004779 035685	8 004779 035791	8 004779 035067	8 004779 038952

"ACQUASTOP" hose connector

For click-fitting the hose to various irrigation accessories. Automatic water stop-valve.

"OPEN" hose connector

For click-fitting the hose to the tap connector. Uninterrupted water passage.

"ACQUASTOP" hose connector

For click-fitting the hose to various irrigation accessories. Automatic water stop-valve.

Repair connector

For repairing damaged hoses or joining two hoses.

GF80605809	GF80605817	GF80605818	GF80605816
Box (LxWxH) cm **20,7x14,7x10,4**	Box (LxWxH) cm **22,7x15,2x15,4**	Box (LxWxH) cm **22,7x15,2x15,4**	Box (LxWxH) cm **22,7x15,2x15,4**
Pcs 10	**Pcs** 10	**Pcs** 10	**Pcs** 10
Kg 0,48	**Kg** 0,66	**Kg** 0,66	**Kg** 0,66
8 004779 035722	8 004779 038921	8 004779 038945	8 004779 038433
GF80603809	**GF80603817**	**GF80603818**	**GF80603816**
Box (LxWxH) cm **12x46x15**	Box (LxWxH) cm **12x46x15**	Box (LxWxH) cm **12x46x15**	Box (LxWxH) cm **12x46x15**
Pcs 25	**Pcs** 25	**Pcs** 25	**Pcs** 25
Kg 0,87	**Kg** 1,33	**Kg** 1,33	**Kg** 1,33
8 004779 035074	8 004779 038914	8 004779 038938	8 004779 038440

Two-way connector
For interconnecting TWO hose lines equipped with snap-fit hose connectors.

Three-way connector
For interconnecting THREE hose lines equipped with snap-fit hose connectors.

Threaded adaptor connector with male junction.
Allows hoses equipped with click connectors to be linked with irrigators having a female threaded inlet of 3/4"gas (ø 20-27 mm).

GF80605450	
Box (LxWxH) cm **14,5x14,5x11**	
Pcs 10	
Kg 0,25	8 004779 035814

GF80603450	
Box (LxWxH) cm **12x46x15**	
Pcs 75	
Kg 0,80	8 004779 035081

GF80605451	
Box (LxWxH) cm **14,5x14,5x11**	
Pcs 10	
Kg 0,31	8 004779 035821

GF80603451	
Box (LxWxH) cm **12x46x15**	
Pcs 75	
Kg 1,25	8 004779 035098

GF80605429	
Box (LxWxH) cm **14,5x14,5x11**	
Pcs 10	
Kg 0,22	8 004779 035708

GF80603429	
Box (LxWxH) cm **12x46x15**	
Pcs 75	
Kg 0,59	8 004779 035104

Medium size spray nozzle
- Jet adjustment from fine spray cone to direct jet
- Maximum flow 14 l/min at 4 bar

Medium size spray nozzle kit
- Spray nozzle medium size
- 3/4", 1/2" and 1" tap connector
- "OPEN" and "ACQUASTOP" 1/2"-5/8" hose connectors

Watering gun "3 JET Easy"
- Flow rate regulator-modulator for progressive regulation of water flow from off to max
- "3 JET" selector: fixed, fan and cone jet
- Max. flow rate 18 l/min. at 4 bar

Multi-jet watering gun "8 JET Easy"
- Flow rate regulator-modulator for progressive regulation of water flow from off to max
- "8 JET" rotary selector to choose from 8 different jets
- Max. flow rate 18 l/min. at 4 bar

GF80605400
Box (LxWxH) cm **29,7x24,2x11,4**
Pcs 10
Kg 0,74
8 004779 035838

GF80603400
Box (LxWxH) cm **24x46x15**
Pcs 40
Kg 2,11
8 004779 035111

GF80606917
Box (LxWxH) cm **37,5x25,5x15,5**
Pcs 10
Kg 2,22
8 004779 038419

GF80605537
Box (LxWxH) cm **36x21,7x12**
Pcs 8
Kg 1,14
8 004779 035869

GF80603537
Box (LxWxH) cm **24x46x15**
Pcs 20
Kg 2,25
8 004779 035852

GF80606912
Box (LxWxH) cm **36x21,7x12**
Pcs 8
Kg 1,30
8 004779 035876

GF80603912
Box (LxWxH) cm **24x46x15**
Pcs 16
Kg 2,07
8 004779 035128

“8 JET Easy” watering gun Kit
- “8 JET Easy” watering gun
- 3/4”, 1/2" and 1" tap connector
- “OPEN” and “ACQUASTOP” 1/2”-5/8” hose connectors

Medium flow rate watering gun “3 JET”
- Flow rate regulator-modulator with soft non-slip rubber covering
- Front lever with locking device
- "3-JET" selector: fixed, fan and cone jet
- Max. flow rate 20 l/min at 4 bar

Medium flow rate watering gun “8 JET”
- Flow rate regulator-modulator with soft non-slip rubber covering
- Front lever with locking device
- Circular “8 JET” selector with ergonomic rubber rim to promote grip and maximise ease of use
- Inspectable micro-perforated disk for possible periodic maintenance requirements
- 20 l/min maximum flow rate at 4 bar

Medium flow rate watering gun “8 JET” Kit
- Medium flow rate watering gun “8 JET”
- 3/4”, 1/2" and 1" tap connector
- “OPEN” and “ACQUASTOP” 1/2”-5/8” hose connectors



GF80606918	
Box (LxWxH) cm **37,5x25,5x15,5**	
Pcs 6	8 004779 038426
Kg 1,72	



GF80606903	
Box (LxWxH) cm **36x21,7x12**	
Pcs 8	8 004779 037825
Kg 1,30	

GF80603903	
Box (LxWxH) cm **24x46x15**	
Pcs 20	8 004779 037832
Kg 2,86	



GF80606905	
Box (LxWxH) cm **36x21,7x12**	
Pcs 8	8 004779 037801
Kg 1,50	

GF80603905	
Box (LxWxH) cm **24x46x15**	
Pcs 16	8 004779 037818
Kg 2,66	

GF80606921	
Box (LxWxH) cm **37,5x25,5x15,5**	
Pcs 6	8 004779 038808
Kg 1,75	

“XL Selector” spray watering gun 5JET, with +70% recycled plastic
- Large selector (ø 9cm) with ergonomic rubber
- 5 different spray patterns, including a wide shower spray and an perlator (air-mixed spray), suitable for delicate plants and flowers, even in pots.
- Flow rate regulator-modulator with soft non-slip rubber covering
- Front lever with locking device
- 20 l/min maximum flow rate at 4 bar

Multi-jet watering wand with adjustable head
Ideal for watering hard-to-reach places such as flower beds, vases and hanging baskets.
- 8 different jet types
- Tap for micro-adjustment of flow
- Adjustable joint
- Maximum flow 16 l/min at 4 bar



GF80606937	
Box (LxWxH) cm **36x21,7x12**	
Pcs 4	8 004779 044205
Kg 1,12	

GF80603937	
Box (LxWxH) cm **46x24x15**	
Pcs 8	8 004779 044212
Kg 1,96	



GF80605448	
Box (LxWxH) cm **78,4x14,4x13,4**	
Pcs 4	8 004779 035999
Kg 1,07	

“CONO” sprinkler
Static sprinkler for small areas and when a very gentle and fine jet is required.
Stake version.
• Maximum flow 23 l/min

GF80605619	
Box (LxWxH) cm **37,5x25,5x15,5**	
Pcs 8	8 004779 035937
Kg 0,86	

GF80603619	
Box (LxWxH) cm **24x46x15**	
Pcs 12	8 004779 035159
Kg 0,87	

“ROTAX” sprinkler
Ideal for watering medium-small areas.
Stake version.
• Adjustable nozzles to optimise the watering depending on the type of plants
• Maximum flow 19 l/min.

GF80605633	
Box (LxWxH) cm **37,5x25,5x15,5**	
Pcs 8	8 004779 035920
Kg 0,99	

GF80603633	
Box (LxWxH) cm **24x46x15**	
Pcs 12	8 004779 035142
Kg 1,07	

“ROTAX” sprinkler
Ideal for watering medium-small areas.
• Adjustable nozzles to optimise the watering depending on the type of plants
• Maximum flow 19 l/min.

GF80605632	
Box (LxWxH) cm **37,5x25,5x15,5**	
Pcs 8	8 004779 035890
Kg 1,28	

GF80603632	
Box (LxWxH) cm **24x46x15**	
Pcs 6	8 004779 035135
Kg 0,83	

“DRIVER” sprinkler
Multi-purpose circular sprinkler with base.
Simply rotate the disc to control watering of 8 different areas.
• Maximum flow rate 18 l/min



GF80605617	
Box (LxWxH) cm **37,5x25,5x15,5**	
Pcs 4	8 004779 035913
Kg 1,28	

GF80603617	
Box (LxWxH) cm **24x46x15**	
Pcs 4	8 004779 035906
Kg 1,07	

“Super rotax” rotating sprinkler
With two rotating arms with twin adjustment, for uniform watering of large and medium areas.
• Nozzles and arms separately adjustable
• Watering area from 30 to 160 sqm.
• Base of remarkable stability
• Maximum flow 15 l/min



Astral 4” oscillator
Oscillating sprinkler with continuously variable watering arc from 20° to 100°. Very quiet, it provides various watering possibilities, ideal for uniformly covering either small or large rectangular areas.
• plastic oscillating arm with 16 nozzles
• pin for cleaning the holes
• maximum flow 15 l/min





GF80605615	
Box (LxWxH) cm **39x28,5x27**	
Pcs 6	8 004779 035944
Kg 1,46	



GF80605669	
Box (LxWxH) cm **40x28x21**	
Pcs 6	8 004779 037771
Kg 2,52	

Wall hosepipe holder
For fixing to the wall to support the roll of hosepipe.



GF80607040	
Box (LxWxH) cm **38,5x29x30**	
Pcs 8	8 004779 035173
Kg 2,36	

“BABY” portable
- Capacity 20 m of 1/2” hosepipe
- Complete with click connector

GF80605704	
Box (LxWxH) cm **29x15,5x29**	
Pcs 1	8 004779 035166
Kg 1,10	



“CONCEPT” trolley
- Plastic and metal hose reel trolley
- Retractable telescopic handle
- Capacity max 60 m of ø½” hose
- Complete with 2 “OPEN” 1/2”-5/8” hose click connectors

GF80605795	
Box (LxWxH) cm **38,5x14,5x55**	
Pcs 1	8 004779 035951
Kg 2,50	



“BABY READY” portable hose reel with 75% recycled hose
- 15 m of Ø 1/2” hose
- 1 x Medium size spray nozzle
- 1 x hose connector 1/2”-5/8”
- 1 x Tap adaptor 3/4”

GF80605846	
Box (LxWxH) cm **29x26x29**	
Pcs 1	8 004779 040016
Kg 2,60	

“CONCEPT READY 25” trolley with 75% recycled hose
- Plastic and metal hose trolley
- Retractable telescopic handle
- 25m of Ø 5/8” hose
- 1 x Medium flow rate watering gun “8 JET”
- 4 x hose connector 1/2”-5/8”
- 1 x Tap adaptor 3/4”

GF80605873	
Box (LxWxH) cm **80x120x30**	
Pcs 12	8 004779 040023
Kg 30	

GF80605749	
Box (LxWxH) cm **80x120x55**	
Pcs 6	8 004779 035968
Kg 32	

GF80605770	
Box (LxWxH) cm **40x16x40**	
Pcs 1	8 004779 037764
Kg 2,86	

“SACK TROLLEY” collecting trolley
Light and manoeuvrable, the trolley is very practical for collecting grass, foliage and any other Indoor and Outdoor garden waste. The most popular spare sacks of 100 l. could be used with it.

aquabag

“AQUABAG” Mini hose reel

The new mini version hose reel is ideal for watering plants, flowers and pots on patios, balconies, verandas and small gardens. Thanks to its dual purpose design — floor standing or portable — this is a product that proves highly practical when in use, by virtue of being compact and lightweight, and with its new attractive styling, makes leisure time in the open air even more enjoyable.

- 10 meters of braided flexible hose (8,5 m rewinding inside + 1,5 m outside)
- 2 hose connectors
- medium size adjustable nozzle
- 3/4” tap connector





GF80605606	
Box (LxWxH) cm **35x30x32**	
Pcs 2	
Kg 4,05	8 004779 035975



aquaflora holiday

Stand-alone drip watering system for pot plants.

- **SIMPLICITY:** to start watering, just attach a plastic bottle filled with water to the spike, pierce a small hole in the upturned bottom so that air can escape, then push the spike into the soil and adjust the flow of water as required.
- **STEADY AND MEASURED RELEASE OF WATER:** plants are watered by constant drip irrigation, ensuring that there can be no harmful waterlogging of the roots; the release of water from the bottle is adjusted with a handy tap positioned on the front of the spike.
- **EFFECTIVE WATERING:** the Aquaflora Holiday incorporates a special outlet grille that delivers each successive drip directly to the roots, avoiding waste and evaporation of the water and ensuring that the plant will stay in perfect health.

GF80606343	
Box (LxWxH) cm **38,5x29x30**	
Pcs 24	
Kg 2,00	8 004779 037788

Kit 20

Drip irrigation kit ideal for balconies, patios, flower beds and small gardens.
Up to 20 containers/zones.
Contains:

- 1 Pressure reducer (from 3/3.5 to 1/1.2 bar)
- 1 Tap connector 3/4" (20-27 mm)
- 20 m Capillary hose 4x6
- 20 Capillary hose stakes
- 20 In line adjustable drippers (0-8 l/h; 1.5 bar)
- 3 In line taps
- 5 Straight connectors
- 10 Elbow connectors
- 10 T connectors
- 20 End of line plugs

0-8 l/h 1,5 bar | ø 3/4" 20x27 mm | ø 4 x 6 mm | H_2O SAVING | MADE IN ITALY

GF80606163	
Box (LxWxH) cm **28x6,2x30,5**	
Pcs 1	8 004779 038327
Kg 0,90	

AQUATIME
DUE.5

"EASY BALCONY" FUNCTION

Ideal for irrigating potted plants and hedges, this function produces a daily cycle of: 6 hours of irrigation (1 minute every hour) - STOP for 6 hours - 6 hours of irrigation (1 minute every hour) - STOP for 6 hours.



Kit 20 Due.5

Drip irrigation kit ideal for balconies, patios, flower beds and small gardens.
Complete with irrigation programmer.
Up to 20 containers/zones. Contains:

- 1 irrigation programmer
- 1 Pressure reducer (from 3/3.5 to 1/1.2 bar)
- 1 Tap connector 3/4" (20-27 mm)
- 20 m Capillary hose 4x6
- 20 Capillary hose stakes
- 20 In line adjustable drippers (0-8 l/h; 1.5 bar)
- 3 In line taps
- 5 Straight connectors
- 10 Elbow connectors
- 10 T connectors
- 20 End of line plugs

GF80606162	
Box (LxWxH) cm **20x11x24**	
Pcs 1	8 004779 038310
Kg 1,10	

0-8 l/h 1,5 bar | ø 3/4" 20x27 mm | ø 4 x 6 mm | H_2O SAVING | MADE IN ITALY

THE RECO RECYCLED HOSES

HOSE BY USING 75% RECYCLED PVC



CUTTING
CRUSHING
SIEVING
FIBER SEPARATION
MIXING DYE AND EXTRUSION
CUTTING

STEP A (1, 2)
The waste hoses are cut (1) and then crushed into small pieces of a few centimeters through shredders (2).
STEP B (3,4)
Then these small pieces pass through sieve systems (3) to separate the fiber from the PVC (4). This PVC residue is called “the semolina”. We need to separate the fibers that comes from textile reinforcement from our hoses to improve the pressure resistance of our final products.
STEP C (5,6)
This semolina is mixed (5) with black colorant and processed in an extruder (around 150°/160°C) and then cut again into small granulates (6) ready to be used again in our hoses. This fiber separator system was developed only for this line.

15 Anni di garanzia
Years guarantee
Ans de garantie
Jahren Garantie
Años de garantia

WE ARE GREEN

TNT Tricoflex Non Torsion
that avoids kinks and twists ensuring a constant water flow. Soft Touch external surface that improves the grip of the product during use in the garden, resistance to abrasion on rough surfaces. It is not produced with contaminating elements (Cadmium, Barium and Lead); UV resistance and anti algae.

Foamed Technology
makes an Ultramemory structure that always returns to its original shape without undergoing deformations, making the hose lighter, softer and more performing.

More and more RECO
Using resources in a sustainable way is an absolute necessity in the modern world. The new line of GF recycled hoses enlarges the RECO recycled range: the first range of irrigation accessories, produced with more than 70% recycled plastic. Packagings are made of sustainable sourced cardboard. A future-oriented mission, because correct irrigation practices must start from respect for the environment.
We are green.

Ø 1/2 — 12,5 mm

15 m	GF80607300
(LxWxH) cm Ø 32x11	8 004779 040672
Pcs 1	kg 2

PALLET		
Pcs	Box (LxWxH) cm	Kg
72	80x120x114	169

25 m	GF80607301
(LxWxH) cm Ø 37x12,5	8 004779 040689
Pcs 1	kg 3,4

PALLET		
Pcs	Box (LxWxH) cm	Kg
48	80x120x115	188

50 m	GF80607302
(LxWxH) cm Ø 38x20	8 004779 040696
Pcs 1	kg 6,7

PALLET		
Pcs	Box (LxWxH) cm	Kg
30	80x120x115	226

Ø 5/8 — 15 mm

15 m	GF80607303
(LxWxH) cm Ø 38x9,5	8 004779 040702
Pcs 1	kg 2,3

PALLET		
Pcs	Box (LxWxH) cm	Kg
60	80x120x111	163

25 m	GF80607304
(LxWxH) cm Ø 36x12	8 004779 040719
Pcs 1	kg 3,8

PALLET		
Pcs	Box (LxWxH) cm	Kg
42	80x120x111	184

50 m	GF80607305
(LxWxH) cm Ø 40x22	8 004779 040726
Pcs 1	kg 7,5

PALLET		
Pcs	Box (LxWxH) cm	Kg
24	80x120x103	205

Ø 3/4 — 19 mm

15 m	GF80607306
(LxWxH) cm Ø 37x13,5	8 004779 040733
Pcs 1	kg 3,4

PALLET		
Pcs	Box (LxWxH) cm	Kg
42	80x120x110	168

25 m	GF80607307
(LxWxH) cm Ø 37x20	8 004779 040740
Pcs 1	kg 5,6

PALLET		
Pcs	Box (LxWxH) cm	Kg
30	80x120x115	193

50 m	GF80607308
(LxWxH) cm Ø 49x21	8 004779 040757
Pcs 1	kg 11

PALLET		
Pcs	Box (LxWxH) cm	Kg
20	120x120x99	245

Kit with accessories RECO: **+70% recycled plastic**

15 m	GF80607309
(LxWxH) cm Ø 32x11	8 004779 040764
Pcs 1	kg 2,1

PALLET		
Pcs	Box (LxWxH) cm	Kg
72	80x120x114	180

25 m	GF80607310
(LxWxH) cm Ø 37x12,5	8 004779 040771
Pcs 1	kg 3,6

PALLET		
Pcs	Box (LxWxH) cm	Kg
48	80x120x115	196

15 m	GF80607311
(LxWxH) cm Ø 38x9,5	8 004779 040788
Pcs 1	kg 2,5

PALLET		
Pcs	Box (LxWxH) cm	Kg
60	80x120x111	172

25 m	GF80607312
(LxWxH) cm Ø 36x12	8 004779 040795
Pcs 1	kg 4

PALLET		
Pcs	Box (LxWxH) cm	Kg
42	80x120x111	191

15 m	GF80607313
(LxWxH) cm Ø 37x13,5	8 004779 040801
Pcs 1	kg 3,6

PALLET		
Pcs	Box (LxWxH) cm	Kg
42	80x120x110	174

25 m	GF80607314
(LxWxH) cm Ø 37x20	8 004779 040818
Pcs 1	kg 5,7

PALLET		
Pcs	Box (LxWxH) cm	Kg
30	80x120x115	198

Ready kit made with + 70% recycled plastic:
- 1x open connector
- 1x connector Acquastop
- 1x tap connector 3/4+1/2
- 1x ergonomic nozzle 3 jet

Hoses pipe and kit sizes: *a tolerance +/- 15mm to be considered*

PVC | ANTI UV | 8 Bar | 20 Bar | CADMIUM BARIUM-LEAD FREE Cd-Ba-Pb | SOFT TOUCH

watering range with
over 70%
recycled plastic

MERCHANDISING

Sustainable packaging
The graphic substrates, packaging and merchandising fixtures are made of sustainable sourced cardboard, and can be recycled together with waste paper.

Carton Display 1/3 pallet
Box (LxWxH) cm 80x40x105
In Store (LxWxH) cm 80x40x145

Floor Totem GF21001229
Box (LxWxH) cm 52x152x10
In Store (LxWxH) cm 56x56x152

Ø 1/2 12,5 mm	Ø 5/8 15 mm	Ø 3/4 19 mm

SALVIA DISPLAY

15 m	GF80607315	
Kg 50	Pcs 21	EAN 8004779040672
25 m	GF80607316	
Kg 63	Pcs 16	EAN 8004779040689

15 m	GF80607317	
Kg 54	Pcs 20	EAN 8004779040702
25 m	GF80607318	
Kg 69	Pcs 16	EAN 8004779040719

15 m	GF80607319	
Kg 56	Pcs 14	EAN 8004779040733
25 m	GF80607320	
Kg 64	Pcs 10	EAN 8004779040740

SALVIA KIT DISPLAY

15 m	GF80607321	
Kg 57	Pcs 21	EAN 8004779040764

15 m	GF80607322	
Kg 57	Pcs 20	EAN 8004779040788

15 m	GF80607323	
Kg 58	Pcs 14	EAN 8004779040801

"Aquabag" display stand
Self-supporting cardboard display with crowner. It is supplied assembled and completed with products.
It contains: 18 pcs AquaBag
Opened dimensions:
cm 72 x 54 x 140 h

GF80600022		
Box (LxWxH) cm **72x54x102,5**		
	Pcs 18	EAN 8004779035975
	Kg 44,10	

Sommario / Summary / Sommaire / Inhaltsangabe / Sumario / Índice

GF Pro

Art.	EAN	Pcs.	Pag.
GF80000109	8004779001093	12	**8**
GF80002012	8004779020124	10	**17**
GF80002015	8004779020155	10	**16**
GF80002020	8004779020209	10	**16**
GF80002023	8004779020230	10	**17**
GF80002070	8004779000478	8	**15**
GF80002275	8004779001970	10	**55**
GF80002276	8004779001987	10	**55**
GF80002300	8004779004292	1	**36**
GF80002301	8004779001956	1	**54**
GF80002302	8004779001949	1	**54**
GF80002405	8004779024054	10	**17**
GF80002422	8004779024221	10	**17**
GF80002429	8004779000454	10	**17**
GF80002431	8004779007804	10	**7**
GF80002432	8004779024320	10	**15**
GF80002433	8004779024337	10	**15**
GF80002437	8004779024375	10	**16**
GF80002439	8004779024399	10	**16**
GF80002450	8004779024504	10	**16**
GF80002451	8004779024511	10	**16**
GF80002621	8004779026218	4	**27**
GF80003012	-	25	**9**
GF80003015	-	25	**8**
GF80003017	-	25	**10**
GF80003020	-	25	**8**
GF80003023	-	25	**8**
GF80003024	-	25	**9**
GF80003027	-	25	**9**
GF80003029	-	25	**9**
GF80003405	-	25	**18**
GF80003407	-	20	**18**
GF80003429	-	25	**11**
GF80003432	-	25	**6**
GF80003433	-	25	**6**
GF80003435	-	25	**7**
GF80003436	-	25	**7**
GF80003437	-	25	**10**
GF80003439	-	25	**10**
GF80003443	-	25	**10**
GF80003447	-	10	**7**
GF80003448	8004779003240	10	**14**
GF80003450	-	25	**10**
GF80003451	-	25	**10**
GF80005001	8004779000423	10	**7**
GF80005008	8004779025143	6	**15**
GF80005012	8004779050121	10	**9**
GF80005015	8004779050152	10	**8**
GF80005017	8004779050176	10	**9**
GF80005020	8004779050206	10	**8**
GF80005023	8004779050237	10	**8**
GF80005024	8004779016691	10	**9**
GF80005027	8004779050275	10	**9**
GF80005029	8004779016721	10	**9**
GF80005040	8004779000492	8	**13**
GF80005041	8004779003417	8	**13**

Art.	EAN	Pcs.	Pag.
GF80005042	8004779003202	10	**11**
GF80005043	8004779003233	10	**11**
GF80005044	8004779003264	10	**12**
GF80005045	8004779003295	10	**12**
GF80005046	8004779003325	10	**12**
GF80005047	8004779003356	10	**12**
GF80005054	8004779017797	8	**14**
GF80005072	8004779000409	4	**7**
GF80005073	8004779022999	8	**6**
GF80005074	8004779036682	10	**6**
GF80005175	8004779002137	6	**55**
GF80005218	8004779052187	12	**55**
GF80005224	8004779052248	12	**56**
GF80005233	8004779038747	6	**55**
GF80005400	8004779009846	10	**19**
GF80005405	8004779054051	10	**18**
GF80005407	8004779054075	8	**18**
GF80005408	8004779000553	6	**15**
GF80005422	8004779054228	10	**19**
GF80005427	8004779054273	6	**18**
GF80005429	8004779054297	10	**11**
GF80005430	8004779054303	10	**23**
GF80005432	8004779054327	10	**6**
GF80005433	8004779054334	10	**6**
GF80005434	8004779000539	10	**13**
GF80005435	8004779054358	10	**7**
GF80005436	8004779003387	10	**7**
GF80005437	8004779054372	10	**10**
GF80005439	8004779054396	10	**10**
GF80005441	8004779003431	8	**14**
GF80005442	8004779000515	8	**14**
GF80005443	8004779000386	10	**10**
GF80005445	8004779002007	10	**14**
GF80005446	8004779054464	10	**6**
GF80005448	8004779009464	4	**23**
GF80005450	8004779054501	10	**10**
GF80005451	8004779054518	10	**10**
GF80005452	8004779000577	10	**13**
GF80005453	8004779004780	10	**13**
GF80005454	8004779004797	10	**14**
GF80005455	8004779004803	10	**13**
GF80005461	8004779003691	4	**56**
GF80005527	8004779019074	8	**18**
GF80005528	8004779019098	8	**18**
GF80005606	8004779019289	2	**28**
GF80005608	8004779023170	2	**28**
GF80005615	8004779056154	6	**25**
GF80005616	8004779021282	12	**24**
GF80005617	8004779021343	4	**25**
GF80005618	8004779022753	8	**24**
GF80005619	8004779022777	8	**24**
GF80005624	8004779023132	8	**27**
GF80005627	8004779056277	6	**27**
GF80005630	8004779056307	6	**27**
GF80005632	8004779022791	8	**25**
GF80005633	8004779022869	8	**24**
GF80005662	8004779056628	6	**26**
GF80005666	8004779012570	6	**26**
GF80005667	8004779012594	6	**25**

Art.	EAN	Pcs.	Pag.
GF80005669	8004779023071	6	**26**
GF80005670	8004779023156	6	**24**
GF80005699	8004779056994	10	**8**
GF80005729	8004779005305	1	**30**
GF80005740	8004779009440	1	**29**
GF80005744	8004779016752	1	**30**
GF80005749	8004779015670	24	**32**
GF80005756	8004779005558	1	**30**
GF80005787	8004779018886	1	**31**
GF80005788	8004779018893	1	**31**
GF80005789	8004779018909	24	**32**
GF80005793	8004779014093	48	**32**
GF80005817	8004779026171	1	**29**
GF80005829	8004779029776	1	**31**
GF80005838	8004779030079	1	**29**
GF80005844	8004779030659	8	**35**
GF80005846	8004779030086	1	**29**
GF80005869	8004779040399	1	**33**
GF80005870	8004779040405	1	**33**
GF80005871	8004779040412	1	**33**
GF80006015	8004779022937	2	**40**
GF80006016	8004779022944	2	**40**
GF80006018	8004779029783	2	**39**
GF80006025	8004779036675	2	**39**
GF80006026	8004779036590	2	**39**
GF80006101	8004779061011	4	**53**
GF80006105	8004779012808	1	**53**
GF80006140	800477902079	25	**42**
GF80006141	8004779027086	15	**42**
GF80006143	8004779027109	10	**51**
GF80006144	800477902116	30	**42**
GF80006148	8004779027154	10	**48**
GF80006149	8004779027161	50	**50**
GF80006150	8004779027178	40	**50**
GF80006152	8004779027192	25	**47**
GF80006153	8004779027208	10	**47**
GF80006154	8004779027215	15	**47**
GF80006156	8004779027239	20	**48**
GF80006160	8004779032172	30	**48**
GF80006164	8004779039003	10	**45**
GF80006165	8004779044021	2	**41**
GF80006166	8004779039027	10	**43**
GF80006200	8004779009402	10	**42**
GF80006208	8004779009419	10	**42**
GF80006214	8004779009303	10	**43**
GF80006217	8004779009334	5	**43**
GF80006222	8004779010057	10	**51**
GF80006224	8004779009341	10	**42**
GF80006227	8004779009372	10	**42**
GF80006233	8004779009167	10	**43**
GF80006239	8004779009228	10	**42**
GF80006245	8004779009280	5	**43**
GF80006246	8004779009297	5	**43**
GF80006254	8004779009594	10	**45**
GF80006260	8004779009655	5	**45**
GF80006261	8004779009662	10	**44**
GF80006263	8004779009686	10	**45**
GF80006265	8004779009709	10	**45**
GF80006267	8004779009723	10	**44**
GF80006268	8004779009730	10	**44**
GF80006269	8004779009747	10	**44**

Art.	EAN	Pcs.	Pag.
GF80006271	8004779016790	10	**51**
GF80006272	8004779016806	10	**49**
GF80006273	8004779009785	10	**44**
GF80006274	8004779009792	10	**44**
GF80006275	8004779010026	5	**46**
GF80006276	8004779010033	5	**46**
GF80006277	8004779010040	5	**46**
GF80006278	8004779010064	10	**48**
GF80006279	8004779010071	10	**50**
GF80006280	8004779010088	5	**48**
GF80006281	8004779010095	10	**50**
GF80006282	8004779010101	10	**50**
GF80006283	8004779010118	10	**50**
GF80006284	8004779010170	10	**50**
GF80006285	8004779010187	10	**51**
GF80006286	8004779010194	10	**47**
GF80006287	8004779010217	10	**47**
GF80006288	8004779010224	10	**47**
GF80006289	8004779010248	10	**48**
GF80006290	8004779010255	10	**53**
GF80006291	8004779010262	10	**52**
GF80006292	8004779010279	10	**48**
GF80006293	8004779010286	5	**52**
GF80006294	8004779010293	5	**48**
GF80006295	8004779010309	10	**46**
GF80006296	8004779010316	5	**46**
GF80006297	8004779010323	5	**51**
GF80006298	8004779010330	1	**48**
GF80006299	8004779009471	10	**52**
GF80006300	8004779063008	1	**38**
GF80006600	8004779036583	10	**47**
GF80006601	8004779036576	10	**47**
GF80006710	8004779044229	10	**11**
GF80006711	8004779044243	10	**11**
GF80006712	8004779044267	10	**12**
GF80006713	8004779044281	10	**12**
GF80006902	8004779033650	6	**20**
GF80006903	8004779033674	6	**20**
GF80006904	8004779033698	6	**22**
GF80006905	8004779033711	6	**22**
GF80006922	8004779040047	8	**20**
GF80006923	8004779040078	8	**22**
GF80006924	8004779043376	8	**20**
GF80006925	8004779040061	6	**20**
GF80006926	8004779040092	6	**22**
GF80006927	8004779043383	8	**22**
GF80006928	8004779043390	6	**23**
GF80006937	8004779044168	4	**23**
GF80006938	8004779044182	4	**23**
GF80007011	8004779070112	1	**34**
GF80007012	8004779070129	1	**34**
GF80007013	8004779070136	1	**34**
GF80007014	8004779070143	1	**34**
GF80007015	8004779070150	1	**34**
GF80007016	8004779070167	1	**34**
GF80007017	8004779070174	1	**34**
GF80007027	8004779070273	1	**35**
GF80007028	8004779070280	1	**35**
GF80007029	8004779070297	1	**35**
GF80007031	8004779070310	1	**36**
GF80007032	8004779070327	1	**36**

Art.	EAN	Pcs.	Pag.
GF80007040	8004779070402	8	**35**
GF80007081	8004779010415	1	**34**
GF80007082	8004779010422	1	**34**
GF80007083	8004779010439	1	**34**
GF80007084	8004779010446	1	**34**
GF80007085	8004779010453	1	**34**
GF80007086	8004779010460	1	**34**
GF80007087	8004779010477	1	**34**
GF80007088	8004779010484	1	**35**
GF80007091	8004779070914	1	**34**
GF80007092	8004779070921	1	**34**
GF80007094	8004779070945	1	**34**
GF80007095	8004779070952	1	**34**
GF80007096	8004779070969	1	**34**
GF80007097	8004779070976	1	**34**
GF80007098	8004779070983	1	**34**
GF80007200	8004779072000	6	**30**
GF80007204	8004779072048	1	**36**
GF80007205	-	12	**27**
GF80007206	-	12	**27**
GF80007233	8004779021626	4	**36**
GF80041012	8004779010125	10	**17**
GF80041015	8004779010156	10	**16**
GF80041020	8004779010200	10	**16**
GF80041023	8004779010231	10	**16**
GF80041070	8004779000485	10	**15**
GF80041405	8004779014055	10	**17**
GF80041429	8004779000461	10	**17**
GF80041432	8004779014321	10	**15**
GF80041433	8004779014338	10	**15**
GF80041437	8004779014376	10	**16**
GF80041439	8004779014390	10	**16**
GF80041450	8004779014505	10	**16**
GF80041451	8004779014512	10	**16**
GF80043001	8004779000430	20	**7**
GF80043012	8004779030123	60	**9**
GF80043015	8004779030154	60	**8**
GF80043017	8004779030178	60	**9**
GF80043020	8004779030208	60	**8**
GF80043023	8004779030239	60	**8**
GF80043024	8004779016714	30	**9**
GF80043027	8004779030277	60	**9**
GF80043029	8004779016745	30	**9**
GF80043040	8004779000508	20	**13**
GF80043041	8004779003424	20	**13**
GF80043042	8004779003226	50	**11**
GF80043043	8004779003257	50	**11**
GF80043044	8004779003288	50	**12**
GF80043045	8004779003318	50	**12**
GF80043046	8004779003349	50	**12**
GF80043047	8004779003370	50	**12**
GF80043054	8004779017803	20	**14**
GF80043073	8004779023002	8	**6**
GF80043074	8004779036699	30	**6**
GF80043400	8004779009839	30	**19**
GF80043405	8004779034053	50	**18**
GF80043407	8004779034077	30	**18**
GF80043408	8004779000560	15	**15**
GF80043429	8004779034299	50	**11**
GF80043430	8004779034305	25	**23**
GF80043432	8004779034329	70	**6**

Art.	EAN	Pcs.	Pag.
GF80043433	8004779034336	70	**6**
GF80043434	8004779000546	25	**13**
GF80043435	8004779034350	70	**7**
GF80043436	8004779003400	25	**7**
GF80043437	8004779034374	35	**10**
GF80043439	8004779034398	40	**10**
GF80043441	8004779003448	20	**14**
GF80043442	8004779000522	20	**14**
GF80043443	8004779000393	40	**14**
GF80043445	8004779002021	25	**14**
GF80043446	8004779034466	25	**6**
GF80043450	8004779034503	70	**10**
GF80043451	8004779034510	70	**10**
GF80043452	8004779000584	40	**13**
GF80043453	8004779005251	40	**13**
GF80043454	8004779005275	20	**13**
GF80043455	8004779005299	30	**13**
GF80043527	8004779019081	20	**13**
GF80043528	8004779019104	16	**18**
GF80043616	8004779021299	12	**24**
GF80043617	8004779021350	4	**25**
GF80043618	8004779022760	8	**24**
GF80043619	8004779022784	8	**24**
GF80043624	8004779023149	12	**27**
GF80043632	8004779022807	8	**25**
GF80043633	8004779022876	8	**24**
GF80043670	8004779023163	12	**24**
GF80043710	8004779044236	50	**11**
GF80043711	8004779044250	50	**11**
GF80043712	8004779044274	50	**12**
GF80043713	8004779044298	50	**12**
GF80043902	8004779033667	6	**20**
GF80043903	8004779033681	10	**20**
GF80043904	8004779033704	6	**22**
GF80043905	8004779033728	6	**22**
GF80043922	8004779040054	12	**20**
GF80043923	8004779040085	10	**22**
GF80043924	8004779043413	12	**20**
GF80043927	8004779043420	10	**22**
GF80043928	8004779043437	6	**23**
GF80043937	8004779044175	4	**23**
GF80043938	8004779044199	4	**23**
GF80050106	8004779001062	96	**8**
GF80050109	8004779000614	96	**8**
GF80176077	8004779019289	18	**28**
GF80176165	8004779044021	12	**41**

GF Unconventional

GF21000609	-	1	**76**
GF80005519	8004779018794	1	**74**
GF80005520	8004779019135	1	**74**
GF80005521	8004779019142	1	**74**
GF80005522	8004779019159	1	**74**
GF80005523	8004779019203	1	**74**
GF80005524	8004779019210	1	**74**
GF80005525	8004779019227	1	**74**
GF80005526	8004779019234	1	**74**
GF80005918	-	1	**77**
GF80005919	-	1	**77**
GF80007151	8004779036156	1	**65**

Art.	EAN	Pcs.	Pag.
GF80007152	8004779036163	1	**65**
GF80170083	8004779036156	45	**79**
GF80170085	8004779036163	25	**79**
GF80176069	8004779018794	4	**77**
GF80176070	8004779019135	4	**77**
GF80176071	8004779019142	4	**77**
GF80176072	8004779019159	4	**77**
GF80176073	8004779019203	4	**77**
GF80176074	8004779019210	4	**77**
GF80176075	8004779019227	4	**77**
GF80176076	8004779019234	4	**77**
GF80250080	8004779023330	160	**76**
GF80250081	8004779023385	72	**76**
GF80255608	-	1	**76**
GF80255628	-	1	**76**
GF80255852	-	1	**78**
GF80256343	8004779023330	24	**71**
GF80256344	8004779023385	6	**71**
GF80256909	-	1	**77**
GF80257651	-	1	**78**
GF80257602	-	1	**78**
GF80257603	-	1	**78**
GF80265608	8004779023194	2	**66**
GF80265628	8004779038761	2	**67**
GF80265852	8004779030673	6	**66**
GF80266908	8004779033971	1	**73**
GF80266909	8004779033971	4	**77**
GF80267600	8004779025891	2	**64**
GF80267602	8004779026119	10	**75**
GF80267603	8004779027673	2	**64**
GF80267606	8004779029714	4	**75**
GF80275608	8004779023200	2	**66**
GF80275628	8004779038754	2	**67**
GF80275852	8004779030680	6	**66**
GF80276908	8004779033988	1	**73**
GF80276909	8004779033988	4	**77**
GF80277600	8004779025907	2	**64**
GF80277602	8004779026126	10	**75**
GF80277603	8004779027680	2	**64**
GF80277606	8004779029721	4	**75**
GF80285608	8004779023217	2	**66**
GF80285628	8004779038341	2	**67**
GF80285793	8004779021145	12	**69**
GF80285795	8004779021183	1	**69**
GF80285820	8004779027338	6	**69**
GF80285852	8004779030697	6	**66**
GF80285866	8004779038815	6	**68**
GF80285868	8004779040191	6	**68**
GF80286015	8004779023682	2	**70**
GF80286016	8004779022975	2	**70**
GF80286908	8004779033995	1	**73**
GF80286909	8004779033995	4	**77**
GF80287044	8004779030666	8	**69**
GF80287156	8004779038785	1	**65**
GF80287157	8004779038785	36	**78**
GF80287234	8004779030635	6	**69**
GF80287600	8004779025914	2	**64**
GF80287602	8004779026133	10	**75**
GF80287603	8004779027697	2	**64**
GF80287606	8004779029738	4	**75**
GF80287678	8004779040160	2	**62**

Art.	EAN	Pcs.	Pag.
GF80287685	8004779040160	24	**78**
GF80295608	8004779023224	2	**66**
GF80295852	8004779030710	6	**66**
GF80296908	8004779034008	1	**73**
GF80296909	8004779034008	4	**77**
GF80297600	8004779025921	2	**64**
GF80297602	8004779026140	10	**75**
GF80297603	8004779027703	2	**64**
GF80297606	8004779029745	4	**75**
GF80297672	8004779040108	1	**75**
GF80297673	8004779040115	1	**63**
GF80297675	8004779040139	1	**63**
GF80297676	8004779040146	1	**63**
GF80297679	8004779040108	72	
GF80297680	8004779040115	72	**79**
GF80297682	8004779040139	48	**79**
GF80297683	8004779040146	48	**79**
GF80297686	8004779040306	2	**63**
GF80297687	8004779040306	18	**78**
GF86010000	-	1	**78**
GF86010001	8004779034091	2	**75**
GF86010002	8004779034107	2	**75**
GF86010003	8004779034121	2	**75**

GF Reco

GF80600022	8004779035975	18	**107**
GF80603073	8004779035791	10	**94**
GF80603400	8004779035111	40	**96**
GF80603414	8004779035685	75	**94**
GF80603429	8004779035104	75	**94**
GF80603450	8004779035081	75	**95**
GF80603451	8004779035098	75	**95**
GF80603537	8004779035852	20	**95**
GF80603617	8004779035906	4	**96**
GF80603619	8004779035159	12	**98**
GF80603632	8004779035135	6	**98**
GF80603633	8004779035142	12	**98**
GF80603808	8004779035067	50	**94**
GF80603809	8004779035074	25	**94**
GF80603816	8004779038440	25	**94**
GF80603817	8004779038914	25	**94**
GF80603818	8004779038938	25	**94**
GF80603819	8004779038952	25	**94**
GF80603903	8004779037832	20	**97**
GF80603905	8004779037818	16	**97**
GF80603912	8004779035128	16	**96**
GF80605073	8004779035807	8	**94**

Art.	EAN	Pcs.	Pag.
GF80605400	8004779035838	10	**96**
GF80605414	8004779035692	10	**94**
GF80605429	8004779035708	10	**95**
GF80605448	8004779035999	4	**97**
GF80605450	8004779035814	10	**95**
GF80605451	8004779035821	10	**95**
GF80605537	8004779035869	8	**96**
GF80605606	8004779035975	2	**100**
GF80605615	8004779035944	6	**98**
GF80605617	8004779035913	4	**98**
GF80605619	8004779035937	8	**98**
GF80605632	8004779035890	8	**98**
GF80605633	8004779035920	8	**98**
GF80605669	8004779037771	6	**98**
GF80605704	8004779035166	1	**99**
GF80605749	8004779035968	6	**99**
GF80605770	8004779037764	1	**99**
GF80605795	8004779035951	1	**99**
GF80605808	8004779035715	10	**94**
GF80605809	8004779035722	10	**94**
GF80605816	8004779038433	10	**94**
GF80605817	8004779038921	10	**94**
GF80605818	8004779038945	10	**94**
GF80605819	8004779038969	10	**94**
GF80606162	8004779038310	1	**101**
GF80606163	8004779038327	1	**101**
GF80606343	8004779037788	24	**100**
GF80606903	8004779037825	8	**97**
GF80606905	8004779037801	8	**97**
GF80606912	8004779035876	8	**96**
GF80606917	8004779038419	10	**96**
GF80606918	8004779038426	6	**97**
GF80605846	8004779040016	1	**99**
GF80605873	8004779040023	12	**99**
GF80606921	8004779038808	6	**97**
GF80607040	8004779035173	8	**98**
GF80607300	8004779040672	1	**105**
GF80607301	8004779040689	1	**105**
GF80607302	8004779040696	1	**105**
GF80607303	8004779040702	1	**105**
GF80607304	8004779040719	1	**105**
GF80607305	8004779040726	1	**105**
GF80607306	8004779040733	1	**105**
GF80607307	8004779040740	1	**105**
GF80607308	8004779040757	1	**105**
GF80607309	8004779040764	1	**105**
GF80607310	8004779040771	1	**105**
GF80607311	8004779040788	1	**105**
GF80607312	8004779040795	1	**105**
GF80607313	8004779040801	1	**105**
GF80607314	8004779040818	1	**105**
GF80607315	8004779040672	21	**107**
GF80607316	8004779040689	16	**107**
GF80607317	8004779040702	20	**107**
GF80607318	8004779040719	16	**107**
GF80607319	8004779040733	14	**107**
GF80607320	8004779040740	10	**107**
GF80607321	8004779040764	21	**107**
GF80607322	8004779040788	20	**107**
GF80607323	8004779040801	14	**107**

GF FOR Ocean

Art.	EAN	Pcs.	Pag.
GF80655608	8004779044076	2	**86**
GF80655606	8004779044069	2	**86**
GF80657600	8004779044052	2	**86**
GF80657603	8004779044045	2	**86**
GF80656343	8004779044601	24	**87**
GF80656344	8004779044106	6	**87**
GF80657694	8004779044052	12	**88**
GF80657693	8004779044045	16	**88**
GF80656088	8004779044076	12	**88**
GF80656077	8004779044069	14	**88**
GF80650080	8004779044601	80	**89**
GF80650081	8004779044106	36	**89**

• **Legenda packaging** • Packaging keys
• Légende emballage • Verpackungsarten
• Chave de lectura packaging • Legenda embalagem

PENDAGLIO / TAG / CRAVATTE / ANHÄNGER
COLGANTE / PENDENTE

CAVALLOTTO / HANGING TAG / CHEVALIER
PRODUKTKARTE / CABALLERO / CAVALETE

BLISTER / BLISTER PACK / BLISTER
BLISTER / BLÍSTER / BLISTER

FASCIA CARTONE / CARDBOARD SLEEVE
BANDE CARTON / BANDEROLE / BANDA CARTÓN
FIAXA DE CARTÃO

DISPENSER / DISPENSER / DISTRIBUTEUR
THEKENDISPLAY / CAJA DISPENSADOR / DISPLAY

SCATOLA / BOX / BOÎTE / UMKARTON
CARTÓN / CAIXA

ETICHETTA - BOLLO / LABEL - STAMP
ÉTIQUETTE - VIGNETTE / ETIKETT - STEMPELMARKE
ETIQUETA - SELLO / ETIQUETA - SELO

G.F. srl - Via dell'Industria, 1
Tel +39 0522 637 311 - Fax +39 0522 691 225
42015 Correggio (RE) - ITALY
www.gfgarden.it

CATALOGO GENERALE GF 2026
INGLESE

GF89990042 / 08.2025

8 004779 044991