


GENERAL CATALOGUE

2027

GF PRO
UNCONVENTIONAL GARDEN
OCEAN WE ARE BLUE

GF PRO 6

• ABOVE-GROUND IRRIGATION

– Connectors and Terminals

01. Tap connectors 8
02. Connectors 11
03. High Flow Line 16
04. Metal Line 20
05. Nozzles and Ergonomic Nozzles 22
06. Spray Guns 24
07. Multi-jet Spray Guns 25
08. Border Sprayers 27
09. Circular Sprinklers 28
10. Oscillating Sprinklers 30
11. Pulsating Sprinklers 30

– Hose Reels and Hoses

12. Aquabag 32
13. Hose Reels 33
14. "Ready" Hose Reels 35
15. Hosepipes and Accessories 37
16. Special Hoses 40

• AUTOMATIC IRRIGATION

17. Aquaflora Smart 41
18. Programmers 42

• VARIOUS 45

GF UNCONVENTIONAL 46

Set of light Hoses and Expandable Hoses 48
Hose Reel Set 52
Aquaflora Holiday 55
Sunny Line 56
For /For2 59
Merchandising 60

GF OCEAN 64

Aquabag 68
Aquapop 68
Aquaflora 69
Merchandising 70







EXEL Industries is a publicly listed, family-owned company founded in 1952 by Patrick Ballu and his family, who continue to manage the business today.
EXEL Industries is a French industrial group whose ambition is to design, manufacture, and market capital equipment and related services that enable its customers to improve efficiency and productivity, enhance quality of life, and achieve environmental and social objectives.
The Group operates in 35 countries across three main markets: Agriculture, Industry, and Leisure.

Irrigation e outdoor living:




since1966

Headquarter

CORREGGIO
(REGGIO EMILIA)
ITALY



Exports to more than 50 countries



122 employees

14.000 m² production plants

3 factories

9.000 m² warehouse

2.500 m² offices

A vertically integrated company,
from product design to tooling production,
injection moulding and assembly.

Mission

We strive to transform garden care activities into an all-round wellness experience. Our passion guides us in the research of new top quality products. Our flexibility means we can adapt to meet each new challeng

Continuous research & evolution

We are guided by our passion for constant innovative progress to make high quality products, never resting on our laurels but always striving ahead. We meet each new challenge by giving our best to secure the best results. Due to the use of that most precious of resources: water, we strive to transform every garden space into an inexhaustible source of wellness. An international organisation operating in more than 50 countries. We have 50 years' experience in thermoplastic moulding and high-tech tooling design. Our products arise from the desire to keep one step ahead of the demands of our clients, offering a unique interpretation of market trends. We start from end users' needs so we can create technical products of superior quality that are easy to use and will always exceed expectations. A company with a lean structure and an efficiency-based business model that allow us to guarantee absolute quality and reliability, from the concept right through to sales. We offer our legacy of professional experience to develop products that combine style, emotion, function and passion for the upkeep of green spaces.

Strengths

The full spectrum: R&D department, a dynamic and creative marketing team to handle the product development process, from creation of the product design to placement on the market. Superb quality, thanks to careful selection of materials and an efficient and technologically refined manufacturing system. A highly effective logistics and sales system that guarantees capillary distribution and attentive customer services.


Quality makes the difference

Continual improvement of the quality of products and services, use of premium grade materials, control of products and processes, customer satisfaction analysis, energy saving, reduction of emissions and environmental impact: these are the priorities that have always guided our business. Compliance with **EN ISO 9001:2015 and EN ISO 14001:2015** is an important guarantee for clients and a testimony to the company's active and constant commitment.

QUALITY SYSTEM CERTIFICATION DNV·GL ISO 9001

ENVIRONMENTAL SYSTEM CERTIFICATION DNV·GL ISO 14001







WE ARE PRO



WHAT'S NEW?

Taking care of a garden is a passion that requires time, attention, and dedication. For this reason, gardening enthusiasts who approach their hobby with commitment and seriousness need reliable solutions they can depend on over time.

That is why GF is evolving to become a trusted long-term partner.
Quality, support, and reliability are the cornerstones of the new GF PRO product range.



TRULY ADVANCED QUALITY

Our manufacturing process ensures high quality standards thanks to:

- **Plastic materials** formulated with specially engineered compounds to enhance strength, impact resistance, and long-term durability.
- **UV-resistant additives** integrated into the manufacturing process to provide superior protection against weathering and outdoor exposure.
- **Fully automated assembly** of hose connectors, repair couplings, and tap adaptors, with 100% quality control inspection.
- **Automatic O-ring installation** with comprehensive optical inspection to verify correct positioning and sealing performance.
- **Superior connector reliability**, tested for more than 30,000 connection and disconnection cycles.
- **Exceptional durability and reliability** of irrigation guns and accessories.

WHAT DO THE MOST DEMANDING GARDENERS LOOK FOR?

For those who approach gardening with expertise, who pay close attention to details and to the quality of the tools they consider essential for nurturing their passion, and who seek not just a product but a long-term investment, GF PRO's long-lasting reliability is the answer.
More than simply a new brand, GF PRO represents a new identity built on Advanced Quality.

5–YEAR WARRANTY

GF PRO products are covered by an extended 5-year warranty, compared to the previous 2-year coverage.
For the additional three years of coverage, consumers can rely on direct support from GF, making after-sales assistance easier for our customers.

HOW TO ACTIVATE THE EXTENDED WARRANTY

Register the product on the GF website within 30 days of purchase.

A COMPLETE RANGE YOU CAN TRUST

The range covers all major irrigation categories, from spray guns, hoses, and irrigation timers to micro-irrigation solutions, fittings, and sprinklers.
The new packaging design has been developed to highlight the products' benefits even more effectively, creating a strong shelf impact that captures attention, engages consumers, and encourages exploration of the range.

Designed for the most demanding gardeners.

Built to last.

Inspired by advanced quality.



ENGINEERED TO LAST



New Brand. New Identity. Advanced Quality.



01/ TAP CONNECTORS

A range of sizes, for every type of tap, perfect for easily connecting quick-click connectors.

MADE IN ITALY



Threaded tap connector

• Internal screw thread for tap • Grabbing surface
• Male connection to connect to the hose terminal

GF80005433R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,28** Kg	8 004779 054334
GF80003433R	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,28** Kg	
GF80043433R	pack	Box (LxWxH) cm **24x10x15**	**70** Pcs	**0,82** Kg	8 004779 034336

ø 3/4" 20 x 27 mm

MADE IN ITALY



Threaded tap connector

• Internal screw thread for tap • Grabbing surface
• Male connection to connect to the hose terminal

GF80005432R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,31** Kg	8 004779 054327
GF80003432R	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,32** Kg	
GF80043432R	pack	Box (LxWxH) cm **24x10x15**	**60** Pcs	**0,80** Kg	8 004779 034329

ø 1" 26 x 34 mm

MADE IN ITALY



Smooth tap connector

To link the programmer to taps without threads.
With a metal clamp having a butterfly handle for secure use.

GF80005446R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,78** Kg	8 004779 054464
GF80043446R	pack	Box (LxWxH) cm **24x10x15**	**25** Pcs	**1,67** Kg	8 004779 034466

12÷18 mm

MADE IN ITALY



Swivel tap connector

Swivel tap connector with 180° joint to connect the hose to the tap, to avoid kinks during use.
• 3/4" (20-27mm) tap connector

GF80005074R	pack	Box (LxWxH) cm **30x24,5x11,7**	**10** Pcs	**0,90** Kg	8 004779 036682
GF80043074R	pack	Box (LxWxH) cm **24x20x15**	**30** Pcs	**1,75** Kg	8 004779 036699

ø 3/4" 20 x 27 mm

MADE IN ITALY



Dual outlet tap connector

Dual outlet tap connector with differentiated water flow adjustment.
Flow-rate regulator-modulator for each outlet to adjust separately the flow rate until the total closing.
Useful for coupling more accessories simultaneously.

GF80005073R	pack	Box (LxWxH) cm **37x24x19,5**	**8** Pcs	**1,50** Kg	8 004779 022999
GF80043073R	pack	Box (LxWxH) cm **46x24x15**	**6** Pcs	**1,20** Kg	8 004779 023002

ø 3/4" 20 x 27 mm

MADE IN ITALY

Multi-outlet distributor for threaded taps

5 separate adjustable connections to link to hose connectors or programmers.
Has 3 adjustable ball-cocks.



ø 3/4" 20 x 27 mm

GF80005072R	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**4** Pcs	**1,21** Kg	8 004779 000409

MADE IN ITALY

Threaded tap connector

• Internal screw thread for tap • Grabbing surface
• Male connection to connect to the hose terminal



ø 1/2" 15 x 21 mm — ø 3/4" 20 x 27 mm

GF80005435R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,34** Kg	8 004779 054358
GF80003435R	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,43** Kg	
GF80043435R	pack	Box (LxWxH) cm **24x10x15**	**55** Pcs	**0,95** Kg	8 004779 034350

MADE IN ITALY

Threaded tap connector

• Internal screw thread for tap • Grabbing surface
• Male connection to connect to the hose terminal



ø 3/4" 20 x 27 mm — ø 1" 26 x 34 mm

GF80005436R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,41** Kg	8 004779 003387
GF80003436R	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,58** Kg	
GF80043436R	pack	Box (LxWxH) cm **24x10x15**	**25** Pcs	**0,75** Kg	8 004779 003400

MADE IN ITALY

Threaded tap connector with kitchen and bath adapter

Connector with a threaded bronze coupling of 3/4" gas and M24x1 ext. + M22x1 int.



ø 3/4" 20 x 27 mm — M24 ø 3/4 GAS

GF80002431R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,62** Kg	8 004779 007804

MADE IN ITALY

Ball-cock with flow control

With threaded 3/4" female connection it can be used for attaching hose connectors to the 5-outlet distributor.



ø 3/4" 20 x 27 mm

GF80005001R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,49** Kg	8 004779 000423

MADE IN ITALY

Seals and o-rings kit

• 6 pcs. O-Rings for standard shanks
• 3 flat Seals of 3/4"(ø 20-27 mm)
• 1 flat Seal of 1"(ø 26-34 mm)



OR 3043 ø 10,8 x 2,6 mm — ø 3/4" 20 x 27 mm — ø 1" 26 x 34 mm

GF80005699R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,28** Kg	8 004779 056994

MADE IN ITALY



60 µm 120 µm

Idro-Garden CFS 3” filter kit

For the protection of irrigation systems, or for washing machines, boilers and other installations.
- washable cartridge and filter unit in mesh
- applications: filtering of sand, flakes, mud, and fine material

ø 3/4" 20 x 27 mm | MAX 35 l/min | H_2O 2 ÷ 7 BAR | H_2O 5°C MIN 40°C MAX

GF80050106R	pack 60µm		Box (LxWxH) cm **38x29x57**	**96** Pcs	**11,80** Kg
GF80050109R	pack 120µm		Box (LxWxH) cm **38x29x57**	**96** Pcs	**11,80** Kg
GF80000109R	pack 120µm		Box (LxWxH) cm **37x24x20**	**12** Pcs	**1,70** Kg

8 004779 001062
8 004779 000614
8 004779 001093



02/ CONNECTORS

Practical and simple to use, “open” click connectors for connecting the tap connector to the hose, or with “acquastop” connector to connect accessories without dripping and without turning off the tap. The soft touch version with its soft rubber cover guarantees a perfect grip and an ergonomic design suitable for any use.

MADE IN ITALY



“Open” hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage..

ø1/2"-5/8" 12 - 15 mm

GF80005020R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,49** Kg	8 004779 050206
GF80003020R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**25** Pcs	**0,77** Kg	
GF80043020R	pack	Box (LxWxH) cm **24x20x15**	**40** Pcs	**1,30** Kg	8 004779 030208

MADE IN ITALY



“ACQUASTOP” hose connector

For click-fitting the hose to various irrigation accessories.
Automatic water stop-valve.

ø1/2"-5/8" 12 - 15 mm

GF80005015R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,50** Kg	8 004779 050152
GF80003015R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**25** Pcs	**0,79** Kg	
GF80043015R	pack	Box (LxWxH) cm **24x20x15**	**40** Pcs	**1,40** Kg	8 004779 030154

MADE IN ITALY



“Open” hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage.

ø 3/4" 16 - 19 mm

GF80005023R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,51** Kg	8 004779 050237
GF80003023R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**25** Pcs	**0,95** Kg	
GF80043023R	pack	Box (LxWxH) cm **24x20x15**	**35** Pcs	**1,40** Kg	8 004779 030239

MADE IN ITALY



“ACQUASTOP” hose connector

For click-fitting the hose to various irrigation accessories.
Automatic water stop-valve.

ø 3/4" 16 - 19 mm

GF80005012R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,58** Kg	8 004779 050121
GF80003012R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**25** Pcs	**0,98** Kg	
GF80043012R	pack	Box (LxWxH) cm **24x20x15**	**35** Pcs	**2,25** Kg	8 004779 030123

MADE IN ITALY



Hose connector with tap

Fitted at the end of the hose, it can adjust the water flow delivered by the attached irrigator.

ø1/2"-5/8" 12 - 15 mm

GF80005024R	pack	Box (LxWxH) cm **30x24,5x11,7**	**10** Pcs	**0,80** Kg	8 004779 016691
GF80003024R	pack	Box (LxWxH) cm **23x15,5x15,7**	**25** Pcs	**1,25** Kg	
GF80043024R	pack	Box (LxWxH) cm **24x20x15**	**25** Pcs	**1,30** Kg	8 004779 016714

MADE IN ITALY

”Open” universal hose connector

Can be used with hoses of any diameter. To click-fit the hose to the tap connector.
Uninterrupted water passage.



GF80005027R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,63** Kg	8 004779 050275
GF80003027R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**25** Pcs	**1,11** Kg	
GF80043027R	pack	Box (LxWxH) cm **24x20x15**	**30** Pcs	**1,40** Kg	8 004779 030277

MADE IN ITALY

“ACQUASTOP” universal hose connector

Can be used with hoses of any diameter. To click-fit the hose to various irrigation accessories.
Automatic water stop-valve.



GF80005017R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,64** Kg	8 004779 050176
GF80043017R	pack	Box (LxWxH) cm **24x20x15**	**30** Pcs	**1,45** Kg	8 004779 030178

MADE IN ITALY

Hose connector with tap

Fitted at the end of the hose, it can adjust the water flow delivered by the attached irrigator.



GF80005029R	pack	Box (LxWxH) cm **30x24,5x11,7**	**10** Pcs	**0,90** Kg	8 004779 016721
GF80003029R	pack	Box (LxWxH) cm **23x15,5x15,7**	**25** Pcs	**1,43** Kg	
GF80043029R	pack	Box (LxWxH) cm **24x20x15**	**25** Pcs	**1,45** Kg	8 004779 016745

MADE IN ITALY

Repair connector

For repairing damaged hoses or joining two hoses.



GF80005439R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,37** Kg	8 004779 054396
GF80003439R	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,51** Kg	
GF80043439R	pack	Box (LxWxH) cm **24x10x15**	**30** Pcs	**0,70** Kg	8 004779 034398

MADE IN ITALY

Repair connector

For repairing damaged hoses or joining two hoses.



GF80005437R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,54** Kg	8 004779 054372
GF80003437R	pack	Box (LxWxH) cm **22,5x18,5x9**	**25** Pcs	**0,89** Kg	
GF80043437R	pack	Box (LxWxH) cm **24x10x15**	**20** Pcs	**0,77** Kg	8 004779 034374

MADE IN ITALY

“Universal” repair connector

Usable with hoses of any diameter.
For repairing damaged hoses or joining two hoses.



GF80005443R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,68** Kg	8 004779 000386
GF80003443R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**25** Pcs	**1,26** Kg	
GF80043443R	pack	Box (LxWxH) cm **24x20x15**	**30** Pcs	**1,65** Kg	8 004779 000393

MADE IN ITALY

Two-way connector

For interconnecting TWO hose lines equipped with snap-fit hose connectors.



GF80005450R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,29** Kg	8 004779 054501
GF80003450R	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,29** Kg	
GF80043450R	pack	Box (LxWxH) cm **24x10x15**	**70** Pcs	**0,84** Kg	8 004779 034503

MADE IN ITALY

Three-way connector

For interconnecting THREE hose lines equipped with snap-fit hose connectors.



GF80005451R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,35** Kg	8 004779 054518
GF80003451R	pack	Box (LxWxH) cm **15x15x12**	**25** Pcs	**0,45** Kg	
GF80043451R	pack	Box (LxWxH) cm **24x10x15**	**45** Pcs	**0,81** Kg	8 004779 034510

MADE IN ITALY

Threaded adaptor connector with male junction.

Allows hoses equipped with click connectors to be linked with irrigators having a female threaded inlet of 3/4"gas (ø 20-27 mm).)

ø 3/4" GAS 20 x 27 mm



GF80005429R	pack	Box (LxWxH) cm **14,5x14,5x11**	**10** Pcs	**0,27** Kg	8 004779 054297
GF80043429R	pack	Box (LxWxH) cm **24x10x15**	**50** Pcs	**0,58** Kg	8 004779 034299



MADE IN ITALY

“OPEN” hose connector

For click-fitting the hose to the tap connector. Uninterrupted water passage.



GF80005042R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,50** Kg	8 004779 003202
GF80043042R	pack	Box (LxWxH) cm **24x20x15**	**40** Pcs	**1,40** Kg	8 004779 003226

MADE IN ITALY

“ACQUASTOP” hose connector

For click-fitting the hose to various irrigation accessories. Automatic water stop-valve.



GF80005043R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,51** Kg	8 004779 003233
GF80043043R	pack	Box (LxWxH) cm **24x20x15**	**40** Pcs	**1,45** Kg	8 004779 003257

MADE IN ITALY

Open hose connector with Metal Nut

For click-fitting the hose to the tap connector. Uninterrupted water passage.
Corrosion-resistant metal nut.



GF80006710R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**1,00** Kg	8 004779 044229
GF80043710R	pack	Box (LxWxH) cm **24x20x15**	**40** Pcs	**2,56** Kg	8 004779 044236

MADE IN ITALY

Acquastop hose connector with Metal Nut

For click-fitting the hose to various irrigation accessories. Automatic water stop-valve.
Corrosion-resistant metal nut.



GF80006711R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**1,00** Kg	8 004779 044243

MADE IN ITALY

”Open”universal hose connector

Can be used with hoses of any diameter. To click-fit the hose to the tap connector.
Uninterrupted water passage.



GF80005046R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,64** Kg	8 004779 003325
GF80043046R	pack	Box (LxWxH) cm **24x20x15**	**30** Pcs	**1,40** Kg	8 004779 003349

MADE IN ITALY

“ACQUASTOP” universal hose connector

Can be used with hoses of any diameter. To click-fit the hose to various irrigation accessories.
Automatic water stop-valve.



GF80005047R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,66** Kg	8 004779 003356
GF80043047R	pack	Box (LxWxH) cm **24x20x15**	**30** Pcs	**1,50** Kg	8 004779 003370

MADE IN ITALY



“OPEN” hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage.

ø 3/4” 16 - 19 mm | SOFT TOUCH

GF80005044R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,57** Kg	8 004779 003264
GF80043044R	pack	Box (LxWxH) cm **24x20x15**	**35** Pcs	**1,44** Kg	8 004779 003288

MADE IN ITALY



“ACQUASTOP” hose connector

For click-fitting the hose to various irrigation accessories.
Automatic water stop-valve.

ø 3/4” 16 - 19 mm | SOFT TOUCH

GF80005045R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,58** Kg	8 004779 003295
GF80043045R	pack	Box (LxWxH) cm **24x20x15**	**35** Pcs	**1,65** Kg	8 004779 003318

MADE IN ITALY



Open hose connector with Metal Nut

For click-fitting the hose to the tap connector. Uninterrupted water passage.
Corrosion-resistant metal nut.

ø 3/4” 16 - 19 mm | SOFT TOUCH

GF80006712R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**1,6** Kg	8 004779 044267
GF80043712R	pack	Box (LxWxH) cm **24x20x15**	**35** Pcs	**4,70** Kg	8 004779 044274

MADE IN ITALY



Acquastop hose connector with Metal Nut

For click-fitting the hose to various irrigation accessories. Automatic water stop-valve.
Corrosion-resistant metal nut.

ø 3/4” 16 - 19 mm | METAL SOFT TOUCH

GF80006713R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**1,6** Kg	8 004779 044281

MADE IN ITALY



Automatic hose connector 14x16

To click-fit the 14x16 collector hose to the tap connector.

Ø 14 x 16 mm

GF80006600R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,25** Kg	8 004779 036583

MADE IN ITALY




3/4” (20-27mm) automatic connector

For connecting to electronic irrigation programmers: • Pressure reducer
• 1/4” connector for capillary hose • 1/2” connector for collector hose • Other accessories with 3/4” thread

Ø 3/4” 20x27mm


GF80006601R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,23** Kg	8 004779 036576



MADE IN ITALY



Threaded tap connector
For click-fitting the hose connector to the tap.



GF80005434R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,55** Kg	8 004779 000539
GF80043434R	pack	Box (LxWxH) cm **24x10x15**	**20** Pcs	**0,80** Kg	8 004779 000546

MADE IN ITALY



“OPEN” hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage.

ø 1” 25,4 mm

GF80005040R	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**0,95** Kg	8 004779 000492
GF80043040R	pack	Box (LxWxH) cm **24x20x15**	**15** Pcs	**1,50** Kg	8 004779 000508

MADE IN ITALY



“OPEN” hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage.

ø 3/4” 19 mm

GF80005041R	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**0,95** Kg	8 004779 003417
GF80043041R	pack	Box (LxWxH) cm **24x20x15**	**15** Pcs	**1,50** Kg	8 004779 003424

MADE IN ITALY



2-Way connector

To join TWO lengths of hose equipped with high flow click connectors.

GF80005452R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,39** Kg	8 004779 000577
GF80043452R	pack	Box (LxWxH) cm **24x10x15**	**25** Pcs	**0,60** Kg	8 004779 000584

MADE IN ITALY



2-Way connector

To join a hose with high flow connection to a hosepipe with a standard connector.

GF80005453R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,35** Kg	8 004779 004780
GF80043453R	pack	Box (LxWxH) cm **40x12,8x14**	**40** Pcs	**0,77** Kg	8 004779 005251

MADE IN ITALY



Mixed “y” coupling

To join a high flow hose line to two lines of hose having standard connections.

GF80043455R	pack	Box (LxWxH) cm **24x10x15**	**25** Pcs	**0,75** Kg	8 004779 005299

MADE IN ITALY



“Y” coupling

To join three hoses with high flow connectors..

GF80043454R	pack	Box (LxWxH) cm **24x10x15**	**10** Pcs	**0,25** Kg	8 004779 005275

MADE IN ITALY

Tap adaptor

Female thread of 1 ¼", male thread of 1".

ø 1" - 1/4" 32 x 42 mm



GF80003448R	pack	Box (LxWxH) cm **15x15x12**	**10** Pcs	**0,55** Kg	8 004779 003240

MADE IN ITALY

Repair connector

For repairing damaged hoses or joining two hoses.

ø 1" 25,4 mm



GF80005442R	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**0,93** Kg	8 004779 000515
GF80043442R	pack	Box (LxWxH) cm **24x20x15**	**20** Pcs	**0,91** Kg	8 004779 000522

MADE IN ITALY

Repair connector

For repairing damaged hoses or joining two hoses.

ø 3/4" 19 mm



GF80043441R	pack	Box (LxWxH) cm **24x20x15**	**20** Pcs	**1,89** Kg	8 004779 003448

MADE IN ITALY

Repair connector

For repairing damaged hoses or joining two hoses.

ø 1" 25,4 mm ø 3/4" 19 mm



GF80043054R	pack	Box (LxWxH) cm **24x20x15**	**20** Pcs	**1,89** Kg	8 004779 017803

MADE IN ITALY

Threaded adaptor with male connection

Allows for linking a hose with a click fitting to pumps and sprinklers with a threaded female water inlet of 1"gas (ø 26 - 34 mm).

ø 1" 26 - 34 mm



GF80005445R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,38** Kg	8 004779 002007
GF80043445R	pack	Box (LxWxH) cm **24x10x15**	**25** Pcs	**0,67** Kg	8 004779 002021

MADE IN ITALY

Spray nozzle

With jet adjustment from direct to fine spray cone.
Male connection for linking to high-flow hose connectors.
Max. flow 40 l/min at 3 bar.

MAX 40 l min 3 bar



GF80005408R	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**6** Pcs	**1,06** Kg	8 004779 000553
GF80043408R	pack	Box (LxWxH) cm **24x20x15**	**10** Pcs	**1,40** Kg	8 004779 000560





Threaded tap connector
For click-fitting the hose connector to the tap

ø 3/4"
20 x 27 mm

GF80002433R | pack | Box (LxWxH) cm **20,7x14,7x10,4** | **10** Pcs | **0,60** Kg

8 004779 024337



Threaded tap connector
For click-fitting the hose connector to the tap

ø 1
26 x 34

GF80002432R | pack | Box (LxWxH) cm **22,7x15,2x15,4** | **10** Pcs | **0,74** Kg

8 004779 024320



Dual outlet threaded tap connector
With two independent water outlets and tap to regulate the flow, open/closed.
For connecting two lines of hose with Click connections.

ø 3/4"
20 x 27 mm

GF80002070R | pack | Box (LxWxH) cm **29,7x24,2x11,4** | **8** Pcs | **2,57** Kg

8 004779 000478



Repair connector
For repairing damaged hoses or joining two hoses.

ø1/2"-5/8"
12 - 15 mm

GF80002439R | pack | Box (LxWxH) cm **22,7x15,2x15,4** | **10** Pcs | **1,25** Kg

8 004779 024399



Repair connector
For repairing damaged hoses or joining two hoses.

ø 3/4"
16 - 19 mm

GF80002437R | pack | Box (LxWxH) cm **22,7x15,2x15,4** | **10** Pcs | **20,3** Kg

8 004779 024375



Two-way connector

For joining TWO hosepipes equipped with snap-fit hose connectors.

GF80002450R | pack | Box (LxWxH) cm **20,7x14,7x10,4** | **10** Pcs | **0,68** Kg

8 004779 024504



Three-way connector

For joining THREE hosepipes equipped with snap-fit hose connectors.

GF80002451R | pack | Box (LxWxH) cm **20,7x14,7x10,4** | **10** Pcs | **1,43** Kg

8 004779 024511



"OPEN" hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage.

ø1/2"-5/8" 12 - 15 mm

GF80002020R | pack | Box (LxWxH) cm **22,7x15,2x15,4** | **10** Pcs | **1,29** Kg

8 004779 020209



"ACQUASTOP" hose connector

For click-fitting the hose to various irrigation accessories.
Automatic water stop-valve.

ø1/2"-5/8" 12 - 15 mm

GF80002015R | pack | Box (LxWxH) cm **22,7x15,2x15,4** | **10** Pcs | **1,31** Kg

8 004779 020155



"OPEN" hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage.

ø 3/4" 16 - 19 mm

GF80002023R | pack | Box (LxWxH) cm **22,7x15,2x15,4** | **10** Pcs | **1,69** Kg

8 004779 020230



"ACQUASTOP"hose connector

For click-fitting the hose to various irrigation accessories.
Automatic water stop-valve.

ø 3/4" 16 - 19 mm

GF80002012R | pack | Box (LxWxH) cm **22,7x15,2x15,4** | **10** Pcs | **1,76** Kg

8 004779 020124

Threaded adaptor with male connection

For coupling a hose equipped with a click-fitting to sprinklers with a threaded female water inlet of 3/4"gas (ø 20-27 mm).



ø 3/4" GAS 20 x 27 mm

GF80002429R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**10** Pcs	**0,59** Kg	8 004779 000454

Adjustable hose nozzle in brass and rubber

Has jet adjustment from fine spray cone to direct jet.
Delivers up to 18l/min at 4 bars of pressure.



MAX 18 l min 4 bar

GF80002405R	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**10** Pcs	**1,71** Kg	8 004779 024054

ABOVE-GROUND IRRIGATION
05/ NOZZLES AND ERGONOMIC NOZZLES

Easy-to-use, accurate and efficient spray nozzles for perfectly watering flowers and plants. Lightweight, compact and easy to handle, the simple and practical design makes them ideal for easy watering in total comfort.

MADE IN ITALY

"8 JET" variable flow rate ergonomic nozzle

- "8 JET" circular selector jet, with grooved edge to make easier its use
- Flow-rate regulator-modulator covered in non-slip soft rubber
- Maximum flow 18 l/min at 4 bar



MAX 18 l min 4 bar — SOFT TOUCH

GF80005528R	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**1,30** Kg	8 004779 019098
GF80043528R	pack	Box (LxWxH) cm **24x20x15**	**12** Pcs	**1,80** Kg	8 004779 019104

MADE IN ITALY

"3 JET" variable flow rate ergonomic nozzle

- "3 JET" jet selector: fixed, fanned-or-coned-type
- Flow-rate regulator-modulator covered in non-slip soft rubber
- Maximum flow 18 l/min at 4 bar



MAX 18 l min 4 bar — SOFT TOUCH

GF80005527R	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**8** Pcs	**1,15** Kg	8 004779 019074
GF80043527R	pack	Box (LxWxH) cm **24x20x15**	**15** Pcs	**2,35** Kg	8 004779 019081

MADE IN ITALY

Medium flow spray nozzle

- Jet adjustment from conical spray to direct jet
- Flow adjustment
- Maximum flow 18 l/min at 4 bar



MAX 18 l min 4 bar

GF80005407R	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**8** Pcs	**0,93** Kg	8 004779 054075
GF80003407R	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**20** Pcs	**1,34** Kg	
GF80043407R	pack	Box (LxWxH) cm **24x20x15**	**20** Pcs	**1,40** Kg	8 004779 034077

MADE IN ITALY



Medium flow nozzle kit

- Medium flow spray nozzle
- 3/4" tap connector
- "OPEN" and "ACQUASTOP" hose connectors

ø 1/2" - 5/8" 12 - 15 mm

GF80005427R	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**6** Pcs	**1,14** Kg	8 004779 054273

MADE IN ITALY



Spray nozzle

- Jet adjustment from fine spray cone to direct jet
- Maximum flow 12 l/min at 4 bar

MAX 12 l/min 4 bar

GF80005405R	pack	Box (LxWxH) cm **22,7x15,2x15,4**	**10** Pcs	**0,62** Kg	8 004779 054051
GF80003405R	pack	Box (LxWxH) cm **20,7x14,7x10,4**	**25** Pcs	**0,74** Kg	
GF80043405R	pack	Box (LxWxH) cm **24x20x15**	**50** Pcs	**1,64** Kg	8 004779 034053



MADE IN ITALY



Medium size spray nozzle

- Jet adjustment from fine spray cone to direct jet
- Maximum flow 14 l/min at 4 bar

MAX 14 l/min 4 bar

GF80005400R	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**10** Pcs	**0,80** Kg	8 004779 009846
GF80043400R	pack	Box (LxWxH) cm **24x20x15**	**30** Pcs	**1,77** Kg	8 004779 009839

MADE IN ITALY



Spray nozzle kit

- Spray nozzle
- 3/4" tap connector
- "OPEN" and "ACQUASTOP" hose connectors

ø 1/2" - 5/8" 12 - 15 mm

GF80005422R	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**10** Pcs	**1,42** Kg	8 004779 054228

06/ SPRAY GUNS

Essential accessories to use the water in the specific and exact way, without wastes and efforts.
Essential and compact design to obtain maximum efficiency and simplicity of use.

MADE IN ITALY



Medium flow rate watering gun “3 JET”

- Flow rate regulator-modulator with soft non-slip rubber covering
- Front lever with locking device
- “3-JET” selector: fixed, fan and cone jet • Max. flow rate 20 l/min at 4 bar

MAX 20 l/min 4 bar · SOFT TOUCH

GF80006903R	pack	Box (LxWxH) cm **36x21,7x12**	**6** Pcs	**1,27** Kg	8 004779 033674
GF80043903R	pack	Box (LxWxH) cm **24x20x15**	**8** Pcs	**1,20** Kg	8 004779 033681

MADE IN ITALY



Medium flow rate watering gun “3 JET METAL”

- Rugged metal structure with preventive anti-corrosion treatment
- Flow rate regulator-modulator with soft non-slip rubber covering • Front lever with locking device
- “3-JET” selector: fixed, fan and cone jet • Max. flow rate 20 l/min at 4 bar

MAX 20 l/min 4 bar · METAL SOFT TOUCH

GF80006902R	pack	Box (LxWxH) cm **36x21,7x12**	**6** Pcs	**2,00** Kg	8 004779 033650
GF80043902R	pack	Box (LxWxH) cm **24x20x15**	**6** Pcs	**1,50** Kg	8 004779 033667

MADE IN ITALY



Watering gun

- Handle with soft non-slip rubber covering • Rear adjustment lever to lock the jet.
- Outlet control from fine atomized spray to concentrated jet.
- Maximum flow rate 12 l/min at 4 bar.

MAX 12 l/min 4 bar · SOFT TOUCH

GF80006922R	pack	Box (LxWxH) cm **29,7x24,4x11,4**	**8** Pcs	**1,95** Kg	8 004779 040047
GF80043922R	pack	Box (LxWxH) cm **24x20x15**	**10** Pcs	**2,40** Kg	8 004779 040054

MADE IN ITALY



“Metal rubber”watering gun

- Rear adjustment lever to lock the jet
- Aluminium tip for adjusting the jet from fine to conical spray
- Maximum flow 12 l/min at 4 bar.

MAX 12 l/min 4 bar · METAL SOFT TOUCH

GF80006924R	pack	Box (LxWxH) cm **29,7x24,4x11,4**	**8** Pcs	**1,95** Kg	8 004779 043376
GF80043924R	pack	Box (LxWxH) cm **24x20x15**	**10** Pcs	**2,50** Kg	8 004779 043413

MADE IN ITALY



Watering gun Kit

- watering gun
- 3/4” tap connector
- “OPEN” and “ACQUASTOP” hose connectors

ø 1/2" - 5/8" 12 - 15 mm · SOFT TOUCH

GF80006925R	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**6** Pcs	**1,50** Kg	8 004779 040061

07/ MULTI-JET SPRAY GUNS

Precise and multifunctional equipment, ideal for watering plants and flowers that need a very sweet and gentle jet. The practical selector allows you to easily select the most suitable jet for every need.

MADE IN ITALY



Medium flow rate watering gun “8 JET”

• Flow rate regulator-modulator with soft non-slip rubber covering • Front lever with locking device
• Circular “8 JET” selector with ergonomic rubber rim to promote grip and maximise ease of use
• Inspectable micro-perforated disk for possible periodic maintenance requirements
• 20 l/min maximum flow rate at 4 bar

MAX 20 l/min 4 bar · SOFT TOUCH

GF80006905R	pack	Box (LxWxH) cm **36x21,7x12**	**6** Pcs	**1,50** Kg	8 004779 033711
GF80043905R	pack	Box (LxWxH) cm **24x20x15**	**6** Pcs	**2,00** Kg	8 004779 033728

MADE IN ITALY



Medium flow spray watering gun “8 JET METAL”

• Rugged metal structure with preventive anti-corrosion treatment. • Flow rate regulator-modulator with soft non-slip rubber covering.
• Front lever with locking device • Circular “8 JET” selector with ergonomic rubber rim to promote grip and maximise ease of use.
• Inspectable micro-perforated disk for possible periodic maintenance requirements.
• Maximum flow rate 20 l/min at 4 bar.

MAX 20 l/min 4 bar · METAL SOFT TOUCH

GF80006904R	pack	Box (LxWxH) cm **36x21,7x12**	**6** Pcs	**2,30** Kg	8 004779 033698
GF80043904R	pack	Box (LxWxH) cm **24x20x15**	**6** Pcs	**2,25** Kg	8 004779 033704

MADE IN ITALY



Multi-jet watering gun

Simply rotating the front ring allows the user to select 8 different water spray types
• Handle with soft non-slip rubber covering • Rear adjustment lever to lock the jet.
• Maximum flow rate 10 l/min at 4 bar

MAX 10 l/min 4 bar · SOFT TOUCH

GF80006923R	pack	Box (LxWxH) cm **36x21,7x12**	**8** Pcs	**2,08** Kg	8 004779 040078
GF80043923R	pack	Box (LxWxH) cm **46x24x15**	**10** Pcs	**2,60** Kg	8 004779 040085

MADE IN ITALY



“Metal rubber” multi-jet watering gun

• Allows the selection of 8 different types of jet by simply rotating the front ring
• Rear lever for adjusting and locking the flow
• Maximum flow 10 l/min at 4 bar.

MAX 10 l/min 4 bar · METAL SOFT TOUCH

GF80006927R	pack	Box (LxWxH) cm **36x21,7x12**	**8** Pcs	**2,08** Kg	8 004779 043383
GF80043927R	pack	Box (LxWxH) cm **46x24x15**	**10** Pcs	**2,60** Kg	8 004779 043420

MADE IN ITALY



“8 JET Easy” watering gun Kit

• “8 JET Easy” watering gun
• 3/4” tap connector
• “OPEN” and “ACQUASTOP” hose connectors

GF80006926R	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**15** Pcs	**1,60** Kg	8 004779 040092

MADE IN ITALY



"XL Selector"spray watering gun 5JET

- Large selector (ø 9cm) with ergonomic rubber
- 5 different spray patterns, including a wide shower spray and an perlator (air-mixed spray), suitable for delicate plants and flowers, even in pots.
- Flow rate regulator-modulator with soft non-slip rubber covering • Front lever with locking device
- 20 l/min maximum flow rate at 4 bar

SPECIAL JET | MAX 20 l/min 4 bar | SOFT TOUCH

GF80006937R	pack	Box (LxWxH) cm **36x21,7x12**	**4** Pcs	**1,12** Kg	8 004779 044168

MADE IN ITALY



"XL Selector" spray watering gun 5JET metal-rubber

- Large selector (ø 9cm) with ergonomic rubber
- 5 different spray patterns, including a wide shower spray and an aerator (air-mixed spray), suitable for delicate plants and flowers, even in pots.
- Flow rate regulator-modulator with soft non-slip rubber covering • Front lever with locking device
- 20 l/min maximum flow rate at 4 bar • Corrosion-resistant metal end, and selector back cover

SPECIAL JET | MAX 20 l/min 4 bar | METAL SOFT TOUCH

GF80006938R	pack	Box (LxWxH) cm **36x21,7x12**	**4** Pcs	**1,40** Kg	8 004779 044182



"Twister" 3JET Watering Gun

Straight jet, fan spray, and the new patented rotating jet with cleaning function.The rotating jet covers a wider surface area than a straight jet, making it ideal for cleaning outdoor surfaces and equipment.

- Lever locking system positioned on the upper part of the lever.
- Flow control regulator located at the rear of the gun.
- Streamlined design that ensures high flow rates across all spray patterns.

SPECIAL JET | MAX 12 l/min 4 bar | SOFT TOUCH

TWISTER CLEANING | TWISTER JET

GF80006948R	pack	Box (LxWxH) cm **32,4x24,5x8,2**	**6** Pcs	**1,00** Kg	8 004779 045073



"Twister" 8JET Watering Gun

Straight jet, vertical and horizontal fan spray, outer shower spray, cone spray, mist spray, soaker spray, and the new patented rotating jet with cleaning function.
The rotating jet covers a wider surface area than a straight jet, making it ideal for cleaning outdoor surfaces and equipment.

- Lever locking system positioned on the upper part of the lever.
- Flow control regulator located at the rear of the gun.
- Streamlined design that ensures high flow rates across all spray patterns.

SPECIAL JET | MAX 12 l/min 4 bar | SOFT TOUCH

TWISTER CLEANING | TWISTER JET

GF80006949R	pack	Box (LxWxH) cm **36x21,7x12**	**6** Pcs	**1,00** Kg	8 004779 045080



ABOVE-GROUND IRRIGATION
08/ BORDER SPRAYERS

Accessories suitable for watering of flower pots, edges and flower beds requiring a precise, fine and delicate jet.
The comfortable extensions outfit of integrated flow adjustment tap, allow you to easily reach even the less accessible places.

MADE IN ITALY



Click-on watering head

Produces a thin gentle jet ideal for delicate flowers.
- Micro-holed disc that can be inspected for internal cleaning
- Maximum flow 30 l/min at 4 bar

MAX 30 l/min 4 bar

GF80005430R	pack	Box (LxWxH) cm **29,7x24,2x11,4**	**10** Pcs	**0,67** Kg	8 004779 054303
GF80043430R	pack	Box (LxWxH) cm **24x20x15**	**15** Pcs	**0,70** Kg	8 004779 034305

MADE IN ITALY



Border Watering Gun

Produces a thin and gentle jet ideal for delicate flowers
- Micro-holed disc that can be inspected for internal cleaning
- Flow rate regulator-modulator with soft non-slip rubber covering
- Front lever with locking device
- 20 l/min maximum flow rate at 4 bar

MAX 20 l/min 4 bar · SOFT TOUCH

GF80006928R	pack	Box (LxWxH) cm **36x21,7x12**	**6** Pcs	**1,04** Kg	8 004779 043390

MADE IN ITALY



Multi-jet watering wand with adjustable head

Ideal for watering hard-to-reach places such as flower beds, vases and hanging baskets.
- 8 different jet types
- Tap for micro-adjustment of flow
- Adjustable joint
- Maximum flow 16 l/min at 4 bar

MAX 16 l/min 4 bar

GF80005448R	pack	Box (LxWxH) cm **78,4x14,4x13,4**	**4** Pcs	**1,07** Kg	8 004779 009464



09/ CIRCULAR SPRINKLERS



MADE IN ITALY



“CONO” sprinkler

Static sprinkler for small areas and when a very gentle and fine jet is required. Stake version.
• Maximum flow 23 l/min

MAX 23 l/min | 2bar min ○ 4bar max | 95 m² r. 5,5 m

GF80005619R | pack | Box (LxWxH) cm **37,5x25,5x15,5** | **8** Pcs | **0,90** Kg

8 004779 022777

MADE IN ITALY



“ROTAX” sprinkler

Ideal for watering medium-small areas. Stake version.
• Adjustable nozzles to optimise the watering depending on the type of plants
• Maximum flow 19 l/min.

MAX 19 l/min | 2bar min ○ 4bar max | 154 m² r. 7 m

GF80005633R | pack | Box (LxWxH) cm **37,5x25,5x15,5** | **8** Pcs | **1,00** Kg

8 004779 022869

MADE IN ITALY



“MINI DRIVER” sprinkler stake version

Multi-purpose circular sprinkler on stake. Features stake for easy insertion in the ground. Simply rotate the disc to control watering of 4 different areas.
• Maximum flow rate 16 l/min

MAX 16 l/min | 2bar min ○ 4bar max

GF80005616R | pack | Box (LxWxH) cm **39x28,5x17,5** | **12** Pcs | **1,60** Kg

8 004779 021282

MADE IN ITALY



“4 JET LIFT” sprinkler

Professional rotating sector sprinkler with turbine movement suitable for watering any surface even very large areas. Stake version.
• 4 different jet types • Adjustable head for varying the watering area
• Watering angle from 15° to 360° • Maximum flow 15 l/min

MAX 15 l/min | 2bar min ○ 4bar max | 15-360°

GF80005670R | pack | Box (LxWxH) cm **37,5x25,5x15,5** | **6** Pcs | **1,60** Kg

8 004779 023156

range adjustment | adjustable spray arc from 15° to 360° | selection of the spray type

---

MADE IN ITALY



“CONO” sprinkler

Static sprinkler for small areas and when a very gentle and fine jet is required.
• Maximum flow 23 l/min

MAX 23 l/min | 2bar min ○ 4bar max | 95 m² r. 5,5 m

GF80005618R | pack | Box (LxWxH) cm **37,5x25,5x15,5** | **8** Pcs | **1,10** Kg

8 004779 022753

MADE IN ITALY



“ROTAX” sprinkler

Ideal for watering medium-small areas.
• Adjustable nozzles to optimise the watering depending on the type of plants
• Maximum flow 19 l/min.

MAX 19 l/min | 2bar min ○ 4bar max | 154 m² r. 7 m

GF80005632R | pack | Box (LxWxH) cm **37,5x25,5x15,5** | **8** Pcs | **1,30** Kg

8 004779 022791

MADE IN ITALY



“DRIVER” sprinkler

Multi-purpose circular sprinkler with base.
Simply rotate the disc to control watering of 8 different areas.
• Maximum flow rate 18 l/min

MAX 18 l/min | 2bar min ○ 4bar max

GF80005617R | pack | Box (LxWxH) cm **37,5x25,5x15,5** | **4** Pcs | **1,30** Kg

8 004779 021343

MADE IN ITALY



“4 JET LIFT” sprinkler

Professional rotating sector sprinkler with turbine movement suitable for watering any surface even very large areas. • 4 different jet types • Adjustable head for varying the watering area
• Watering angle from 15° to 360° • Weighted base of remarkable stability • Maximum flow 15 l/min

MAX 15 l/min | 2bar min ○ 4bar max | 15-360°

GF80005667R | pack | Box (LxWxH) cm **39x28,5x27** | **6** Pcs | **3,98** Kg

8 004779 012594

range adjustment | adjustable spray arc from 15° to 360° | selection of the spray type

---

MADE IN ITALY



“SUPER ROTAX” rotating sprinkler

With two rotating arms with twin adjustment, for uniform watering of large and medium areas.
• Nozzles and arms separately adjustable • Watering area from 30 to 160 sqm.
• Base of remarkable stability • Maximum flow 15 l/min

MAX 15 l/min | 2bar min ○ 4bar max | 160 m² r. 7 m


GF80005615R | pack | Box (LxWxH) cm **39x28,5x27** | **6** Pcs | **2,38** Kg

8 004779 056154

ABOVE-GROUND IRRIGATIONTION
10/
OSCILLATING SPRINKLERS




"ASTRAL 4" oscillator
Oscillating sprinkler with continuously variable watering arc from 20° to 100°. Very quiet, it provides various watering possibilities, ideal for uniformly covering either small or large rectangular areas.
• plastic oscillating arm with 16 nozzles • pin for cleaning the holes
• maximum flow 15 l/min



GF80005669R	pack	Box (LxWxH) cm **40x28x21**	**6** Pcs	**2,52** Kg	8 004779 023071




"COMET" oscillator
Oscillating sprinkler with continuously variable watering arc
from 20°to 100°. Very quiet, it provides various watering possibilities, ideal for uniformly covering either small or large rectangular areas.
• Oscillating arm in metal with 16 nozzles • Pin for cleaning the holes • Maximum flow 16 l/min



GF80005666R	pack	Box (LxWxH) cm **40x28x21**	**6** Pcs	**2,20** Kg	8 004779 012570



"SIDERAL" oscillator
Oscillating sprinkler with continuously variable watering arc from 20°to 100°. Very quiet, it provides various watering possibilities, ideal for uniformly covering either small or large rectangular areas.
• Oscillating arm in metal with 18 brass nozzles. • Solid weighted base to prevent overturning.
• Pin for cleaning the holes • Maximum flow 18 l/min




GF80005662R	pack	Box (LxWxH) cm **59x39,5x17**	**6** Pcs	**3,90** Kg	8 004779 056628

ABOVE-GROUND IRRIGATIONTION
11/
PULSATING SPRINKLERS



"SPIT 2" pulsating sprinkler
Sectional pulsating sprinkler, ideal for large areas.
• Jet interruption device for uniform distribution of water • Watering angle from 15° to 360°
• Weighted base of remarkable stability • Maximum flow 15 l/min




GF80005627R	pack	Box (LxWxH) cm **39x28,5x27**	**6** Pcs	**3,83** Kg	8 004779 056277



“SPIT 3” pulsating sprinkler

Sectional pulsating sprinkler, ideal for large areas.
• Jet interruption device for uniform distribution of water
• Watering angle from 15° to 360° • Tripod in weighted aluminium
• Maximum flow 15 l/min




GF80005630R	pack	Box (LxWxH) cm **40,4x40,5x16,5**	**6** Pcs	**6,23** Kg	8 004779 056307



“SPIT 1” pulsating sprinkler

Sectional pulsating sprinkler, ideal for large areas. Stake version.
• Jet interruption device for uniform distribution of water
• Watering angle from 15° to 360° • Maximum flow 15 l/min




GF80005624R	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**8** Pcs	**1,20** Kg	8 004779 023132
GF80043624R	pack	Box (LxWxH) cm **37,5x25,5x15,5**	**12** Pcs	**1,40** Kg	8 004779 023149



“SPIT METAL” pulsating sprinkler

Sector pulsating metal sprinkler assembled on tip, ideal also for large surfaces.
• Jet interruption device for uniform distribution of water
• Watering angle from 15° to 360° • Maximum flow 16 l/min




GF80002622	pack	Box (LxWxH) cm **37x14x13**	**4** Pcs	**1,66** Kg	8 004779 045462



“SPIT” pulsating sprinkler head

Spare sector pulsating sprinkler head in plastic.
• Jet interruption device for uniform distribution of water
• Watering angle from 15° to 360° • Maximum flow 15 l/min




GF80007205	pack	Box (LxWxH) cm **18x15,5x21**	**12** Pcs	**0,91** Kg	



“SPIT METAL” pulsating sprinkler head

Spare sector pulsating sprinkler head in metal.
• Jet interruption device for uniform distribution of water
• Watering angle from 15° to 360° • Maximum flow 16 l/min



GF80007206	pack	Box (LxWxH) cm **18x15,5x21**	**12** Pcs	**3,20** Kg	

For small gardens, terraces or balconies, the practical and compact hose reel has a neat size and is easy to use and store. For watering plants and flowers or cleaning surfaces of all kinds, ideal in any context.

MADE IN ITALY

aquabag MAXI

"AQUABAG MAXI" Portable hose-reel

Designed for any application that requires a compact product, it is ideal for balconies, terraces, medium-sized gardens. Manually rewinding, portable, easy to store.
• 16,5 m of braided flexible hose • 2 quick –click hose connectors
• 3/4" tap connector • 8 jet ergonomic nozzle

MAX 18 l min · 4 bar · ø1/2"-5/8" 12 - 15 mm · ø 9 mm · L-34,2cm W-21,4 cm H-34cm


GF80005608R | pack | Box (LxWxH) cm **42x36x35** | **2** Pcs | **7,00** Kg


8 004779 023170

16,5 m









MADE IN ITALY

aquabag

"AQUABAG" Mini hose reel

The new mini version hose reel is ideal for watering plants, flowers and pots on patios, balconies, verandas and small gardens. Thanks to its dual purpose design — floor standing or portable — this is a product that proves highly practical when in use, by virtue of being compact and lightweight, and with its new attractive styling, makes leisure time in the open air even more enjoyable. • 11,5 meters of braided flexible hose (10 m rewinding inside + 1,5 m outside) • 2 hose connectors
• "3 JET" variable flow-rate ergonomic nozzle
• "indoor-outdoor" ¾" adaptor, ideal for any type of tap, also for those used indoors (for example: kitchen, bathroom, laundry….)

MAX 18 l min · 4 bar · ø1/2"-5/8" 12 - 15 mm · ø 8 mm · L-32cm W-18 cm H-31cm


GF80005606R | pack | Box (LxWxH) cm **39x29x32** | **2** Pcs | **4,50** Kg


8 004779 019289

11,5 m









HOSE REELS

Practical to use and with an attractive design, these hose reels, available in portable trolley versions, are suitable for gardens of all sizes.
Also available in the Ready version, pre-assembled and fitted with accessories, ready to go.

MADE IN ITALY




"MINI CONCEPT" portable

- Capacity 20 m of 1/2" hosepipe
- Complete with click connectors

L-39cm W-29 cm H-28cm | ø1/2"-5/8" 12 - 15 mm | ø 1/2" 20 m | ø 5/8" 18 m

GF80005838R	pack	Box (LxWxH) cm **29x15,5x29**	**1** Pcs	**1,00** Kg	8 004779 030079



MADE IN ITALY




"MINI CONCEPT PLUS" portable kit

- Adjustable spray nozzle
- Click-fit "Aquastop" connector • 15 m of 1⁄2" hosepipe

L-39cm W-29 cm H-28cm | ø1/2"-5/8" 12 - 15 mm | ø 1/2" 20 m | ø 5/8" 18 m

GF80005846R	pack	Box (LxWxH) cm **29x15,5x29**	**1** Pcs	**2,60** Kg	8 004779 030086



MADE IN ITALY



"REELY" portable

- Complete with hose connectors
- Capacity 40 m of 1/2" hosepipe

L-48cm W-32cm H-43cm | ø1/2"-5/8" 12 - 15 mm | ø 1/2" 40 m | ø 5/8" 35 m | ø 3/4" 30 m

GF80005740R	pack	Box (LxWxH) cm **39x14,5x37**	**1** Pcs	**1,76** Kg	8 004779 009440



MADE IN ITALY



"REELY PLUS" portable kit

- 20 m of 1/2" wired hosepipe • 3/4" Tap connector
- 4 Hose connectors for 1/2"-5/8" • Adjustable spray nozzle

L-48cm W-32cm H-43cm | ø1/2"-5/8" 12 - 15 mm | ø 1/2" 40 m | ø 5/8" 35 m | ø 3/4" 30 m

GF80005817R	pack	Box (LxWxH) cm **39x23,5x39**	**1** Pcs	**3,61** Kg	8 004779 026171



MADE IN ITALY



Trolley/tap connecting kit

Composed of:

- 1,5 m of wired 1/2" hosepipe • 2 click-fit 1/2" hose connectors
- 3/4" tap connector

GF80007200R	pack	Box (LxWxH) cm **29,7x25,7x25,4**	**6** Pcs	**2,54** Kg	8 004779 072000




MADE IN ITALY



“EUROTANK” trolley

- Capacity 60 m of 1/2” hosepipe
- Supplied complete with hose connectors



GF80005729R	pack	Box (LxWxH) cm **39x14,5x37**	**1** Pcs	**2,48** Kg	8 004779 005305




MADE IN ITALY



“EUROTANK PLUS” trolley

- 20 m of 1/2” wired hosepipe • 3/4” Tap connector
- 4 Hose connectors for 1/2”-5/8” • Adjustable spray nozzle



GF80005756R	pack	Box (LxWxH) cm **39x23,5x39**	**1** Pcs	**4,23** Kg	8 004779 005558






MADE IN ITALY



“Tank 2” trolley

- Capacity 70 m of 1/2” hosepipe
- Supplied complete with hose connectors



GF80005744R	pack	Box (LxWxH) cm **40x16x40**	**1** Pcs	**2,88** Kg	8 004779 016752




MADE IN ITALY



“IDEA” trolley

Plastic and metal hose reel trolley, practical and sturdy, guaranteeing optimum performance. With its retractable telescopic handle, the trolley is truly compact and easily stored, even in tight spaces. Perfect for users seeking a complete and versatile watering solution.

- With wheels and retractable telescopic handle • SOFT TOUCH non-slip handle
- Capacity max 60 m of ø½” hose



GF80005788R	pack	Box (LxWxH) cm **38,5x14,5x56**	**1** Pcs	**2,40** Kg	8 004779 018893




MADE IN ITALY



“IDEA PREMIUM” metal trolley

- Steel discs and drum with anticorrosion treatment • Retractable telescopic handle
- Soft touch non-slip handle • 2 SOFT TOUCH “quick-click” hose connectors
- Maximum capacity 60 m of ø1/2” hose • Extremely sturdy



GF80005787R	pack	Box (LxWxH) cm **38,5x14,5x55**	**1** Pcs	**3,40** Kg	8 004779 018886




MADE IN ITALY



“METAL TANK 75” metal trolley

- Sturdy and stable aluminum frame • Steel drum with corrosion-resistant coating
- Retractable telescopic handle • 2 SOFT TOUCH “quick-click” hose connectors
- Maximum capacity: 75 m ½” hose



GF80005829R	pack	Box (LxWxH) cm **55x22x45**	**1** Pcs	**7,00** Kg	8 004779 029776





ABOVE-GROUND IRRIGATIONTION
14/ READY HOSE REELS

MADE IN ITALY

CONCEPT MINI



“MINI CONCEPT READY 15” portable kit

Assembled and equipped with 15 m hose, connectors and spray nozzle.
Supplied in 120 x 80 cm pallet trays with 12 units per tray stackable up to 4 levels (H125 cm).


L-39cm W-29cm H-28cm | ø1/2”-5/8” 12 - 15 mm | ø 1/2” 20 m | ø 5/8” 18 m

GF80005793R | pack | Box (LxWxH) cm **80x120x128** | **48** Pcs | **135** Kg

8 004779 014093







MADE IN ITALY

CONCEPT



“CONCEPT READY” trolley kit

Portable hose reel trolley in plastic and metal fully assembled and equipped, supplied with pallet trays measuring 120 x 80cm with 6 units per tray, stackable up to 4 levels, (H 240cm).
• trolley with wheels and telescopic handle • medium size adjustable nozzle
• 4 x automatic couplings Ø ½”-⅝” (12 – 15mm) and tap adapter Ø ¾” (20 – 27mm) • 25m hose Ø ½”


L-48cm W-39cm H-87cm | ø1/2”-5/8” 12 - 15 mm | ø 1/2” 60 m | ø 5/8” 50 m | ø 3/4” 40 m

GF80005749R | pack | Box (LxWxH) cm **80x120x128** | **24** Pcs | **110** Kg

8 004779 015670







MADE IN ITALY



Kit “IDEA PREMIUM READY”

Hose reel trolley in metal mounted on wheel. Supplied fully assembled and equipped, on palletised trays of 120x80 cm carrying 6 units per pallet, stackable 4-high (height 240 cm).
• Trolley with wheels and telescopic retractable handle with SOFT TOUCH non-slip handle, max capacity 60 m of ½” hose • steel discs and drum with anticorrosion treatment
• “3 JET” ergonomic nozzle with flow-rate regulator-modulator
• 4 SOFT TOUCH automatic connectors and ¾ tap adaptor • 25 m of ½ hose • extremely sturdy

ø1/2”-5/8” 12 - 15 mm | ø 1/2” 60 m | ø 5/8” 50 m | ø 3/4” 40 m


L-50cm W-36cm H-85cm

GF80005789R | pack | Box (LxWxH) cm **85x122x242** | **24** Pcs | **168** Kg

8 004779 018909









15/ HOSEPIPES

High quality, reliable hosepipes. Different sizes and lengths for every kind of garden. Flexible and manageable for pleasant, safe use.

NEW



NEW FOAMED TECH

NON DEFORMABLE

TNT TRICOFLEX NON TORSION

STRONG


ø 1/2" CONDITIONS OF USE
working / 8 bar
burst / 20 bar

ø 3/4" CONDITIONS OF USE
working / 8 bar
burst / 20 bar

ø 5/8" CONDITIONS OF USE
working / 8 bar
burst / 20 bar

Trico Power Hose

- TNT Technology (Tricoflex Non-Torsion)
- 5-layer knitted construction with black recycled expanded PVC
- 30-year warranty



GF80007108R	ø 1/2" 15 m	Box (LxWxH) cm ø 33x10	1 Pcs	2,00 Kg	8 004779 045820
GF80007109R	ø 1/2" 25 m	Box (LxWxH) cm ø 35x13	1 Pcs	3,35 Kg	8 004779 045837
GF80007110R	ø 1/2" 50 m	Box (LxWxH) cm ø 38x18,6	1 Pcs	6,70 Kg	8 004779 045844
GF80007111R	ø 5/8" 15 m	Box (LxWxH) cm ø 38x9,5	1 Pcs	2,20 Kg	8 004779 045851
GF80007112R	ø 5/8" 25 m	Box (LxWxH) cm ø 36x13	1 Pcs	3,70 Kg	8 004779 045868
GF80007113R	ø 5/8" 50 m	Box (LxWxH) cm ø 40x22	1 Pcs	7,40 Kg	8 004779 045875
GF80007114R	ø 3/4" 25 m	Box (LxWxH) cm ø 37x20	1 Pcs	5,40 Kg	8 004779 045882
GF80007115R	ø 3/4" 50 m	Box (LxWxH) cm ø 45x25	1 Pcs	10,90 Kg	8 004779 045899

NEW



ANTI KINK

ANTI TORSION

ø 1/2" CONDITIONS OF USE
working / 8 bar
burst / 15 bar

ø 3/4" CONDITIONS OF USE
working / 6 bar
burst / 15 bar

ø 5/8" CONDITIONS OF USE
working / 8 bar
burst / 15 bar

Trico Star Hose

- **5-layer knitted** construction with black recycled expanded PVC
- Anti-algae protection
- **15-year** warranty



GF80007011R	ø 1/2" 15 m	Box (LxWxH) cm ø 30x9	1 Pcs	1,90 Kg	8 004779 070112
GF80007012R	ø 1/2" 25 m	Box (LxWxH) cm ø 35x9,5	1 Pcs	3,10 Kg	8 004779 070129
GF80007107R	ø 1/2" 50 m	Box (LxWxH) cm ø 36x16	1 Pcs	6,20 Kg	8 004779 045813
GF80007013R	ø 5/8" 15 m	Box (LxWxH) cm ø 32x10	1 Pcs	2,10 Kg	8 004779 070136
GF80007014R	ø 5/8" 25 m	Box (LxWxH) cm ø 36x13	1 Pcs	3,50 Kg	8 004779 070143
GF80007015R	ø 5/8" 50 m	Box (LxWxH) cm ø 40x20	1 Pcs	7,00 Kg	8 004779 070150
GF80007016R	ø 3/4" 25 m	Box (LxWxH) cm ø 37x21	1 Pcs	5,35 Kg	8 004779 070167
GF80007017R	ø 3/4" 50 m	Box (LxWxH) cm ø 43x24	1 Pcs	10,65 Kg	8 004779 070174





LIGHT

ø 1/2”
CONDITIONS OF USE
working / 6 bar
burst / 15 bar

ø 5/8”
CONDITIONS OF USE
working / 6 bar
burst / 15 bar

Alpha Hose

- **3-layer reinforced** mesh construction with black recycled PVC
- Lightweight and easy to handle
- **5-year** warranty



GF80007091R	ø 1/2” 15 m	Box (LxWxH) cm **ø 32x7**	1 Pcs	1,20 Kg	8 004779 070914
GF80007092R	ø 1/2” 25 m	Box (LxWxH) cm **ø 32x10**	1 Pcs	2,00 Kg	8 004779 070921
GF80007094R	ø 5/8” 15 m	Box (LxWxH) cm **ø 31,5x8,5**	1 Pcs	1,45 Kg	8 004779 070945
GF80007095R	ø 5/8” 25 m	Box (LxWxH) cm **ø 38x9**	1 Pcs	2,40 Kg	8 004779 070952



"Trico Power Kit" Hose Reel Set

- 15 m of 5/8" Trico Power hose
- Adjustable spray nozzle
- 3/4" tap connector
- 1/2"–5/8" hose connectors: standard ("open") and water-stop ("aquastop") type

80007116R	ø 5/8" 15 m		Box (LxWxH) cm ø 38x9,5	1 Pcs	2,60 Kg	8 004779 045905



"Trico Star Kit" Hose Reel Set

- 25 m of 1/2" Trico Power hose
- Adjustable spray nozzle
- 3/4" tap connector
- 1/2"–5/8" hose connectors: standard ("open") and water-stop ("aquastop") type

GF80007027R	ø 1/2" 25 m		Box (LxWxH) cm ø 39x10,5	1 Pcs	3,50 Kg	8 004779 070273



"Alpha Kit" Hose Reel Set

- 25 m / 15 m of 1/2" Alpha hose • Adjustable spray nozzle
- 3/4" tap connector • 1/2"–5/8" hose connectors: standard ("open") and water-stop ("aquastop") type

GF80007028R	ø 1/2" 15 m		Box (LxWxH) cm ø 31x9	1 Pcs	1,60 Kg	8 004779 070280
GF80007029R	ø 1/2" 25 m		Box (LxWxH) cm ø 36x9	1 Pcs	2,30 Kg	8 004779 070297



MADE IN ITALY



Wall-mounting metal hose support.

For fixing to the wall to support the roll of hosepipe.
Including wall fixing kit.

GF80005844R	pack		Box (LxWxH) cm 40x28x20,5	8 Pcs	3,84 Kg	8 004779 030659

MADE IN ITALY



Wall hosepipe holder

For fixing to the wall to support the roll of hosepipe.

GF80007040R	pack		Box (LxWxH) cm 38,5x29x30	8 Pcs	2,40 Kg	8 004779 070402

SPECIAL HOSES

Micro-pierced tubing


Tubing sprinkler with three channels for fine spray watering
• 15 m hosepipe (GF80007032) • 7,5 m hosepipe (GF80007031)




25 cm | Included | Included

GF80007032R	15 m		Box (LxWxH) cm ø 36x3	1 Pcs	1,32 Kg
GF80007031R	7,5 m		Box (LxWxH) cm ø 29x3	1 Pcs	0,72 Kg

8 004779 070327
8 004779 070310







1/2”diam. porous hosepipe


Ideal for localised watering of groups of plants, hedges, flowerbeds, vegetable gardens and orchards. The slow and continuous release manages to save up to 50% of water perfectly maintaining damp soil and avoiding excessive evaporation. • 15 meters • Complete with end of line cap
• Male connection • Maximum pressure in use of 2 bar



2 Bar max | STOP | Included | Included

GF80002300R	15 m		Box (LxWxH) cm ø 30x10	1 Pcs	1,36 Kg
GF80002304R	25 m		Box (LxWxH) cm ø 30x15	1 Pcs	2,30 Kg

8 004779 004292
8 004779 045745





10 m Spiral Hosepipe Kit Plus


• 10 m of extendable spiral hosepipe • Tap connector for 1/2”-3/4”
• SOFT TOUCH “open” hose connectors • “8 Jet Easy Plus” spray gun
• Adaptor ring for kitchen and bathroom taps • Wall-mounting brackets


ø 1/2” 15 x 21 mm | ø 3/4” 20 x 27 mm | ø 3/4 GAS



GF80007233R	pack			Box (LxWxH) cm 42x38x36,5	4 Pcs	5,50 Kg

8 004779 021626





10 m Spiral Hosepipe Kit

• 10 m of extendable spiral hosepipe • 3/4” tap connector
• “open” hose connectors • Adjustable spray nozzle


ø 3/4” 20 x 27 mm



GF80007204R	pack			Box (LxWxH) cm 50x10,5x10,5	1 Pcs	0,92 Kg

8 004779 072048







“AQUAPOP JOY”

Self-extendable hose kit for watering plants and flowers and washing outdoor surfaces. Ideal for small gardens, terraces or balconies. Practical, lightweight and easy to use, thanks to the hose that expands up to 15 m with water pressure. After use, the emptied hose retracts becoming very compact.

- self-extendable hose of various lengths: up to 7,5m / 15m / 22,5m
- mini nozzle • click-fit hose connectors
- 3/4” tap connector

7,5m GF80007452R	pack		Box (LxWxH) cm **39x72x20**	**10** Pcs	**3,2** Kg
15m GF80007453R	pack		Box (LxWxH) cm **44x36x29,5**	**10** Pcs	**6,2** Kg
22,5m GF80007454R	pack		Box (LxWxH) cm **49x42x28**	**10** Pcs	**8,7** Kg

8 004779 043178
8 004779 043185
8 004779 043222



EXTENDABLE DURING USE · balcony · garden · car · camping

AUTOMATIC IRRIGATION

17/ AQUAFLORA SMART 16

- **INDEPENDENT:** works without batteries, electricity or connection to the tap.
- **INDOOR AND OUTDOOR:** can be used safely both inside and outside the house
- **ADJUSTABLE:** to water up to 16 average-sized plant pots for 14/18 days
- **SIMPLE AND SAFE:** the appropriate amount of water is supplied through an automatic dispenser, sufficient to maintain correct dampness in the soil. Equipped with an 18-litre tank, it can deliver 1 to 2 litres of water a day at precise and regular intervals. Fitted with scale prevention device. Easy to use and, convenient.

aquaflora smart16

MADE IN ITALY

Watering sytstem for apartments

An autonomous device and very simple for watering up to 16 medium-sized apartment vases for 14/18 days. Thanks to an automatic doser, the right amount of water is dispensed, sufficient to maintain correct dampness in the soil.


- 18 l water tank • Dispenses from 1 to 2 l of water a day


H2O SAVING · IN · OUT

GF80006300R	pack		Box (LxWxH) cm **39x25,5x25**	**1** Pcs	**2,99** Kg

8 004779 063008

- CONTAINS:
  1 automatic dispensing doser
  1 tank of 18 l
  30 m of capillary hose in PVC
  16 tube supports
  20 plugs
  Instruction manual
- WORKS:
  without electricity
  without batteries
  without connection to a tap











Electronic programmers allow watering to be set for more efficient care of plants and flowers.


DIGIT 1

NEW

Single-outlet digital water timer with LCD display, designed to manage the automatic irrigation of gardens, vegetable plots, and green areas with precision and ease. It allows users to set the start time, watering duration, and irrigation frequency, adapting to different watering needs. Features 3 independent irrigation programs, a timed manual watering function, and a delayed start option. Equipped with a safety system that automatically shuts off the water flow when the battery is low.

- 3 independent irrigation programs
- Easy-to-read LCD display
- Timed manual watering function
- Programmable delayed start
- Ball valve for greater reliability
- Automatic water shut-off in case of low battery
- Operates with 2 x AA 1.5 V batteries (LR6)
- Maximum operating pressure: 8 bar





GF80006029R	pack		Box (LxWxH) cm **17x13x18**	**2** Pcs	**1,00** Kg

8 004779 045554




DIAL 1

NEW

Water timer with convenient single-dial programming, ideal for irrigating gardens, vegetable patches, flower beds, and lawns. It allows users to select from 16 pre-set watering programs that combine irrigation frequency and duration for simple and intuitive operation. Features a manual watering function for extra irrigation needs, a delayed start option of up to 23 hours, and a safety system that automatically stops water flow when the battery is low.

• 16 pre-set irrigation programs • Timed manual watering function • Programmable delayed start of up to 23 hours • Ball valve for greater reliability • Automatic water shut-off when the battery is low • Operates with 2 × AA 1.5 V batteries (LR6) • Maximum operating pressure: 8 bar





GF80006027R	pack		Box (LxWxH) cm **17x13x18**	**2** Pcs	**1,00** Kg	8 004779 045530


DIAL 2

NEW

Water timer with convenient dual-dial control, ideal for irrigating gardens, vegetable patches, flower beds, and lawns. It offers a choice of 110 pre-set irrigation programs, with watering cycles ranging from 1 hour to 7 days and watering durations from 1 to 120 minutes. Features a manual watering function for extra irrigation needs, a delayed start option of up to 23 hours, and a safety system that automatically stops water flow when the battery is low.

• 110 pre-set irrigation programs • Timed manual watering function • Programmable delayed start of up to 23 hours • Ball valve for greater reliability • Automatic water shut-off when the battery is low • Operates with 2 × AA 1.5 V batteries (LR6) • Maximum operating pressure: 8 bar





GF80006028R	pack		Box (LxWxH) cm **17x13x18**	**2** Pcs	**1,00** Kg	8 004779 045547


ZONE 2

NEW

Two-outlet water timer featuring four control dials, ideal for the simple and independent irrigation of gardens, vegetable patches, flower beds, and lawns. The four dials allow users to select from 110 pre-set irrigation programs and independently set watering frequency and duration for each outlet, providing maximum flexibility in managing different watering zones. It includes a manual watering function for extra irrigation needs, a delayed start option of up to 23 hours, and a safety system that automatically shuts off the water supply when the battery is low.

• 110 pre-set irrigation programs • 2 independent outlets programmable separately • Dedicated frequency and duration settings for each zone • Programmable delayed start of up to 23 hours for each outlet • Manual watering and timed manual watering functions • Ball valves for greater reliability and durability • Automatic water shut-off in case of low battery • Operates with 2 × AA 1.5 V batteries (LR6) • Maximum operating pressure: 8 bar





GF80006030R	pack		Box (LxWxH) cm **17,5x17x19**	**2** Pcs	**1,50** Kg	8 004779 045561

AQUATIME SOLAR UNO.3


Watering Computer Kit 20 pots/zones AQUATIME Solar UNO.3


Kit Ready Solar-Powered Irrigation Timer:
• AUTONOMOUS: Thanks to the integrated solar panel (≈3500 mm²) and pump system, it does not require an electrical outlet or connection to the water supply.
• ECO-FRIENDLY: Powered by solar energy, even on cloudy days thanks to rechargeable batteries, requiring 1.2V AA NiMH (HR6) batteries with a minimum capacity of 2000 mAh (not included in the kit).
• SIMPLE and SAFE: Just place the intake system in a container filled with water and select one of the 13 preset programs by turning the dial (to activate manual starts out of the programming cycles, set the dial to MAN). Additionally, the electronic components are protected from water and humidity.
• PRACTICAL: Thanks to the hook on the back, you can hang the timer on the wall or, by folding the support, place it directly on a flat surface.
• KIT READY: The kit contains everything needed for drip irrigation up to 20 zones/pots.




• 1 irrigation timer
• 1 filter integrated into the intakesystem
• 1 air release valve
• 20m of 4x6 capillary hose
• 20 stakes for capillary hose
• 20 self-compensating drippers (2 l/h)
• 2 straight connectors
• 2 elbow connectors
• 20 T-connectors
• 4 end plugs

GF80006165R	pack		Box (LxWxH) cm **31x18x23**	**2** Pcs	**2,20** Kg	8 004779 044021







UK CA | CE | OUT | INLET FILTER | WALL



Palbox 12 pcs AQUATIME SOLAR display

Self-supporting cardboard display with crowner. It is supplied assembled and completed with products.
It contains: 12 pcs AQUATIME
Opened dimensions:
cm 50 x 40 x 140 h

GF80176165R	pack		Box (LxWxH) cm **50x40x73** In Store (LxWxH) cm **50x40x140**	**12** Pcs	**16** Kg	**EAN** 8004779044021





19/ VARIOUS

MADE IN ITALY



Geared rotating brush

Rotating brush for car washing with a system of gearing that allows it to be used even at low pressures.

- Edge in soft shock-resistant polypropylene
- External body in transparent polycarbonate
- Bristles in soft plumed anti-scratch PVC



GF80005175R | pack | Box (LxWxH) cm **40x28x20,5** | **6** Pcs | **2,47** Kg

8 004779 002137


MADE IN ITALY



Geared rotating brush kit

Rotating brush for car washing with a system of gearing that allows it to be used even at low pressures.

- Edge in soft shock-resistant polypropylene
- External body in transparent polycarbonate
- Bristles in soft plumed anti-scratch PVC
- Spray nozzle
- Hose connector with tap adjustment



GF80005233R | pack | Box (LxWxH) cm **46x46,5x19,5** | **6** Pcs | **4,16** Kg

8 004779 038747


MADE IN ITALY



"Promotional" fixed brush

Practical and inexpensive brush for car washing

- Constructed from soft shock-resistant materials



GF80005218R | pack | Box (LxWxH) cm **36,5x27,5x39** | **12** Pcs | **2,49** Kg

8 004779 052187

MADE IN ITALY



Garden shower

A "use-anywhere" shower connected to the water supply.
Consisting of dismountable pipe-work in anodised aluminium and stable tripod stand. With a tap for flow adjustment and turning off the water. Useful height 2 m.



GF80005461R | pack | Box (LxWxH) cm **80x24x17** | **4** Pcs | **3,85** Kg


shower head


detachable tripod tap

8 004779 003691

MADE IN ITALY



"SACK TROLLEY" Collection Trolley

Lightweight and easy to maneuver, this trolley is ideal for collecting grass clippings, leaves, and all types of indoor and outdoor waste. Compatible with the most common 100 L refuse bags.

GF80005770R | pack | Box (LxWxH) cm **40x16x40** | **1** Pcs | **2,86** Kg

8 004779 045523



The Unconventional project grew out of a desire to deconstruct the vision of traditional gardening and awaken curiosity, wonder and a sense of belonging. The irrigation products have been taken out of their 'natural habitat' and are no longer represented in the usual way people would use them. Instead, they have been given a lifestyle twist and transformed into veritable accessories with their own distinctive and appealing character.

BE DIFFERENT.
BE UNCONVENTIONAL.

The reference to their original context remains, yet this now lies in the background, like a decorative frame. The synergies that are created between the colours, shapes, materials and gestures permeate the visual content of the images, bringing the viewer's own vision of style to the forefront and allowing them to interpret the context on their own.Spending time in outdoor spaces means personalising them, connecting them to our own lives and moulding them to our desires.

This is GF Garden.
Understated shapes.
Bold lines.
Pure colours.
Bring style to outdoor spaces.
Revolutionise the concept of traditional gardening.

PRO25


aquapop™ GREY

AQUAPOP GREY PRO 25 m
Textile self-extendable hose

- self-extendable hose of various lengths
- mini ergonomic lance or 8-jet ergonomic lance
- click-fit hose connectos, 3/4" tap connector
- container designed to facilitate storage and tap coupling system

MAX 18 l/min 4 bar







GF80287699R	
Box (LxWxH) cm **40x35,5x35**	
Pcs 2	8 004779 040160
Kg 4,8	



AQUAPOP GREY EASY 15/25/30 m

Textile self-extendable hose

- self-extendable hose of various lengths
- mini lance
- click-fit hose connectos
- 3/4" tap connector

MAX 14 l/min 4 bar



EASY15

GF80297696R	
Box (LxWxH) cm **25,5x9,7x25,5**	
15m	**Pcs** 1
Kg 1	8 004779 040115

EASY25

GF80297697R	
Box (LxWxH) cm **25,5x14,5x25,5**	
25m	**Pcs** 1
Kg 1,55	8 004779 040139

EASY30

GF80297698R	
Box (LxWxH) cm **25,5x14,5x25,5**	
30m	**Pcs** 1
Kg 1,88	8 004779 040146

AQUAPOP GREY 25

Textile self-extendable hose


- self-extendable up to 25m
- 8-jet ergonomic lance
- click-fit hose connectos, 3/4" tap connector
- container bag

MAX 18 l/min 4 bar





GF80297700R	
Box (LxWxH) cm **40,5x35,5x35**	
25m	**Pcs** 2
	8 004779 040306



aquapop™

“AQUAPOP” self-extendable hose kit

Self-extendable hose kit for watering plants and flowers and for cleaning outdoor surfaces. Ideal for gardens, patios and balconies. After use, the empty hose retracts to extremely compact dimensions so it occupies minimal space in the practical container supplied, designed to facilitate storage.

- self-extendable hose of various lengths
- mini ergonomic lance or 3 jet ergonomic lance
- click-fit hose connectors
- 3/4” tap connector

aquapop™ 15


MAX 14 l/min 4 bar




aquapop™ 30

MAX 18 l/min 4 bar
















GF80287600R	
Box (LxWxH) cm **42x36x24**	
Pcs 2	8 004779 025914
Kg 2,6	

GF80277600R	
Box (LxWxH) cm **42x36x24**	
Pcs 2	8 004779 025907
Kg 2,6	

GF80287603R	
Box (LxWxH) cm **40,5x35,5x35**	
Pcs 2	8 004779 027697
Kg 4,5	

GF80277603R	
Box (LxWxH) cm **40,5x35,5x35**	
Pcs 2	8 004779 027680
Kg 4,5	

GF80267600R	
Box (LxWxH) cm **42x36x24**	
Pcs 2	8 004779 025891
Kg 2,6	

GF80297600R	
Box (LxWxH) cm **42x36x24**	
Pcs 2	8 004779 025921
Kg 2,6	

GF80267603R	
Box (LxWxH) cm **40,5x35,5x35**	
Pcs 2	8 004779 027673
Kg 4,5	

GF80297603R	
Box (LxWxH) cm **40,5x35,5x35**	
Pcs 2	8 004779 027703
Kg 4,5	



aquabag MAXI


MADE IN ITALY · ø 8 mm · MAX 18 l/min · 4 bar


"AQUABAG MAXI" Portable hose-reel

Designed for any application that requires a compact product, it is ideal for balconies, terraces, medium-sized gardens.
Manually rewinding, portable, easy to store.

- 16,5 meters of braided flexible hose (15 m rewinding inside + 1,5 moutside)
- 2 Soft Touch quick –click hose connectors
- 8 jet ergonomic nozzle
- "indoor-outdoor" 3/4" adaptor, ideal for any type of tap, also for those used indoors (for example: kitchen, bathroom, laundry….)











GF80285608R	
Box (LxWxH) cm **42x36x35**	
Pcs 2	8 004779 023217
Kg 7	

GF80275608R	
Box (LxWxH) cm **42x36x35**	
Pcs 2	8 004779 023200
Kg7	

GF80265608R	
Box (LxWxH) cm **42x36x35**	
Pcs 2	8 004779 023194
Kg 7	

GF80295608R	
Box (LxWxH) cm **42x36x35**	
Pcs 2	8 004779 023224
Kg 7	

aquabalcony

MADE IN ITALY · MAX 18 l/min · 4 bar · WALL

AQUABALCONY - Hose hanger kit with 10 m hose

Ideal for watering plants, flowers and pots on patios, balconies, verandas and small gardens. Thanks to the dual method of use, this product can be placed on the ground or transported. It is also extremely practical.
It can be also wall-mounted. Equipped with:

- 10 metres of flexible hose • 2 quick connectors
- 8 jet ergonomic nozzle • 3/4" tap connector





GF80285852R	
Box (LxWxH) cm **64x29x32**	
Pcs 6	8 004779 030697
Kg 7,5	

GF80275852R	
Box (LxWxH) cm **64x29x32**	
Pcs 6	8 004779 030680
Kg 7,5	

GF80265852R	
Box (LxWxH) cm **64x29x32**	
Pcs 6	8 004779 030673
Kg 7,5	

GF80295852R	
Box (LxWxH) cm **64x29x32**	
Pcs 6	8 004779 030710
Kg 7,5	

aquabag style

MADE IN ITALY | ø 8 mm | WALL | MAX 18 l/min 4 bar


“AQUABAG STYLE” Mini hose reel


The new mini version hose reel is ideal for watering plants, flowers and pots on patios, balconies, verandas and small gardens.
Thanks to its dual purpose design - floor standing or portable - this is a product that proves highly practical.
It is equipped with:

- 11,5 meters of braided flexible hose (10 m rewinding inside + 1,5 moutside)
- 2 Soft Touch quick –click hose connectors
- 8 jet ergonomic nozzle • 3/4” adaptor

Rewindable and portable / dual purpose / storable and wall-mountable













GF80285628R	GF80275628R	GF80265628R
Box (LxWxH) cm **33x30x31,5**	Box (LxWxH) cm **33x30x31,5**	Box (LxWxH) cm **33x30x31,5**
Pcs 2	**Pcs** 2	**Pcs** 2
Kg 4,5	**Kg** 4,5	**Kg** 4,5
8 004779 038341	8 004779 038754	8 004779 038761

CONCEPT easyguide with aqualight from 25



Concept EasyGuide Hose Reel Kit with Aqualight 25 Ultra-Light Hose

Plastic and metal hose reel trolley equipped with the ultra-light Aqualight 25 hose. Practical and easy to use thanks to the hose guide system, which makes rewinding smooth and effortless. The supplied hose is up to three times lighter than a traditional garden hose, making the trolley exceptionally lightweight and easy to maneuver. The telescopic handle reduces storage space requirements, making it easy to store even in compact areas.Fully assembled and ready to use.• 8-jet spray gun • 4 SOFT TOUCH quick-connect fittings, 1/2"–5/8" (12–15 mm)
• 1 tap connector, 3/4" (20–27 mm)
• Aqualight ultra-light hose, 5/8"





ø 1/2"- 5/8 12 x 15 mm	ø 1/2" 60 m	ø 5/8" 50 m	ø 3/4" 40 m

GF80285882R	
Box (LxWxH) cm **80x120x55**	
Pcs 6	8 004779 045806
Kg 30	

CONCEPT



"MINI CONCEPT READY 15" portable kit

Transportable and wall hanging thanks to the appropriate supports (not supplied). Already assembled and equipped with 15 m of hose, connectors and "3 JET" ergonomically-designed nozzle.

ø 1/2"- 5/8 12 x 15 mm	ø 1/2" 60 m	ø 5/8" 50 m	ø 3/4" 40 m



GF80285793R	
Box (LxWxH) cm **80x120x28**	
Pcs 12	8 004779 021145
Kg 30	





Aqualight Ultra 25 Hose

Innovative, ultra-lightweight, and kink-resistant. Supplied with two quick-connect fittings, it is exceptionally easy to handle, being up to three times lighter than a traditional garden hose. The polyester outer cover provides a pleasant soft-touch feel, while its special construction prevents kinks and twists during use. Patented system.

GF80007161	
Box (LxWxH) cm **36x36x20**	
Pcs 1	8 004779 045066
Kg 1,06	



Hose hanger


Ideal for both conventional flexible garden hoses and for self-extendable hoses. Dual use: can be attached to a tap or wall-mounted.

GF80287044	
Box (LxWxH) cm **58x20x11,5**	
Pcs 8	8 004779 030666
Kg 1,1	

aquaflora holiday

Stand-alone drip watering system for pot plants.
Simple and practical, all that the aquaflora holiday system requires in order to function is a plastic drinks bottle of 0.5 to 2 litres capacity. No need to move any plant from its usual place, and no need for makeshift connections to the water supply.

- **simplicity:** to start watering, just attach a plastic bottle filled with water to the spike, pierce a small hole in the upturned bottom so that air can escape, then push the spike into the soil and adjust the flow of water as required.
- **effective watering:** the aquaflora holiday incorporates a special outlet grille that delivers each successive drip directly to the roots, avoiding waste and evaporation of the water.
- **adaptability:** suitable for any kind of pot or planter, whatever the size and shape.
- **indoor and outdoor use**








"AQUAFLORA HOLIDAY" Mix color
A drip watering system for pot plants that will keep all house plants regularly watered during excursions, trips and holidays.

"AQUAFLORA HOLIDAY TRIS" Mix color
Practical hang-pack containing 3 pieces



6	6	6	6

GF80256343	
Box (LxWxH) cm **38,5x29x30**	
Pcs 24	8 004779 023330
Kg 2	

GF80256344	
Box (LxWxH) cm **37x24x19,5**	
Pcs 6	8 004779 023385
Kg 1,4	



Sunny Line, safe and enviromental frendly

Using the sun's energy in a natural way, SUNNY LINE solar showers produce free hot water: just like a solar panel, the tank base connected to the water mains and exposed to the sun for about 2 hours to heat the water contained in it up to over 60°. This, properly mixed with cold water through the mixer, makes it possible to deliver approximately **60 litres of water at 30°***.

The horizontal development of the base provides better exposure to sunlight compared to vertical development models. The tank base, constantly filled via the connection to the water mains, ensures stability and strength. The pressure regulator also ensures use in total safety.

*The figures vary depending on weather conditions and are calculated in ideal conditions.



sunny niagara
solar shower

MADE IN ITALY

"SUNNY NIAGARA" Solar shower
The Sunny NIAGARA solar shower exploits natural sunlight to produce hot water naturally and free of charge.
- Contemporary styling
- Ergonomic mixer that allows more precise temperature control and independent selection of flow rate and temperature.
- Height 2.10 m
- Larger tank base and 20 cm diameter shower head for increased flow rate.

Patented





GF80286908
Box (LxWxH) cm **60x28x60**
Pcs 1
Kg 9
8 004779 033995

GF80276908
Box (LxWxH) cm **60x28x60**
Pcs 1
Kg 9
8 004779 033988

GF80266908
Box (LxWxH) cm **60x28x60**
Pcs 1
Kg 9
8 004779 033971

GF80296908
Box (LxWxH) cm **60x28x60**
Pcs 1
Kg 9
8 004779 034008



"SUNNY STYLE PREMIUM" Solar shower

The "Sunny Style Premium" solar shower uses the energy from the sun's ray to produce hot water ecologically and without using any electricity.

- hot and cold water mixer, to adjust the requested temperature
- stable and safe tank/base
- adjustable height from 1,40 to 2,10 m
- extractible and adjustable shower hose
- inlet pressure regulator with safety valve
- plug&play kit equipped with 3/4" tap adaptor, 2 SOFT TOUCH hose connectors and 10 m of phthalates free hose for the tap connection.

Patented

Sunny Style Premium

sunny the solar shower

MADE IN ITALY



DETACHABLE AND ADJUSTABLE SHOWER HEAD

ADJUSTABLE HEIGHT

MIXER

PRESSURE REGULATOR












GF80005524	
Box (LxWxH) cm **60x23x60**	
Pcs 1	8 004779 019210
Kg 7,53	

GF80005525	
Box (LxWxH) cm **60x23x60**	
Pcs 1	8 004779 019227
Kg 7,53	

GF80005526	
Box (LxWxH) cm **60x23x60**	
Pcs 1	8 004779 019234
Kg 7,53	

GF80005523	
Box (LxWxH) cm **60x23x60**	
Pcs 1	8 004779 019203
Kg 7,53	

"SUNNY STYLE" Solar shower
The "Sunny Style" solar shower uses the energy from the sun's ray to produce hot water ecologically and without using any electricity.
- hot and cold water mixer, to adjust the requested temperature
- stable and safe tank/base
- useful height 2 m
- inlet pressure regulator with safety valve
- 3/4" tap adaptor

Patented

"FOR" container bag
Container bag in soft plastic material. Multifunction for gardening, shopping, sea, living, and camping. Simple and functional, it is ideal for organizing and storing small items.

"For2" container bag
Container bag in soft plastic material. Multifunction for gardening, shopping, beach-going, living, and camping. Simple and functional, it is ideal for organizing and storing small and medium sized items.

Sunny Style

sunny
the solar shower

FOR EVERYDAY

MADE IN ITALY

FOR2 EVERYDAY

MADE IN ITALY












ADJUSTABLE SHOWER HEAD


MIXER


PRESSURE REGULATOR



GF80287602	
Box (LxWxH) cm **38x28x60**	
Pcs 10	8 004779 026133
Kg 3,2	

GF80287606	
Box (LxWxH) cm **37x20x56**	
Pcs 4	8 004779 029738
Kg 2,4	

GF80277602	
Box (LxWxH) cm **38x28x60**	
Pcs 10	8 004779 026126
Kg 3,2	

GF80277606	
Box (LxWxH) cm **37x20x56**	
Pcs 4	8 004779 029721
Kg 2,4	

GF80005520	
Box (LxWxH) cm **60x23x60**	
Pcs 1	8 004779 019135
Kg 6,38	

GF80005521	
Box (LxWxH) cm **60x23x60**	
Pcs 1	8 004779 019142
Kg 6,38	

GF80267602	
Box (LxWxH) cm **38x28x60**	
Pcs 10	8 004779 026119
Kg 3,2	

GF80267606	
Box (LxWxH) cm **37x20x56**	
Pcs 4	8 004779 029714
Kg 2,4	

GF80005522	
Box (LxWxH) cm **60x23x60**	
Pcs 1	8 004779 019159
Kg 6,38	

GF80005519	
Box (LxWxH) cm **60x23x60**	
Pcs 1	8 004779 018794
Kg 6,38	

GF80297602	
Box (LxWxH) cm **38x28x60**	
Pcs 10	8 004779 026140
Kg 3,2	

GF80297606	
Box (LxWxH) cm **37x20x56**	
Pcs 4	8 004779 029745
Kg 2,4	

aquabag style

aquabag MAXI

aquaflora holiday







Carton Display
"AQUABAG STYLE" mix color
18 pz. (6 pz. fuxia, 6 pz. blue, 6 pz. lime)

GF80255628R	
Box (LxWxH) cm **72x54x103** In Store (LxWxH) cm **72x54x140**	
Pcs 1	**Kg** 44

Carton Display
"AQUABAG MAXI" color mix
12 pz.(4 pz. fuxia, 4 pz. blue, 4 pz. lime)

GF80255608R	
Box (LxWxH) cm **72x54x115** In Store (LxWxH) cm **72x54x160**	
Pcs 1	**Kg** 49,5

Carton Display
"AQUAFLORA HOLIDAY" color mix
160 pz.

GF80250080		
Box (LxWxH) cm **82x42x63** In Store (LxWxH) cm **79x40x143**		
Kg 15	**Pcs** 160	**EAN** 8004779023330

Carton Display
"AQUAFLORA HOLIDAY TRIS"
color mix 72 pz.

GF80250081		
Box (LxWxH) cm **82x42x63** In Store (LxWxH) cm **79x40x143**		
Kg 17,4	**Pcs** 72	**EAN** 8004779023385

MERCHANDISING



Carton Banner
"SUNNY STYLE"

GF21000609	
Box (LxWxH) cm **61x50x2,5**	
Pcs 1	**Kg** 0,5

sunny niagara
solar shower



Carton Display
"SUNNY NIAGARA" color mix
4 pz. (1 pz. gray, 1 pz. lime,
1 pz. fuxia, 1 pz. blue)

GF80256909	
Box (LxWxH) cm **62x62x115**	
In Store (LxWxH) cm **62x62x171**	
Pcs 1	**Kg** 43

Carton Display
"SUNNY NIAGARA" lime
4 pz. lime

GF80286909		
Box (LxWxH) cm **62x62x115**		
In Store (LxWxH) cm **62x62x171**		
Kg 43	**Pcs** 4	**EAN** 8004779033995

Carton Display
"SUNNY NIAGARA" blue
4 pz. blue

GF80266909		
Box (LxWxH) cm **62x62x115**		
In Store (LxWxH) cm **62x62x171**		
Kg 43	**Pcs** 4	**EAN** 8004779033971

Carton Display
"SUNNY NIAGARA" fuxia
4 pz. fuxia

GF80276909		
Box (LxWxH) cm **62x62x115**		
In Store (LxWxH) cm **62x62x171**		
Kg 43	**Pcs** 4	**EAN** 8004779033988

Carton Display
"SUNNY NIAGARA" gray
4 pz. gray

GF80296909		
Box (LxWxH) cm **62x62x115**		
In Store (LxWxH) cm **62x62x171**		
Kg 43	**Pcs** 4	**EAN** 8004779034008

sunny
the solar shower



Carton Display
"SUNNY STYLE" color mix
4 pz. (1 pz. gray, 1 pz. lime,
1 pz. fuxia, 1 pz. blue)

GF80005919	
Box (LxWxH) cm **62x62x95**	
In Store (LxWxH) cm **62x62x171**	
Pcs 1	**Kg** 29,5

Carton Display
"SUNNY STYLE PREMIUM"color mix
4 pz. (1 pz. gray, 1 pz. lime,
1 pz. fuxia, 1 pz. blue)

GF80005918	
Box (LxWxH) cm **62x62x95**	
In Store (LxWxH) cm **62x62x171**	
Pcs 1	**Kg** 33,7

Carton Display
"SUNNY STYLE PREMIUM" lime
4 pz. lime

GF80176074		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 33,7	**Pcs** 4	**EAN** 8004779019210

Carton Display
"SUNNY STYLE" lime
4 pz. lime

GF80176070		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 29,5	**Pcs** 4	**EAN** 8004779019135

Carton Display
"SUNNY STYLE PREMIUM" fuxia
4 pz. fuxia

GF80176075		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 33,7	**Pcs** 4	**EAN** 8004779019227

Carton Display
"SUNNY STYLE" fuxia
4 pz. fuxia

GF80176071		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 29,5	**Pcs** 4	**EAN** 8004779019142

Carton Display
"SUNNY STYLE PREMIUM" blue
4 pz. blue

GF80176076		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 33,7	**Pcs** 4	**EAN** 8004779019234

Carton Display
"SUNNY STYLE" blue
4 pz. blue

GF80176072		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 29,5	**Pcs** 4	**EAN** 8004779019159

Carton Display
"SUNNY STYLE PREMIUM" gray
4 pz. gray

GF80176073		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 33,7	**Pcs** 4	**EAN** 8004779019203

Carton Display
"SUNNY STYLE" gray
4 pz. gray

GF80176069		
Box (LxWxH) cm **62x62x95**		
In Store (LxWxH) cm **62x62x171**		
Kg 29,5	**Pcs** 4	**EAN** 8004779018794



Carton Display
“AQUAPOP 15” mix color
20 pz. (6 pz. lime, 4 pz. fuxia, 6 pz. blue, 4 pz. gray)

GF80257651R	
Box (LxWxH) cm **72x54x115** In Store (LxWxH) cm **72x54x160**	
Pcs 1	**Kg** 31



Carton Display
“AQUAPOP 30” mix color
12 pz. (4 pz. lime, 2 pz. fuxia, 4 pz. blue, 2 pz. gray)

GF80257603R	
Box (LxWxH) cm **72x54x115** In Store (LxWxH) cm **72x54x160**	
Pcs 1	**Kg** 33



Carton Display
“AQUABALCONY” mix color
24 pz. (6 pz. lime, 6 pz. fuxia, 6 pz. blue, 6 pz. gray)

GF80255852R	
Box (LxWxH) cm **72x54x102,5** In Store (LxWxH) cm **72x54x140**	
Pcs 1	**Kg** 37



Carton Display - 18pz
“AQUAPOP GREY 25”

GF80297709R		
Box (LxWxH) cm **80x60x115** In Store (LxWxH) cm **80x60x160**		
Kg 56	**Pcs** 18	**EAN** 8004779040306





Carton Display “FOR” mix color
40 pz. (10 pz. lime, 10 pz. fuxia, 10 pz. blue, 10 pz. gray)

GF80257602	
Box (LxWxH) cm **72x54x102,5** In Store (LxWxH) cm **72x54x140**	
Pcs 1	**Kg** 20



Carton Display - 24pz
“AQUAPOP GREY PRO 25m”

GF80287708R		
Box (LxWxH) cm **80x60x115** In Store (LxWxH) cm **80x60x160**		
Kg 73	**Pcs** 24	**EAN** 8004779040160



Carton Display - 48pz
"AQUAPOP GREY EASY 25m"

25m	GF80297706R
Box (LxWxH) cm **80x60x115** In Store (LxWxH) cm **80x60x160**	
Kg 90	**Pcs** 48	**EAN** 8004779040139



Carton Display - 48pz
"AQUAPOP GREY EASY 15m"

15m	GF80297705R
Box (LxWxH) cm **80x60x115** In Store (LxWxH) cm **80x60x160**	
Kg 87	**Pcs** 48	**EAN** 8004779040115

Carton Display - 48pz
"AQUAPOP GREY EASY 30m"

30m	GF80297707R
Box (LxWxH) cm **80x60x115** In Store (LxWxH) cm **80x60x160**	
Kg 105	**Pcs** 48	**EAN** 8004779040146

Carton Display
ULTRALIGHT 25 m 5/8"
21 pz.

GF8017161
Box (LxWxH) cm **82x60x115** In Store (LxWxH) cm **80x60x160**
Kg 45	**Pcs** 45	**EAN** 80047745066




WE ARE BLUE



The GF collection made with
plastic collected from coastlines, islands, shores and rivers

FOR OCEAN
GF COLLECTION



What is the GF for ocean collection?

The FOR OCEAN collection is a selection of GF UNCONVENTIONAL products, made with +50% and +80%* of #tide ocean-bound recycled plastic: plastic waste (particularly bottles) collected from coasts, islands and rivers, and transformed into new raw material.

*percentage calculated on the weight of the product,hose not included

what is the OCEAN-BOUND PLASTIC?

It is defined as plastic waste “at risk of ending up in the ocean”, (It is estimated that around 80% of marine plastic waste comes from landbased sources.). The certification divides this plastic waste into 3 main categories:

1 / Inadequately collected plastic waste located within 50 km of the coastline

2 / Inadequately collected plastic waste located 200m from rivers & in rivers

3 / Inadequately collected plastic waste located 200m from shores

in collaboration with #tide OCEAN MATERIAL



#TIDE OCEAN MATERIAL

Tide Ocean SA is a Swiss company that collects 100% ocean-bound plastic and turns it into a valuable resource. The award-winning upcycling process is strictly mechanical and was developed in close collaboration with the Swiss University of Applied Sciences. #tide® does not process virgin plastic. Due to its strict ethical business standards and supply chain transparency, #tide® is the most trusted label when it comes to responsible plastic consumption.

tide.earth/EN/



1/Collect Ocean–Bound Plastic:

Coordinating groups of Fishermen in Southeast Asia and in Central America collect plastic waste on islands, beaches and along coastlines.



2. Sort and process plastic in a recycled raw material:

The process is overseen and monitored by a specialized branch of Swiss University.



3/Sell recycled and certified raw material:

All certified 100% Ocean Bound Plastic.

Aquabag 11,5 m and 16,5 m

Designed for any application that requires a compact product, it is ideal for balconies, terraces, medium-sized gardens.
Manually rewinding, portable, easy to store.
• 11,5/16,5 m of braided flexible hose
• 2 quick –click hose connectors • 3/4” tap connector
• ergonomic nozzle

+80%* RECYCLED OCEAN BOUND PLASTIC

MADE IN ITALY

Percentage calculated based on the product weight, excluding the hose

aqualoag 16,5



aqualoag 11,5





Aquabag 16,5 m

GF80655608	
Box (LxWxH) cm **42x36x35**	
Pcs 2	8 004779 044076
Kg 7	

Aquabag 11,5 m

GF80655606	
Box (LxWxH) cm **39x29x32**	
Pcs 2	8 004779 044069
Kg 4,5	

Aquapop 15m e 30m

Self-extendable hose kit for watering plants and flowers and for cleaning outdoor surfaces. Ideal for gardens, patios and balconies. After use, the empty hose retracts to extremely compact dimensions so it occupies minimal space in the practical container supplied, designed to facilitate storage.
• self-extendable hose of various lengths
• mini ergonomic lance or 3 jet ergonomic lance
• click-fit hose connectors • 3/4” tap connector

+80%* RECYCLED OCEAN BOUND PLASTIC

Percentage calculated based on the product weight, excluding the hose

aquapop 30

aquapop 15





Aquapop 15 m

GF80657701	
Box (LxWxH) cm **42x36x24**	
Pcs 2	8 004779 044045
Kg 2,6	

Aquapop 30 m

GF80657702	
Box (LxWxH) cm **40,5x35,5x35**	
Pcs 2	8 004779 044052
Kg 4,5	

Aquaflora Holiday Single and Tris
A drip watering system for pot plants. To start watering, just attach a plastic drinks bottle of 0.5 to 2 litres capacity, filled with water to the spike, pierce a small hole in the upturned bottom so that air can escape, then push the spike into the soil and adjust the flow of water as required. It incorporates a special outlet grille that delivers each successive drip directly to the roots, avoiding waste and evaporation of the water.

+50% RECYCLED OCEAN BOUND PLASTIC 1x

MADE IN ITALY





Aquaflora Single

GF80656343	
Box (LxWxH) cm **38,5x29x30**	
Pcs 24	8 004779 044601
Kg 2	

Aquaflora Tris

GF80656344	
Box (LxWxH) cm **37x24x19,5**	
Pcs 6	8 004779 044106
Kg 1,4	



aquapop 15

aquapop 30



Carton Display "AQUAPOP 30 m
12 pz.

Carton Display "AQUAPOP 15 m
16 pz.

aqualoag 11,5

aqualoag 16,5



Carton Display "AQUABAG 16,5 m
12 pz.

Carton Display "AQUAPOP 11,5 m
14 pz.

GF80657704		
Box (LxWxH) cm **80x40x115** In Store (LxWxH) cm **80x40x140**		
Kg 38	**Pcs** 12	**EAN** 8004779044052

GF80657703		
Box (LxWxH) cm **80x40x115** In Store (LxWxH) cm **80x40x140**		
Kg 32	**Pcs** 16	**EAN** 8004779044045

GF80656088		
Box (LxWxH) cm **80x40x115** In Store (LxWxH) cm **80x40x140**		
Kg 44	**Pcs** 12	**EAN** 8004779044076

GF80656077		
Box (LxWxH) cm **80x40x115** In Store (LxWxH) cm **80x40x140**		
Kg 48	**Pcs** 14	**EAN** 8004779044069

MERCHANDISING



Carton Display
"AQUAFLORA" 1X
80 pz.



Carton Display
"AQUAFLORA" TRIS
36 pz.



GF80650080		
Box (LxWxH) cm **40x40x115** In Store (LxWxH) cm **40x40x140**		
Kg 25	**Pcs** 80	**EAN** 8004779044601

GF80650081		
Box (LxWxH) cm **40x40x115** In Store (LxWxH) cm **40x40x140**		
Kg 33	**Pcs** 36	**EAN** 8004779044106

Floor Totem
GF21001969
Box (LxWxH) cm 52x152x10
In Store (LxWxH) cm 56x56x152

Totem Video
GF21001135
Box (LxWxH)cm 52x152x10
In Store (LxWxH) cm 56x56x152




G.F.

MIX
Paper from responsible sources
FSC® C124723

2027

GF PRO
UNCONVENTIONAL GARDEN
OCEAN WE ARE BLUE

G.F. srl
Via dell'Industria, 1
Tel +39 0522 637 311 - Fax +39 0522 691 225
42015 Correggio (RE) - ITALY

CATALOGO GF 2027
INGLESE
GF89990054 / 08.2026

8 004779 045240