







PRODUCTCOLLECTION

ORIGINAL	11	UNCONVENTIONAL	35
01 Tap connectors	12	14 Tap Connectors	36
02 Connectors	13	15 Connectors	37
03 Nozzles	14	16 Spray Guns	38
04 Spray guns	15	17 Circular Sprinklers	40
05 Circular Sprinklers	17	18 Aquago	41
06 Oscillating Sprinklers	20	Aquago 50	42
07 Pulsating Sprinklers	21	Aquago 100	44
08 Aquabag	22	19 Aqualight	46
09 Aquabag Maxi	23	Aqualight 50	47
10 Home line	26	Aqualight 100	47
11 Special Hoses	28	20 Aquabag	48
12 Aquaflora Holiday	29	21 Aquabag Maxi	52
13 Programmers	31	22 Aquabalcony	55
GF PRO	31	23 Hose Reels	56
GF 30 / GF 16 Easy / GF 48	32	Concept Plus	56
		Concept Plus Metal	57
		24 Aquaflora Holiday	58
		25 Programmers	60
		GF PRO	60
		GF 16 Easy	63

OUTDOOR LIVING	65
26 Solar shower	60
Sunny Niagara	68
Sunny Style Premium	7
Sunny Style	74
27 MODO	76

MERCHANDISING	79
28 Original	80
29 Unconventional	82
30 Indoor & Outdoor Living	84
Summary	86

Continuous research and evolution

We are guided by a passion for making continuous progress with innovative, high-quality products, never resting on our laurels. We face each new challenge by giving our best – to achieve the best.

Using an element as essential as water, our dream is to make every garden space an inexhaustible spring of wellness. An international company which operates in more than 50 countries, we have 50 years of experience in highly technical thermoplastic design and molding.


Our products arise from the desire to stay one step ahead of our clients' demands and to reinterpret market trends. We start with the end user's needs in order to create high-quality, simple-to-use technical products that are sure to exceed expectations.

A compact company structure and a business model based on efficiency allow us to ensure utmost quality and reliability from concept to sales. We offer our professional knowledge to create products which unite design, emotions, functionality and a passion for caring for green spaces.





Key fact



Vertically integrated, from product design to mold manufacturing, injection molding and assembling.



headquarter

Passion drives us in our search for top quality products




"The attitude that guides us is steadily progressing in search for innovative and quality products.

Passion, creativity and expertise create products that combine design, emotion, functionality and passion for outdoor/indoor living."

Our products were born from the desire to anticipate needs and translate the new market trends, starting from end user needs, to get their satisfaction with aesthetically pleasing, high quality and simple to use products.

A fully Italian company characterized by a distinctive and original product concept. Made in Italy excellence attribute.

A **vision** on the future



Our aim is to make gardening a customer experience of endless well-being passion drives us in our search for top quality products flexibility helps us to face every new challenge.

Strengths



MULTI -JET I WATERING GUN



GFPRO | ELECTRONIC PROGRAMMER



ROTAX | SPRINKLER

A complete Framework:
Research and Development
department, a dynamic
and creative marketing
staff to take care of the
Product Planning Process,
from product design to
Market Placing. Excellent
quality thanks to the careful
selection of materials to a
technological efficient and
productive system.

An efficient logistic and commercial system that ensures a widespread distribution and a careful customer service.

Ability to innovate
High quality
Made in Italy
Fast and accurate delivery
Flexible sales support
Customized design
and manufacturing
Easy connection

Ecology











Making the most of the resources that nature offers us with an awareness. respecting them and making the best use of them in today's society. By acting in this way, it becomes a "way of being", a model to refer to. With this awareness G.F. is facing the future, making its professional expertise available to create products that are both useful and environmentally-friendly. UNI EN ISO 14001:2004 environmental system

certification G.F. has always been very aware of sustainability and reducing the environmental impact. The UNI EN ISO 14001:2004 certification proves our ongoing commitment to control our production performance in compliance with the company environmental policy. By raising awareness at every level of the internal organisation, defining documented objectives and targets, G.F. is committed to

continuously improving its production process accordingly with its environmental policy. GF Eco product Our commitment to environmental sustainability means designing products which take advantage of non-polluting alternative energy. An example from the vast series of G.F. products is the G.F. SUNNY solar shower range: pure energy at our service, using the power of sunlight free of charge.

Design & functionality



Lifestyles and desires of the custumers are collected and turned into exclusive solutions and technologies.

An engineers and product designers team, highly qualified to take care of projects, from the mold to the product realization.

An internal prototyping area for the optimization of time to market.

An organisation based on mutual trust and collaboration to offer product quality and service with particular attention to environment and a strong social ethics.

Quality makes all the difference







Continuous improvement in the quality of products and services, the use of first choice materials, control over products and processes, assessment of customer satisfaction, energy saving, reduction of greenhouse gas

emissions and environmental impact: these are the priorities that have always guided us. Our compliance with UNI EN ISO 9001: 2008 and UNI EN ISO 14001: 2004 standards represents a guarantee for our customers and shows a constant and active company commitment.

A new way to experience gardening through two product lines: Original Gardening for technical and professional watering projects, Unconventional Gardening for those who are looking for innovative products with modern lines and attractive colors. Our goal is to create avant-garde products featuring Made in Italy design, to make any indoor and outdoor space a pleasant corner for well-being.



TAP CONNECTORS





Threaded tap connector

- Internal screw thread for tap
- · Grabbing surface
- Male connection to connect to the hose terminal



Threaded tap connector

- Internal screw thread for tap
- · Grabbing surface
- Male connection to connect to the hose terminal





	GF00545404		
Box (LxWxH) cm 5,70x5,70x4,33			
-	Pcs 10	8 004779 028656	
Ibs 0,54		8 004779 028656	







	GF80545433	
Box (LxWxH) cm 5,70x5,70x4,33		
	Pcs 10	
lbs 0,54		8 004779 028663



Dual outlet tap connector

Dual outlet tap connector with differentiated water flow adjustment. Flow-rate regulator-modulator for each outlet to adjust separately the flow rate until the total closing. Useful for coupling more accessories simultaneously.





	GF80545073		
Box (LxWxH) cm 14,76x10,03x6,10			
-	Pcs 8		
lbs 3,20		8 004779 028670	



CONNECTORS



Threaded adaptor connector with male junction.

Allows hoses equipped with click connectors to be linked with irrigators having a female threaded inlet.







GF80545429		
Box (LxWxH) cm 5,70x5,70x4,33		
+	Pcs 10	8 004779 028700
lbs 0,46		8 004779 028700

soft — touch



"Open" FEMALE hose connector

For click-fitting the hose to the tap connector. Uninterrupted water passage.





"Acquastop" FEMALE hose connector

For click-fitting the hose to various irrigation accessories. Automatic water stop-valve.

soft — touch



"Open" MALE hose connector

For click-fitting the hose to the tap connector.

Uninterrupted water passage.



















GF80545082		
Box (LxWxH) in 8,93x5,98x6,06		
_	Pcs 10	8 004779 028694
lbs 0,99		8 004779 028694







GF80545083		
Box (LxWxH) in 8,15x5,79x4,09		
*	Pcs 10	
lbs 0,95		8 004779 028717

03 NOZZLES





Medium flow spray nozzle kit

- Jet adjustment from conical spray to direct jet
- Flow adjustment
- Maximum flow 4,8 gal/min at 60 psi (18 l/min at 4 bar)



"3 JET" variable flow rate ergonomic nozzle - Kit

- "3 JET" jet selector: fixed, fannedor-coned-type
- Flow-rate regulator-modulator covered in non-slip soft rubber
- Maximum flow 4,8 gal/min at 60 psi (18 l/min at 4 bar)



"8 JET" variable flow rate ergonomic nozzle - Kit

- "8 JET" circular selector jet, with grooved edge to make easier its use
- Flow-rate regulator-modulator covered in non-slip soft rubber
- Maximum flow 4,8 gal/min at 60 psi (18 l/min at 4 bar)









GF80545407		
Box (LxWxH) in 14,76x10,04x6,10		
-	Pcs 8	
lbs 3,88		8 004779 028731



















GF80545528

Box (LxWxH) in 14,76x10,04x6,10

Pcs 8

Ibs 3,15

8 004779 028755







Watering gun "3 jet Easy" - Kit

Compact, versatile gun for watering and cleaning any type of surface.

- Flow rate regulator-modulator for progressive regulation of water flow from off to max
- "3 JET" selector: fixed, fan and cone jet
- Max. flow rate 4,8 gal/min at 60 psi (18 l/ min. at 4 bar)











GF80545537

Box (LxWxH) in 14,76x10,04x6,10







Multi-jet watering gun "8 jet Easy" - kit

Compact, versatile gun for watering and cleaning any type of surface.

- Flow rate regulator-modulator for progressive regulation of water flow from off to max
- "8 JET" rotary selector to choose from 8 different jets
- Max. flow rate 4,8 gal/min at 60 psi (18 l/ min. at 4 bar)









GF80545541

Box (LxWxH) in 15,35x11,22x6,89







Watering gun "3 jet Easy Plus" - Kit

Compact, versatile gun for watering and cleaning any type of surface. Soft rubber covering for a better grip while watering.

- Flow rate regulator-modulator with soft rubber covering for progressive regulation of water flow from off to max
- "3 JET" selector: fixed, fan and cone jet • Max. flow rate 4,8 gal/min at 60 psi (18 l/



min. at 4 bar)







GF80545538		
Box (LxWxH) in 14,76x10,04x6,10		
	Pcs 8	
II	os 3,34	8 004779 028786



Medium flow rate watering gun "3 JET METAL"

- Rugged metal structure with preventive anti-corrosion treatment
- Flow rate regulator-modulator with soft non-slip rubber covering
- Front lever with locking device
- "3-JET" selector: fixed, fan and cone jet
- Max. flow rate 20 l/min at 4 bar





Multi-jet watering gun "8 jet Easy Plus" - kit

Compact, versatile gun for watering and cleaning any type of surface. Soft rubber covering for a better grip while watering.

- Flow rate regulator-modulator with soft rubber covering for progressive regulation of water flow from off to max
- "8 JET" rotary selector with soft non-slip rubber covering to choose from 8 different
- Max. flow rate 4,8 gal/min at 60 psi (18 l/min. at 4 bar)









]	GF80545542		
	Box (LxWxH) in 15,35x11,22x6,89		
ĺ		Pcs 8	
	lbs 3,86		8 004779 028809







Medium flow spray watering gun "8 JET METAL"

- Rugged metal structure with preventive anti-corrosion treatment.
- Flow rate regulator-modulator with soft non-slip rubber covering.
- Front lever with locking device
- Circular "8 JET" selector with ergonomic rubber rim to promote grip and maximise ease of use.
- Inspectable micro-perforated disk for possible periodic maintenance requirements.
- Maximum flow rate 20 l/min at 4 bar.



























GF80546904			
Box (LxWxH) in 14,76x10,04x6,10			
	Pcs 6	8 004779 036088	
Ibs 3,70		8 004779 036088	

05 **CIRCULAR SPRINKLERS**

"4 Jet lift" sprinkler - Kit

Professional rotating sector sprinkler with turbine movement suitable for watering any surface even very large areas.

- 4 different jet types
- Adjustable head for varying the watering area
- Watering angle from 15° to 360°
- Weighted base of remarkable stability
- Maximum flow 4 gal/min at 60 psi (15 l/ min. at 4 bar)
- Soft touch hose connector





















r 26 ft







"MINI DRIVER" sprinkler stake version Kit



- Maximum flow rate 4,3 gal/min at 60 psi (16 l/min at 4 bar)
- Soft touch hose connector





	865 ft² • 80 m²	O 165 ft ² 15 m ²
)	260 ft² 24 m²	260 ft ² 24

GF80545616		
Box (LxWxH) in 15,90x15,94x6,50		
-	Pcs 12	
lbs 4,21		8 004779 028830

"Rotax" sprinkler Kit

Ideal for watering medium-small areas. Stake version.

- Adjustable nozzles to optimise the watering depending on the type of plants
- Maximum flow 5 gal/min at 60 psi (19 l/min. at 4 bar)
- Soft touch hose connector























"DRIVER" sprinkler Kit

Multi-purpose circular sprinkler with base. Modern and practical design to ensure maximum performance during use. Simply rotate the disc to control watering of 8 different areas.

- Maximum flow rate 4,8 gal/min at 60 psi (18 l/min. at 4 bar)
- Soft touch hose connector













O 205 ft ² 19 m ²	710 ft ²
	355 ft ²





"Rotax" sprinkler Kit



- Adjustable nozzles to optimise the watering depending on the type of plants
- Maximum flow 5 gal/min at 60 psi (19 l/ min. at 4 bar)
- Soft touch hose connector

















OSCILLATING SPRINKLERS



Oscillating sprinkler with continuously variable watering arc from 20° to 100°. Very quiet, it provides various watering possibilities, ideal for uniformly covering either small or large rectangular areas.

- plastic oscillating arm with 16 nozzles
- pin for cleaning the holes
- maximum flow 4 gal/min at 60 psi (15 l/min. at 4 bar)
- Soft touch hose connector























Oscillating sprinkler with continuously variable watering arc from 20° to 100°. Very quiet, it provides various watering possibilities, ideal for uniformly covering either small or large rectangular areas.

- Oscillating arm in metal with 18 brass nozzles.
- Solid weighted base to prevent overturning.
- Pin for cleaning the holes
- Maximum flow 4,8 gal/min at 60 psi (18 l/min. at 4 bar)
- · Soft touch hose connector





















PULSATING SPRINKLERS



"Spit 1" pulsating sprinkler Kit

Sectional pulsating sprinkler, ideal for large areas. Stake version.

- Jet interruption device for uniform distribution of water
- Watering angle from 15° to 360°
- Maximum flow 4 gal/min at 60 psi (15 l/min. at 4 bar)
- Soft touch hose connector











GF80545624			
Box (LxWxH) in 15,35x11,22x6,89			
	Pcs 8		
Ibs 3,10		8 004779 028885	









"Spit metal" pulsating sprinkler Kit

Sector pulsating metal sprinkler assembled on tip, ideal also for large surfaces.

- Jet interruption device for uniform distribution of water
- Watering angle from 15° to 360°
- Maximum flow 4 gal/min at 60 psi (16 l/min. at 4 bar)
- Soft touch hose connector











GF80542621			
Box (LxWxH) in 14,17x8,54x4,72			
*	Pcs 4		
lbs 4.28		8 004779 028892	



"AQUABAG" Mini hose reel The new mini version hose reel is ideal for watering plants, flowers and pots on patios, balconies, verandas and small gardens. Thanks to its dual purpose design — floor standing or portable — this is a product that proves highly practical when in use, by virtue of being compact and lightweight, and with its new attractive styling, makes leisure time in the open air even more enjoyable. **AQUABAG** • 38 ft (11,5 m) of braided flexible hose (32,81 (11 m) ft rewinding inside + 4,92 (1,5 m) ft outside • 2 quick -click hose connectors • "3 JET" variable flow-rate ergonomic nozzle 38 ft REWIND (A) (B) 33 ft L-12,6 in (32cm) W-5,9 in (15cm) H-12,2 in (31cm)

Product displays are in the merchandising section

GF80545606		
Box (LxWxH) in 13,78x11,81x12,40		
F	Pcs 2	
II	bs 8,80	8 004779 028908







AQUABAG MAXI

"AQUABAG MAXI" Portable hose-reel

Designed for any application that requires a compact product, it is ideal for balconies, terraces, medium-sized gardens.


Manually rewinding, portable, easy to store.


- 54,13ft of braided flexible hose (49,21 ft rewinding inside + 4,92 ft outside)
- 2 quick -click hose connectors
- tap connector
- 8 jet ergonomic nozzle

aqua ag MAXI






















GF80545608		
Box (LxWxH) in 15,94x13,98x13,78		
F	Pcs 2	8 004779 028915
lb	s 14,10	8 004779 028915









"HOME LINE" **HOSE REELS**



"REELY plus" portable kit

- 65,61pt of 1/2" wired hosepipe Tap connector
- 4 Hose connectors for 1/2"-5/8" · Adjustable spray nozzle











GF80545817			
Box (LxWxH) in 15,35x9,25x15,35			
	Pcs 1	8 004779 028953	
II	bs 8,20	8 004779 028953	







"IDEA PREMIUM" trolley kit

- Steel discs and drum with anticorrosion treatment
- Retractable telescopic handle
- Soft touch non-slip handle
- Max capacity 197 ft (60 m) of ø1/2" hose
- Extremely sturdy



"Metal tank 75" metal trolley kit

- Sturdy and stable aluminum frame
- · Steel drum with corrosion-resistant coating
- Retractable telescopic handle
- 2 SOFT TOUCH "quickclick" hose connectors
- Maximum capacity: 243 ft (75 m)of ø1/2" hose






















L-22,5 in (57cm) W-20,1 in (41cm) H-21,7 in (55cm)





"REWall30" automatic wall-mounted hose-reel



Revolves 180° thanks to a wall bracket.

- 100 ft. (30 m) of reinforced 1/2"hose;
- AQUASTOP SOFT TOUCH 1/2" hose connector to automatically stop the
- Spray nozzle with adjustable jet from fine atomized cone to straight iet:
- Tap connector kit: 4,92 ft reinforced 1/2" hose, SOFT TOUCH 1/2" hose connector, tap plug






Trolley/tap connecting kit

Composed of:

- 5 ft (1,5 m) of wired 1/2" hosepipe
- 2 guick –click hose connectors
- tap connector

















Complete with 100 ft (30 m) of 1/2" reinforced hosepipe



Always slowly retracts the hose without any pulling.



Locks the hose in the most comfortable position nearest the irrigation point.



Anti-extraction" safety device against accidental hinge-pin removal

Hose metal hanger



FOR WATERING **EXTENDABLE HOSE** (not included)

FOR WATERING HOSEPIPE (not included)



lbs 5.18



























SPECIAL HOSES

33 ft Spiral Hosepipe Kit Plus

- 33 ft (10 m) of extendable spiral hosepipe
- Tap connector
- SOFT TOUCH "open" hose connectors
- "8 Jet Easy Plus" spray gun
- Wall-mounting brackets









GF80547233		
Box (LxWxH) in 16,54x14,96x14,37		
	Pcs 4	
Ibs 12,12		8 004779 028977















12 AQUAFLORA HOLIDAY

The ideal solution for your holidays.

Stand-alone drip watering system for potted plants.

AQUAFLORA HOLIDAY

Aquaflora Holiday is the stand-alone watering system for potted plants that allows day-trippers and holiday-makers to get away with no worries, and no need to disturb friends and family, while guaranteeing that their plants will stay healthy and continue to flourish.

Simplé and practical, all that the Aquaflora Holiday system requires in order to function is a plastic drinks bottle of 0,132 - 0,52 (0,5 - 2 liters)gallons capacity. No need to move any plant from its usual place, and no need for makeshift connections to the water supply.

- SIMPLICITY: to start watering, just attach a plastic bottle filled with water to the spike, pierce a small hole in the upturned bottom so that air can escape, then push the spike into the soil and adjust the flow of water as required.
- STEADY AND MEASURED RELEASE OF WATER: plants are watered by constant drip irrigation, ensuring that there can be no harmful waterlogging of the roots; the release of water from the bottle is adjusted with a handy tap positioned on the front of the spike.
- EFFECTIVE WATERING: the Aquaflora Holiday incorporates a special outlet grille that delivers each successive drip directly to the roots, avoiding waste and evaporation of the water and ensuring that the plant will stay in perfect health.
- ADAPTABILITY: suitable for any kind of potted or planter, whatever the size and shape.
- INDOOR AND OUTDOOR USE: the Aquaflora Holiday system is suitable both for house plants and for pot plants out in the open.







holiday TRIS



AQUAFLORA Holiday TRIS

Practical hang-pack containing 3 pieces, for keeping all house plants regularly watered during excursions, trips and holidays. Each TRIS pack contains 3 x Aquaflora Holiday.

8~pcs counter-top display Aquaffora Holiday TRIS (GF80170087) Dimensions: in 15,2~x 11,4~x~h $9,25~(cm <math display="inline">38,5~x \ 29~x~h$ 23,5) Practical display with detailed guidance material. It contains 72 pcs. Aquaffora Holiday TRIS (GF80170081) Dimensions opened: in $31,10~x\ 15,75~x~h$ $56~,30~(cm <math display="inline">79~x\ 40~x~h$ 143)

Product displays are in the merchandising section













GF80006344Box (LxWxH) in **37x24x19,5**

Pcs 6



13 PROGRAMMERS

Bluetooth® GFPRO Eco Watering Computer irrigation programmer

GFPRO Eco Watering Computer irrigation programmer controlled via GF App to manage home-gardening irrigation directly from your smartphone. Easy to use, it allows irrigation programming by connecting the device to the programmer via Bluetooth® wireless technology. Through the control panel of the GF App it is possible to:



- Set up customized programs: setting irrigation start time, duration and frequency for a maximum of 4 daily irrigations.
- Set up predefined programs: designed for irrigation at the best time of the day and differentiated between surface irrigation and Micro/Drip irrigation.
- Set up the ECO function: it adjusts the duration of the programs previously set according to the current season, thus avoiding water waste for a more ecological choice.
- Manually adjust the programmed watering duration: it is possible to increase or decrease the duration of the programs previously set based on warmer or rainier weather forecasts for the next 3 days.
- Manually open or close the water flow.
- Combine the app and simultaneously manage multiple GFPRO Eco Watering Computer programmers.

App available for iOS and Android devices.




















Product displays are in the merchandising section












"GF 30" Electronic programmer

It is simple, easy to understand and practical to be used, it is possible to select up to 30 programs easily managed by two selector switches.

- Starts every 3, 6, 12, 24, 48 hours for 1, 3, 5, 15, 30, 60 minutes.
- Key for manually-operated starts not included in the program cycles
- Key to delay the first start of 8 hours after the first setting
- It operates with a 9V alkaline battery
- Water supply stop device in case the battery runs down
- Electric components are protected against water and humidity
- Maximum operating pressure : 120 psi (8 bar)

GF30







"GF16 easy" electronic programmer

Simple and reliable, it features programs that can be combined with each other up to 16 + 1 combinations, selectable through a handy knob selector. Starts every 6, 12, 24, 48 hours with prefixed watering times. "Easy garden" program for the optimization of the watering cycles: two preset daily watering to water properly morning and evening, improving the absorption of water by the soil, thus avoiding the plants damaging.

- manual start button for starting
- independently of the programme cycle
 works with 9 volt alkaline battery
- device to stop the water flow in case the battery runs down
- electrical components protected from water and humidity
- maximum pressure in use 120 psi (8 bar)








"GF48" electronic programmer

It is simple, easy to understand and practical to be used, provides combinations of programs up to 48 possibilities managed through the easy to use concentric knob switches. Starts every 3, 6, 12, 24, 48, 96 hours for 1, 2, 5, 10, 15, 30, 60, 120 minutes.

- manual start button for starting independently of the program cycle
- button for delaying of 8 hours after the initial setting-up
- works with 9 volt alkaline battery
- device to stop the water flow in case the battery runs down
- electrical components protected from water and humidity
- maximum pressure in use 120 psi (8 bar)

GF48





















A new way of conceiving gardens, a new challenge made of colors and design. Innovative products characterized by modern lines and endearing colors. GF GARDEN is a state-of-the-art company that manufactures objects for the world of gardening.



TAP CONNECTORS



Threaded tap connector

- · Internal screw thread for tap
- Grabbing surface
- Male connection to connect to the hose terminal



Dual outlet tap connector

Dual outlet tap connector with differentiated water flow adjustment. Flow-rate regulator-modulator for each outlet to adjust separately the flow rate until the total closing. Useful for coupling more accessories simultaneously.





Ibs 3,20






















15 CONNECTORS



Threaded adaptor connector with male junction.

Allows hoses equipped with click connectors to be linked with irrigators having a female threaded inlet.

soft — touch



"Open" FEMALE hose connector

For click-fitting the hose to the tap connector.
Uninterrupted water passage.







	GF83285429		
Box (LxWxH) cm 5,70x5,70x4,33			
Pcs 10			
Ibs 0,46		8 004779 030451	







	GF83285079		
Box (LxWxH) in 8,93x5,98x6,06			
Pcs 10			
lbs 0,95		8 004779 030482	







"Open" MALE hose connector

For click-fitting the hose to the tap connector.

Uninterrupted water passage.







GF83285083 Box (LxWxH) in 8,94x5,98x6,06 Pcs 10 Ibs 0,95 8 | 004779 | 030499

16
SPRAY GUNS







Watering gun "3 jet Easy Plus" - Kit

Compact, versatile gun for watering and cleaning any type of surface. Soft rubber covering for a better grip while watering.

- Flow rate regulator-modulator with soft rubber covering for progressive regulation of water flow from off to max
- "3 JET" selector: fixed, fan and cone jet
- Max. flow rate 4,8 gal/min at 60 psi (18 l/min, at 4 bar)









GF83285538		
Box (LxWxH) in 14,76x10,04x6,10		
	Pcs 8	
lbs 3,34		8 004779 036095



Medium flow rate watering aun "3 JET METAL"

- Rugged metal structure with preventive anti-corrosion treatment
- Flow rate regulator-modulator with soft non-slip rubber covering
- Front lever with locking device
- "3-JET" selector: fixed, fan and cone jet
- Max. flow rate 20 l/min at 4 bar





Multi-jet watering gun "8 jet Easy Plus" - kit

Compact, versatile gun for watering and cleaning any type of surface. Soft rubber covering for a better grip while watering.

- Flow rate regulator-modulator with soft rubber covering for progressive regulation of water flow from off to max
- "8 JET" rotary selector with soft non-slip rubber covering to choose from 8 different
- Max. flow rate 4,8 gal/min at 60 psi (18 l/min. at 4 bar)









GF83285542		
Box (LxWxH) in 15,35x11,22x6,89		
	Pcs 8	
lbs 3,86		8 004779 030512







Medium flow spray watering gun "8 JET METAL"

- Rugged metal structure with preventive anti-corrosion treatment.
- Flow rate regulator-modulator with soft non-slip rubber covering.
- Front lever with locking device
- Circular "8 JET" selector with ergonomic rubber rim to promote grip and maximise ease of use.
- Inspectable micro-perforated disk for possible periodic maintenance requirements.
- Maximum flow rate 20 l/min at 4 bar.













GF83286902			
Box (LxWxH) in 14,76x10,04x6,10			
Pcs 6			
lbs 3,53		8 004779 035197	









GF83286904			
Box (LxWxH) in 14,76x10,04x6,10			
	₽cs 6		
lbs 3,70		8 004779 035258	







"DRIVER" sprinkler Kit

Multi-purpose circular sprinkler with base.

Modern and practical design to ensure maximum performance during use. Simply rotate the disc to control watering of 8 different areas.

- Maximum flow rate 4,8 gal/min at 60 psi (18 l/min. at 4 bar)
- · Soft touch hose connector























Sprinkler "MINI DRIVER" stake version

Multi-purpose circular sprinkler on stake. Modern and practical design to ensure maximum performance during use. Features stake for easy insertion in the ground. Simply rotate the disc to control watering of 4 different areas.

• max. flow rate 16 l/min















AQUAGO

aqua

Self-extending and repairable hose kit. Practical, lightweight and easy to use thanks to the hose that lengthens automatically with water pressure. After use, the empty hose shortens on its own to a compact size. Easily repairable in case of breakage or puncture.













(IIH_CHC HIII)





"AQUAGO 50" self-extendable hose kit

Self-extending hose kit for watering plants and flowers and cleaning outdoor surfaces. Ideal for gardens, terraces or balconies. Practical, lightweight and easy to use thanks to the hose that lengthens automatically with water pressure. After use, the empty hose shortens on its own to a compact size. Lightweight and manageable, thanks to its structure it's also anti-kink, anti-twist and flexible even at low temperatures. In case of breakage or puncture, it can be cut and reconnected.

The kit includes:

- Self-extending hose up to 50 ft (15 m)
- 8-jet ergonomic nozzle
- Hose connectors
- Tap connector









GF80267642		
Box (LxWxH) in 16,53x14,17x9,45		
F	Pcs 2	
lbs 5,73 8 004779 036255		



	GF80277642		
Box (LxWxH) in 16,53x14,17x9,45			
=	Pcs 2		
lbs 5,73		8 004779 036262	



GF80287642		
Box (LxWxH) in 16,53x14,17x9,45		
1	Pcs 2	
lbs 5,73		8 004779 036279



GF80297642		
Box (LxWxH) in 16,53x14,17x9,45		
-	Pcs 2	8 004779 036286
lbs 5,73		8 004779 036286





"AQUAGO 100" self-extendable hose kit

Self-extending hose kit for watering plants and flowers and cleaning outdoor surfaces. Ideal for gardens, terraces or balconies. Practical, lightweight and easy to use thanks to the hose that lengthens automatically with water pressure. After use, the empty hose shortens on its own to a compact size. Lightweight and manageable, thanks to its structure it's also anti-kink, anti-twist and flexible even at low temperatures. In case of breakage or puncture, it can be cut and reconnected.

The kit includes:

- Self-extending hose up to 100 ft (30 m)
- 8-jet ergonomic nozzle
- Hose connectors
- Tap connector

















	GF80287643		
Вох (Box (LxWxH) in 15,94x13,98x13,78		
F	Pcs 2		
11	os 9,48	8 004779 036316	



GF80297643		
Box (LxWxH) in 15,94x13,98x13,78		
-	Pcs 2	
lbs 9,48		8 004779 036323

19 AQUALIGHT

aqualight



"AQUALIGHT" light hose kit

AquaLight is the innovative, super-light and anti-knot hose. Lightweight and manageable. Anti-kink and anti-twist construction. Durable and flexible even at low temperatures. Easy to roll up and store. Easy to repair in case of cuts or punctures. Up to 3 times lighter than a traditional hose. 100% recyclable hose, disposed of with other plastics (excluding accessories). The kit includes:

- 50 ft (15 m) or 100 ft (30 m) 5/8" or 3/4" hose
- Hose connectors
- Tap connector





aquali@ht





















































"AQUABAG" Mini hose reel

The new mini version hose reel is ideal for watering plants, flowers and pots on patios, balconies, verandas and small gardens. Thanks to its dual purpose design - floor standing or portable - this is a product that proves highly practical when in use, by virtue of being compact and lightweight, and with its new attractive styling, makes leisure time in the open air even more enjoyable. It is equipped with:

- 38 ft (11,5 m) of braided flexible hose, 33 ft (10 m) rewinding inside + 5 ft (1,5 m) outside
- 2 Soft Touch quick -click hose connectors
- "3 JET" variable flow-rate ergonomically designed nozzle
- tap connector

rewindable and portable dual purpose storable and wall-mountable








GF80285604		
Box (LxWxH) in 13,77x11,81x12,60		
8	Pcs 2	
lbs 8,92		8 004779 029998

GF80275604		
Box (LxWxH) in 13,77x11,81x12,60		
1	Pcs 2	
lbs 8,92		8 004779 029981

GF80265604		
Box (LxWxH) in 13,77x11,81x12,60		
-	Pcs 2	
lbs 8,92		8 004779 029974















"AQUABAG MAXI" Portable hose-reel

Designed for any application that requires a compact product, it is ideal for balconies, terraces, medium-sized gardens. Manually rewinding, portable, easy to store.

- 54 ft (16,5 m) of braided flexible hose, 49 ft (15 m) rewinding inside + 5 ft (1,5 m) outside
- 2 Soft Touch quick -click hose connectors
- 8 jet ergonomic nozzle
- tap connector

rewindable and portable dual purpose storable and wall-mountable







GF80285605		
Box (LxWxH) in 15,94x13,98x13,78		
8	Pcs 2	
lbs 14,11		8 004779 029844

GF80275605		
Box (LxWxH) in 15,94x13,98x13,78		
=	Pcs 2	
lbs 14,11		8 004779 029837

GF80265605		
Box (LxWxH) in 15,94x13,98x13,78		
-	Pcs 2	
lbs 14,11		8 004779 029820





22 AQUABALCONY



AQUABALCONY - Hose hanger kit with 33 ft hose

Self-extendable hose kit for watering plants and flowers and for cleaning outdoor surfaces. Ideal for gardens, patios and balconies. Practical, lightweight and easy to use. After use, the empty hose retracts to extremely compact dimensions so it can be coiled on the practical hanger.


Equipped with:

- 33 ft of flexible hose
- 2 quick connectors
- "8 JET" ergonomic variable flow rate spray lance (aquabag maxi)
- 3/4" tap connector
















HOSE REELS



"CONCEPT PLUS READY" hose reel kit

Plastic and metal hose reel trolley, thanks to the innovative Stability System ensures greater stability and easier rewinding of the hose after use. Thanks to the telescopic handle, it is compact and easy to store even in small spaces. Fully assembled and equipped. Handy to use and with a modern and essential design. For those who wish a practical and versatile irrigation solution.

- trolley with wheels and retractable telescopic handle
- "8 jet Easy Plus" watering gun
- 4 SOFT TOUCH "quick click" hose connectors
- 1 tap adaptor
- 82 ft (25 m) hose with Ø 1/2" (12,5 mm)



















L-18.9 in (48cm) W-15,4 in (39cm) H-34,3 in (87cm)






"CONCEPT PLUS METAL" hose reel kit

Plastic and metal hose reel trolley, thanks to the innovative Stability System ensures greater stability and easier rewinding of the hose after use. Thanks to the telescopic handle, it is compact and easy to store even in small spaces. Fully assembled and equipped. Handy to use and with a modern and essential design. For those who wish a practical and versatile irrigation solution.

- trolley with wheels and retractable telescopic handle
- "8 jet Easy Plus" gun
- 4 SOFT TOUCH "quick click" hose connectors
- 1 Ø 3/4" tap adaptor
- 82 ft (25 m) hose with Ø 1/2" (12,5 mm)
- Steel discs and drum with anticorrosion treatment

















L-18,9 in (48cm) W-15,4 in (39cm) H-34,3 in (87cm)



24 AQUAFLORA HOLIDAY

aquaflora holiday



The ideal solution for your holidays. Stand-alone drip watering system for potted plants.

Aquaflora Holiday is the stand-alone watering system for potted plants that allows day-trippers and holiday-makers to get away with no worries, and no need to disturb friends and family, while guaranteeing that their plants will stay healthy and continue to flourish. Simple and practical, all that the Aquaflora Holiday system requires in order to function is a plastic drinks bottle of 0,132 - 0,52 gallons (0,5 - 2 litres) capacity. No need to move any plant from its usual place, and no need for makeshift connections to the water supply.

- SIMPLICITY: to start watering, just attach a plastic bottle filled with water to the spike, pierce
 a small hole in the upturned bottom so that air can escape, then push the spike into the soil
 and adjust the flow of water as required.
- STEADY AND MEASURED RELEASE OF WATER: plants are watered by constant drip
 irrigation, ensuring that there can be no harmful waterlogging of the roots; the release of
 water from the bottle is adjusted with a handy tap positioned on the front of the spike.
- EFFECTIVE WATERING: the Aquaflora Holiday incorporates a special outlet grille that delivers each successive drip directly to the roots, avoiding waste and evaporation of the water and ensuring that the plant will stay in perfect health.
- ADAPTABILITY: suitable for any kind of potted or planter, whatever the size and shape.
- INDOOR AND OUTDOOR USE: the Aquaflora Holiday system is suitable both for house plants and for potted plants out in the open.



"AQUAFLORA HOLIDAY TRIS"

Practical hang-pack containing 3 pieces, for keeping all house plants regularly watered during excursions, trips and holidays. Each tris pack contains 3 x Aquaflora Holiday.

Product displays are in the merchandising section

GF80250081 Box (LxWxH) in 32,28x16,54x24,80 Pcs 72 Ibs 38 36 8004779023385













25 PROGRAMMERS

Bluetooth® GFPRO Eco Watering Computer irrigation programmer

GFPRO Eco Watering Computer irrigation programmer controlled via GF App to manage home-gardening irrigation directly from your smartphone. Easy to use, it allows irrigation programming by connecting the device to the programmer via Bluetooth® wireless technology. Through the control panel of the GF App it is possible to:



- Set up customized programs: setting irrigation start time, duration and frequency for a maximum of 4 daily irrigations.
- Set up predefined programs: designed for irrigation at the best time of the day and differentiated between surface irrigation and Micro/Drip irrigation.
- Set up the ECO function: it adjusts the duration of the programs previously set according to the current season, thus avoiding water waste for a more ecological choice.
- Manually adjust the programmed watering duration: it is possible to increase or decrease the duration of the programs previously set based on warmer or rainier weather forecasts for the next 3 days.
- Manually open or close the water flow.
- Combine the app and simultaneously manage multiple GFPRO Eco Watering Computer programmers.

App available for iOS and Android devices.




























"GF16 EASY" Electronic programmer

Simple and trustworthy, provides combinations of programs up to 16 possibilities managed through the easy to use knob switch. Starts every 6, 12, 24, 48 hours with prefixed watering times. "Easy garden" program for the optimization of the watering cycles: two preset daily watering to water properly morning and evening, improving the absorption of water by the soil, thus avoiding the plants damaging.



- manual start button for starting independently of the programme cycle
- works with 9 volt alkaline battery
- device to stop the water flow in case the battery runs down
- electrical components protected from water and humidity
- tap connector
- maximum pressure in use 120 psi (8 bar)
















26 SOLAR SHOWER





Sunny line

Using the sun's energy in a natural way, SUNNY LINE solar showers produce free hot water: just like a solar panel, the tank base connected to the water mains and exposed to the sun for about 2 hours to heat the water contained in it up to over 140°F (60°C). This, properly mixed with cold water through the mixer, makes it possible to deliver approximately 15,85 gallons of water at 86°F* (60 litres of water at 30°C). Several showers at a pleasant temperature are therefore possible: leaving a few minutes between one shower and the next means that they are practically endless throughout the day.

*The floures vary depending on weather conditions and are calculated in ideal conditions.

SUNNY is **PRACTICAL** The fact that SUNNY is easy to transport, extremely lightweight and simple to handle makes it very versatile: suitable for any outdoor environment, from the garden to the terrace to the pool, SUNNY is also ideal for lovers of caravans and camping.

SUNNY is BASIC only 3 components to ensure ease of assembly and disassembly and a minimal aesthetic impact, non-invasive, suitable for any outdoor setting.

SUNNY is **EFFECTIVE** The horizontal development of the base provides better exposure to sunlight compared to vertical development models: this results in increased thermal efficiency in addition to greater speed in the early stages of heating during the day.

SUNNY is SAFE and ENVIRONMENTALLY-FRIENDLY The tank base, constantly filled via the connection to the water mains, ensures stability and strength. The pressure regulator also ensures use in total safety. By not using electricity or fuel, the water is heated without affecting the environment in any way and without producing any form of pollution.









"SUNNY NIAGARA" Solar shower

The Sunny NIAGARA solar shower exploits natural sunlight to produce hot water naturally and free of charge. When exposed to the sun for around two hours, thanks to heating of the water in the tank base the unit can provide several hot showers at the required temperature thanks to the built-in mixer control.

- · Contemporary styling
- Ergonomic mixer that allows more precise temperature control and independent selection of flow rate and temperature.
- Height 2.10 m
- Larger tank base and 20 cm diameter shower head for increased flow rate.

PATENT PENDING







SHOWER HEAD

PRESSURE REGULATOR























GF80276915		
Box (LxWxH) in 23,6x11x23,6		
	Pcs 1	
Ibs 18,7		8 004779 036354

GF80266915		
Box (LxWxH) in 23,6x11x23,6		
	Pcs 1	
Ibs 18,7		8 004779 036347









"SUNNY STYLE PREMIUM" Solar shower

The "Sunny Style Premium" solar shower uses the energy from the sun's ray

to produce hot water ecologically and without using any electricity. Exposed to the sun for about 2 hours, thanks to the water heating process contained in the tank-base, it supplies many hot showers with adjustable temperature through the handy mixer tap included. It is equipped with extractible and adjustable shower hose in order to assure the best comfort.

The new coloured covers make the "Sunny Style Premium" shower more attractive

and pleasant complying with all consumer's preferences!

- Hot and cold water mixer, to adjust the requested temperature
- Stable and safe tank/base
- Adjustable height from 4,60 to 6,90 ft (1,40 to 2,10 m)
- Extractible and adjustable shower hose
- Two inlet pressure regulator with safety valve
- Plug&Play kit equipped with tap adaptor, 2 SOFT TOUCH quick-click hose connectors and 33 ft (10 m) of phthalates free hose for the tap connection.

PATENTED

Product displays are in the merchandising section















GF80545524						
Box (LxWxH) in 23,62x9,06x23,62						
	Pcs 1	8 004779 030024				
Ibs 16,60 8 004779 030024						





Sunny Style Premium

Sunny Style Premium














Box	Box (LxWxH) in 23,62x9,06x23,62					
	Pcs 1	8 004779 030031				
Ibs 16,60		8 004779 030031				

















GF80545523 Box (LxWxH) in 23,62x9,06x23,62 Pcs 1 **Ibs** 16,60



Sunny Style



"SUNNY STYLE" Solar shower

The Sunny Style" solar shower uses the energy from the sun's ray to produce hot water ecologically and without using any electricity. Exposed to the sun for about 2 hours, thanks to the water heating process contained in the tank-base, it supplies many hot showers with adjustable temperature through the handy mixer tap included.

It is equipped with extractable and adjustable shower hose in order to assure the best comfort

The new coloured covers make the "Sunny Style" shower more attractive and pleasant complying with all consumer's preferences!

- hot and cold water mixer, to adjust the requested temperature
- stable and safe tank/base
- useful height 6,60 ft (2 m)
- two inlet pressure regulators with safety valve
- tap adaptor

PATENTED

Product displays are in the merchandising section









Sunny Style

Sunny Style










GF80545521						
Box (LxWxH) in 23,62x9,06x23,62						
	Pcs 1					
lb	s 14,22	8 004779 029028				

GF80545522							
Box (LxWxH) in 23,62x9,06x23,62							
	Pcs 1	8 006779 029011					
lb	s 14.22	8 00/779 029011					



27MODO



Wall plant "MODO"

Wall plant container with an exclusive styling.

The geometrical shape and clean lines are perfect for creating green features to bring nature into the home.

The clear plastic housing holds the coloured container to protect the walls from soil, water and leaves.Removable container for easy maintenance.

MODO is a modular and versatile décor accessory that can be hung on a wall or placed on a flat surface.

Sold complete with potting compost.





Wall plant "MODO" Light Grey

GF86010001				
Box (LxWxH) in	13,8x11,8x12,6			

Pcs 2

8 004779 034091









28 ORIGINAL









Palbox 18 pcs AQUABAG display

Self-supporting cardboard display with crowner. It is supplied assembled and completed with products. It contains: 18 pcs AquaBag Opened dimensions: in 28,35 x 21,26 x 55,12 h (72 x 54 x 140 cm)

GF80546077 Box (LxWxH) in 28,35x21,26x40,35 Pcs 18 FAN

lbs 91,50

EAN 8004779028908

Palbox AQUAFLORA HOLIDAY display

Practical and informative standing cardboard display. It is supplied assembled and completed with products. Opened dimensions: in 31,10 x 15,75 x 56,30 h (79 x 40 x 143 cm)

	GF80170081				
Box (Box (LxWxH) in 32,28x16,54x24,80				
7_	Pcs 72	FΔN			

lbs 38.36

8004779025082





Display case for Bluetooth® GFPRO Eco Watering Computer programmer

Cardboard floor display case, practical and explanatory for Bluetooth® GFPRO Eco Watering Computer programmers. It can hold up to 8 programmers. Opened dimensions: in 19,68 x 10,24 x 57,09 h (25,5 x 21 x 105 cm)

Empty display

	GF21000697					
Box (LxWxH) in 10,04x8,27x41,34						
	Pcs 1					
Il	os 4,41					













Display case for Bluetooth® GFPRO Eco Watering Computer programmer

Cardboard floor display case, practical and explanatory for Bluetooth® GFPRO Eco Watering Computer programmers. It can hold up to 8 programmers. Opened dimensions: in 19,68 x 10,24 x 57,1 h (50 x 26 x 145 cm)

Empty display

GF21000697					
Box (LxWxH) in 10,04x8,27x41,34					
Pcs 1					
lhs 4 41					

Palbox AQUAFLORA HOLIDAY display color mix display

Practical and informative standing cardboard display. It is supplied assembled and completed with products. Opened dimensions: in 31,10 x 15,75 x 56,30 h (79 x 40 x 63 cm)

	GF80250081					
Box (Box (LxWxH) in 32,28x16,54x24,80					
	Pcs 72 EAN					
lbs 38 36 800477902338						









Display Stand, 18 pcs "AQUABAG" color mix

Self-supporting cardboard display stand, 18 pcs AQUABAG. Contents: 18 pcs "Aquabag" assorted colours (6 pcs fuxia, 6 pcs blue, 6 pcs lime) Opened dimensions: in 29,6 x 21,26 x 55,12 h (75,2 x 54 x 140 cm)

GF80255604

Box (LxWxH) in 29,6x21,26x40,35

Pcs 1 **lbs** 91.50

Palbox 12 pcs "AQUABAG MAXI" (fuxia, blue, lime,) display color mix

Self-supporting cardboard display with crowner. It is supplied assembled and completed with products. It contains: 12 pcs Aquabag Maxi assorted colours (4 pcs fuxia, 4 pcs blue, 4 pcs lime) Opened dimensions: in 28,35 X 21,26 X 63 h (72 x 54 x 160 cm)

GF80255605

Box (LxWxH) in 28,35x21,26x45,28



Pcs 1

lbs 95.90











"SUNNY STYLE PREMIUM" multi – color display

Floor-standing dispenser box of small dimensions completed of panel with illustrated instructions

4 "Sunny Style Premium": " shower boxes 1 pc Grey-coloured, 1pc. Green-coloured, 1 pc. Fuchsia-coloured, 1pc. Bluecoloured

Dimensions: in 24,4 X 24,4 X 67,32 (62 x 62 x 171cm)

GF80545918

Box (LxWxH) in 24,4x24,4x38,19

Pcs 1

"SUNNY STYLE" multi – color display

Floor-standing dispenser box of small dimensions completed of panel with illustrated instructions

4 "Sunny Style" shower boxes

1 pc Grey-coloured, 1pc. Green-coloured, 1 pc. Fuchsia-coloured, 1pc. Bluecoloured

Dimensions: in 24,4 X 24,4 X 67,32 (62 x 62 x 171cm)

GF80545919

Box (LxWxH) in 24,4x24,4x38,19









"SUNNY NIAGARA" multi - color display

Floor-standing dispenser box of small dimensions completed of panel with illustrated instructions

- 4 "Sunny Niagara": "shower boxes 1 pc Grey-coloured, 1pc. Green-coloured, 1 pc. Fuchsia-coloured, 1pc. Blue-
- coloured

Dimensions: in 24,4 X 24,4 X 45,3 (62 x 62 x 171cm)

GF80256916

Box (LxWxH) in 24,4x24,4x45,3



Pcs 1

Ibs 83,7



Summary

Λ		D	D	Λ+		D	D
Art.	EAN	Pcs.	Pag.	Art.	EAN	Pcs.	Pag.
GF21000697	-	1	81 - 82	GF80545083	8004779028717	10	13
GF80005844	8004779030659	8	27	GF80545407	8004779028731	8	14
GF80006344	8004779025082	6	30	GF80545429	8004779028700	10	13
GF80170081	8004779025082	72	80	GF80545433	8004779028663	10	12
GF80250081	8004779023385	72	58 - 82	GF80545484	8004779028656	10	12
GF80255604	-	1	83	GF80545519	8004779029035	1	75
GF80255605	-	1	83	GF80545520	8004779029042	1	74
GF80256916	-	1	85	GF80545521	8004779029028	1	75
GF80265604	8004779029974	2	49	GF80545522	8004779029011	1	75
GF80265605	8004779029820	2	53	GF80545523	8004779030017	1	72
GF80267642	8004779036255	2	43	GF80545524	8004779030024	1	71
GF80267643	8004779036293	2	45	GF80545525	8004779030031	1	72
GF80266915	8004779036347	1	69	GF80545526	8004779030048	1	72
GF80275604	8004779029981	2	49	GF80545527	8004779028748	8	14
GF80275605	8004779029837	2	53	GF80545528	8004779028755	8	14
GF80277642	8004779036262	2	43	GF80545537	8004779028779	8	15
GF80277643	8004779036309	2	45	GF80545538	8004779028786	8	16
GF80276915	8004779036354	1	69	GF80545541	8004779028793	8	15
GF80285604	8004779029998	2	49	GF80545542	8004779028809	8	16
GF80285605	8004779029844	2	53	GF80545606	8004779028908	2	22
GF80287642	8004779036279	2	43	GF80545608	8004779028915	2	23
GF80287643	8004779036316	2	45	GF80545616	8004779028830	12	18
GF80286915	8004779036361	1	68	GF80545617	8004779028854	4	19
GF80297642	8004779036286	2	43	GF80545624	8004779028885	8	21
GF80297643	8004779036323	2	45	GF80545632	8004779028847	8	19
GF80296915	8004779036378	1	69	GF80545633	8004779028823	8	18
GF80542621	8004779028892	4	21	GF80545662	8004779028878	6	20
GF80545073	8004779028670	8	12	GF80545667	8004779028816	6	17
GF80545079	8004779028687	10	13	GF80545669	8004779028861	6	20
GF80545082	8004779028694	10	13	GF80545681	8004779028960	1	27
•							

Art.	EAN	Pcs.	Pag.
GF80545787	8004779028939	1	26
GF80545817	8004779028953	1	26
GF80545829	8004779032363	1	26
GF80545918	-	1	84
GF80545919	-	1	84
GF80546014	8004779028984	2	32
GF80546015	8004779029004	2	32
GF80546016	8004779028991	2	32
GF80546017	8004779030819	2	31
GF80546077	8004779028908	18	80
GF80546902	8004779036071	6	16
GF80546904	8004779036088	6	16
GF80547151	8004779036194	1	47
GF80547152	8004779036200	1	47
GF80547153	8004779036330	1	47
GF80547154	8004779036200	1	47
GF80547200	8004779028946	6	27
GF80547233	8004779028977	4	28
GF83285073	8004779030475	8	36
GF83285079	8004779030482	10	37
GF83285083	8004779030499	10	37
GF83285429	8004779030451	10	37
GF83285433	8004779030468	10	36
GF83285538	8004779036095	8	39
GF83285542	8004779030512	8	39
GF83285617	8004779030536	4	40
GF80545616	8004779036101	6	40
GF83285820	8004779030543	1	56
GF83285852	8004779031823	6	55
GF83285856	8004779035364	1	57

Art.	EAN	Pcs.	Pag.
GF83286016	8004779030550	2	63
GF83286017	8004779030796	2	60
GF83286902	8004779035197	6	39
GF83286904	8004779035258	6	39
GF86010001	8004779034091	2	76





All the icon detailed descriptions are found in the product data sheet on our website www.gfgarden.it

Non-contractual images. This catalogue is subject to change at any time without prior warning.







G.F. srlVia dell'Industria, 1
42015 Correggio (RE) - ITALY
Tel +39 0522 637 311 - Fax +39 0522 691 225

8 004779 037054

CATALOGO GENERALE GARDENING
AMERICA 2021

GF89999671 - 10.2020